

Publications 2014

Abbas S, Linseisen J, Rohrmann S, Beulens J W, Buijsse B, Amiano P, Ardanaz E, Balkau B, Boeing H, Clavel-Chapelon F, Fagherazzi G, Franks P W, Gavrila D, Grioni S, Kaaks R, Key T J, Khaw K T, Kuhn T, Mattiello A, Molina-Montes E, Nilsson P M, Overvad K, Quiros J R, Rolandsson O, Sacerdote C, Saieva C, Slimani N, Sluijs I, Spijkerman A M, Tjonneland A, Tumino R, Van Der A D, Zamora-Ros R, Sharp S J, Langenberg C, Forouhi N G, Riboli E, Wareham N J. Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. *Eur J Clin Nutr* 2014; 68(2): 196-202

Achenbach P, Winkler C, Haupt F, Beyerlein A, Ziegler A G. [Predisposition, early stages and phenotypes of type 1 diabetes]. *Dtsch Med Wochenschr* 2014; 139(21): 1100-1104

Achenbach P, Ziegler A G. [Phenotypes of diabetes mellitus and its clinical significance]. *Dtsch Med Wochenschr* 2014; 139(21): 1095-1096

Al Massadi O, Lear P V, Muller T D, Lopez M, Dieguez C, Tschoop M H, Nogueiras R. Review of Novel Aspects of the Regulation of Ghrelin Secretion. *Curr Drug Metab* 2014

Albrecht, Nnbsp, E, Nnbsp, Waldenberger, Nnbsp, M, Nnbsp, Krumsiek, Nnbsp, J, Nnbsp, Evans, Nnbsp, A.M.* Nnbsp, Jeratsch, Nnbsp, U, Nnbsp, Breier, Nnbsp, M, Nnbsp, Adamski, Nnbsp, J, Nnbsp, Koenig, Nnbsp, W.* Nnbsp, Zeilinger, Nnbsp, S, Nnbsp, Fuchs, Nnbsp, C, Nnbsp, Klopp, Nnbsp, N.B, Nnbsp, Theis, Nnbsp, F.J, Nnbsp, Wichmann, Nnbsp, H E, Nnbsp, Suhre, Nnbsp, K, Nnbsp, Illig, Nnbsp, T, Nnbsp, Strauch, Nnbsp, K, Nnbsp, Peters, Nnbsp, A, Nnbsp, Gieger, Nnbsp, C, Nnbsp, Kastenmüller, Nnbsp, G, Nnbsp, Döring, Nnbsp, A, Nnbsp, Meisinger, Nnbsp, C. Metabolite profiling reveals new insights into the regulation of serum urate in humans. *Metabolomics* 2014; 10(1): 141-151

Altmaier E, Fobo G, Heier M, Thorand B, Meisinger C, Romisch-Margl W, Waldenberger M, Gieger C, Illig T, Adamski J, Suhre K, Kastenmuller G. Metabolomics approach reveals effects of antihypertensives and lipid-lowering drugs on the human metabolism. *Eur J Epidemiol* 2014; 29(5): 325-336

Aoqui C, Chmielewski S, Scherer E, Eissler R, Sollinger D, Heid I, Braren R, Schmaderer C, Megens R T, Weber C, Heemann U, Tschoop M, Baumann M. Microvascular dysfunction in the course of metabolic syndrome induced by high-fat diet. *Cardiovasc Diabetol* 2014; 13: 31

Arregui M, Buijsse B, Fritzsche A, Di Giuseppe R, Schulze M B, Westphal S, Isermann B, Boeing H, Weikert C. Adiponectin and risk of stroke: prospective study and meta-analysis. *Stroke* 2014; 45(1): 10-17

Artunc F, Nowak A, Mueller C, Breidthardt T, Twerenbold R, Wagner R, Peter A, Haering H U, Ebmeyer S, Friedrich B. Plasma concentrations of the vasoactive peptide fragments mid-regional pro-adrenomedullin, C-terminal pro-endothelin 1 and copeptin in hemodialysis patients: associated factors and prediction of mortality. *PLoS One* 2014; 9(1): e86148

Baechle C, Castillo K, Strassburger K, Stahl-Pehe A, Meissner T, Holl R W, Giani G, Rosenbauer J, German Paediatric Surveillance U, The D P V S I. Is disordered eating behavior more prevalent in adolescents with early-onset type 1 diabetes than in their representative peers? *Int J Eat Disord* 2014; 47(4): 342-352

Publications 2014

Becker L, Kling E, Schiller E, Zeh R, Schrewe A, Holter S M, Mossbrugger I, Calzada-Wack J, Strecker V, Wittig I, Dumitru I, Wenz T, Bender A, Aichler M, Janik D, Neff F, Walch A, Quintanilla-Fend L, Floss T, Bekeredjian R, Gailus-Durner V, Fuchs H, Wurst W, Meitinger T, Prokisch H, De Angelis M H, Klopstock T. MTO1-Deficient Mouse Model Mirrors the Human Phenotype Showing Complex I Defect and Cardiomyopathy. *PLoS One* 2014; 9(12): e114918

Belavy D L, Mohlig M, Pfeiffer A F, Felsenberg D, Armbrecht G. Preferential deposition of visceral adipose tissue occurs due to physical inactivity. *Int J Obes (Lond)* 2014

Bender C, Schlosser M, Christen U, Ziegler A G, Achenbach P. GAD autoantibody affinity in schoolchildren from the general population. *Diabetologia* 2014

Bluher S, Schwarz P. Metabolically healthy obesity from childhood to adulthood - Does weight status alone matter? *Metabolism* 2014; 63(9): 1084-1092

Blumensatt M, Wronkowitz N, Wiza C, Cramer A, Mueller H, Rabelink M J, Hoeben R C, Eckel J, Sell H, Ouwend M D. Adipocyte-derived factors impair insulin signaling in differentiated human vascular smooth muscle cells via the upregulation of miR-143. *Biochim Biophys Acta* 2014; 1842(2): 275-283

Bohm A, Halama A, Meile T, Zdichavsky M, Lehmann R, Weigert C, Fritzsche A, Stefan N, Konigsrainer A, Haring H U, De Angelis M H, Adamski J, Staiger H. Metabolic signatures of cultured human adipocytes from metabolically healthy versus unhealthy obese individuals. *PLoS One* 2014; 9(4): e93148

Bongaerts B W, Ziegler D, Shaw J E, Rathmann W. Response to research letter in relation to paper by Bongaerts et al., A Clinical Screening Score for Diabetic Polyneuropathy: KORA F4 and AusDiab Studies (A single question screening test for the detection of diabetic peripheral neuropathy). *J Diabetes Complications* 2014

Borg D J, Weigelt M, Wilhelm C, Gerlach M, Bickle M, Speier S, Bonifacio E, Hommel A. Mesenchymal stromal cells improve transplanted islet survival and islet function in a syngeneic mouse model. *Diabetologia* 2014; 57(3): 522-531

Bornstein S R, Amiel S A, Rubino F, Migrone G, Kamvissi V, Solimena M, Bonifacio E, Jones P, Schwarz P, Birkenfeld A, Behrens A, Barthel A, Lechner R, Peakman M. Creating a "Transcampus" in Diabetes Research Between King's College London and the Technische Universität Dresden: Update on Islet Biology and Transplantation. *Horm Metab Res* 2014

Breier M, Wahl S, Prehn C, Fugmann M, Ferrari U, Weise M, Banning F, Seissler J, Grallert H, Adamski J, Lechner A. Targeted metabolomics identifies reliable and stable metabolites in human serum and plasma samples. *PLoS One* 2014; 9(2): e89728

Breitfeld, Nnbsp, J.*, Nnbsp, Scholz, Nnbsp, M.*, Nnbsp, Marzi, Nnbsp, C, Nnbsp, Grallert, Nnbsp, H, Nnbsp, Ladenwall, Nnbsp, C.*, Nnbsp, Krause, Nnbsp, K.*, Nnbsp, Laurila, Nnbsp, E.*, Nnbsp, Isomaa, Nnbsp, B.*,
Nnbsp, Groop, Nnbsp, L.*, Nnbsp, Prokopenko, Nnbsp, I.*, Nnbsp, Gieger, Nnbsp, C, Nnbsp, Blueher,
Nnbsp, M.*, Nnbsp, Stumvoll, Nnbsp, M.*, Nnbsp, Kovacs, Nnbsp, P.*, Nnbsp, Toenjes, Nnbsp, A.*.

Publications 2014

Genome wide meta-analysis highlights the role of genetic variation in RARRES2 in regulation of circulating serum chemerin. *Diabetologia* 2014; 57: S67-S68

Broer L, Raschenberger J, Deelen J, Mangino M, Codd V, Pietilainen K H, Albrecht E, Amin N, Beekman M, De Craen A J, Gieger C, Haun M, Henneman P, Herder C, Hovatta I, Laser A, Kedenko L, Koenig W, Kollerits B, Moilanen E, Oostra B A, Paulweber B, Quaye L, Rissanen A, Roden M, Surakka I, Valdes A M, Vuolteenaho K, Thorand B, Van Dijk K W, Kaprio J, Spector T D, Slagboom P E, Samani N J, Kronenberg F, Van Duijn C M, Ladwig K H. Association of adiponectin and leptin with relative telomere length in seven independent cohorts including 11,448 participants. *Eur J Epidemiol* 2014; 29(9): 629-638

Busse, Nnbsp, S.*, Nnbsp, Lutter, Nnbsp, D, Nnbsp, Heldmaier, Nnbsp, G.*, Nnbsp, Jastroch, Nnbsp, M, Nnbsp, Meyer, Nnbsp, C.W. Torpor at high ambient temperature in a neotropical didelphid, the grey short-tailed opossum (*Monodelphis domestica*). *Naturwissenschaften* 2014; 101(11): 1003-1006

Buyken A E, Goletzke J, Joslowski G, Felbick A, Cheng G, Herder C, Brand-Miller J C. Association between carbohydrate quality and inflammatory markers: systematic review of observational and interventional studies. *Am J Clin Nutr* 2014; 99(4): 813-833

Cansell C, Castel J, Denis R G, Rouch C, Delbes A S, Martinez S, Mestivier D, Finan B, Maldonado-Aviles J G, Rijnsburger M, Tschoop M H, Dileone R J, Eckel R H, La Fleur S E, Magnan C, Hnasko T S, Luquet S. Dietary triglycerides act on mesolimbic structures to regulate the rewarding and motivational aspects of feeding. *Mol Psychiatry* 2014

Carstensen M, Wiza C, Rohrig K, Fahibusch P, Roden M, Herder C, Ouwendijk D M. Effect of Sfrp5 on cytokine release and insulin action in primary human adipocytes and skeletal muscle cells. *PLoS One* 2014; 9(1): e85906

Chadt A, Immisch A, De Wendt C, Springer C, Zhou Z, Stermann T, Holman G D, Loffing-Cueni D, Loffing J, Joost H G, Al-Hasani H. Deletion of Both Rab-GTPase-Activating Proteins TBC1D1 and TBC1D4 in Mice Eliminates Insulin- and AICAR-Stimulated Glucose Transport. *Diabetes* 2014

Chan, Nnbsp, Y.*, Nnbsp, Lim, Nnbsp, E.T.*, Nnbsp, Sandholm, Nnbsp, N.*, Nnbsp, Wang, Nnbsp, S.R.* , Nnbsp, McKnight, Nnbsp, A.J.* , Nnbsp, Ripke, Nnbsp, S.* , Nnbsp, Consortium D, C, Grallert, Nnbsp, H, Illig, Nnbsp, T, Klopp, Nnbsp, N.B, Müller N, Nnbsp, M, Peters, Nnbsp, A, Nnbsp, Consortium G, Nnbsp, Consortium I, Nnbsp, Consortium G, E, Heid, Nnbsp, I.M, Thorand, Nnbsp, B, Wichmann, Nnbsp, H E, Nnbsp, Daly, Nnbsp, M.J.* , Nnbsp, Neale, Nnbsp, B.M.* , Nnbsp, Salem, Nnbsp, R.M.* , Nnbsp, Hirschhorn, Nnbsp, J.N.* . An excess of risk-increasing low-frequency variants can be a signal of polygenic inheritance in complex diseases. *Am. J. Hum. Genet.* 2014; 94(3): 437-452

Chatzigeorgiou A, Chung K J, Garcia-Martin R, Alexaki V I, Klotzsche-Von Ameln A, Phieler J, Sprott D, Kanczkowski W, Tzanavari T, Bdeir M, Bergmann S, Cartellieri M, Bachmann M, Nikolakopoulou P, Androutsellis-Theotokis A, Siegert G, Bornstein S R, Muders M H, Boon L, Karalis K P, Lutgens E, Chavakis T. Dual role of B7 costimulation in obesity-related non-alcoholic steatohepatitis (NASH) and metabolic dysregulation. *Hepatology* 2014

Publications 2014

Chatzigeorgiou A, Seijkens T, Zarzycka B, Engel D, Poggi M, Van Den Berg S, Van Den Berg S, Soehnlein O, Winkels H, Beckers L, Lievens D, Driessen A, Kusters P, Biessen E, Garcia-Martin R, Klotzsche-Von Ameln A, Gijbels M, Noelle R, Boon L, Hackeng T, Schulte K M, Xu A, Vriend G, Nabuurs S, Chung K J, Willemse Van Dijk K, Rensen P C, Gerdes N, De Winther M, Block N L, Schally A V, Weber C, Bornstein S R, Nicolaes G, Chavakis T, Lutgens E. Blocking CD40-TRAF6 signaling is a therapeutic target in obesity-associated insulin resistance. *Proc Natl Acad Sci U S A* 2014; 111(7): 2686-2691

Chernyak N, Sattel H, Scheer M, Baechle C, Kruse J, Henningsen P, Icks A. Economic evaluation of brief psychodynamic interpersonal therapy in patients with multisomatoform disorder. *PLoS One* 2014; 9(1): e83894

Claussnitzer M, Dankel S N, Klocke B, Grallert H, Glunk V, Berulava T, Lee H, Oskolkov N, Fadista J, Ehlers K, Wahl S, Hoffmann C, Qian K, Ronn T, Riess H, Muller-Nurasyid M, Bretschneider N, Schroeder T, Skurk T, Horsthemke B, Diagram+Consortium, Spieler D, Klingenspor M, Seifert M, Kern M J, Mejhert N, Dahlman I, Hansson O, Hauck S M, Bluher M, Arner P, Groop L, Illig T, Suhre K, Hsu Y H, Mellgren G, Hauner H, Laumen H. Leveraging cross-species transcription factor binding site patterns: from diabetes risk loci to disease mechanisms. *Cell* 2014; 156(1-2): 343-358

Clemmensen C, Chabenne J, Finan B, Sullivan L, Fischer K, Kuchler D, Sehrer L, Ograjsek T, Hofmann S M, Schriever S C, Pfluger P T, Pinkstaff J, Tschop M H, Dimarchi R, Muller T D. GLP-1/glucagon coagonism restores leptin responsiveness in obese mice chronically maintained on an obesogenic diet. *Diabetes* 2014; 63(4): 1422-1427

Consortium D, C, Grallert, Nbsp, H, Illig, Nbsp, T, Klopp, Nbsp, N.B, Müller N, Nbsp, M, Peters, Nbsp, A, Nbsp, Consortium A-T D, Nbsp, Consortium S D, Nbsp, Consortium M D, Nbsp, Consortium T D G, Nbsp, Boehnke, Nbsp, M.* , Nbsp, Parra, Nbsp, E.J.* , Nbsp, Chambers, Nbsp, J.C.* , Nbsp, Tai, Nbsp, E.S.* , Nbsp, McCarthy, Nbsp, M.I*, Nbsp, Morris, Nbsp, A.P.* . Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. *Nat. Genet.* 2014; 46(3): 234-244

Cummings J E, Kingry L C, Rholl D A, Schweizer H P, Tonge P J, Slayden R A. The Burkholderia pseudomallei enoyl-acyl carrier protein reductase FabI1 is essential for in vivo growth and is the target of a novel chemotherapeutic with efficacy. *Antimicrob Agents Chemother* 2014; 58(2): 931-935

Czogalla A, Grzybek M, Jones W, Coskun U. Validity and applicability of membrane model systems for studying interactions of peripheral membrane proteins with lipids. *Biochim Biophys Acta* 2014; 1841(8): 1049-1059

Dahlhoff M, Pfister S, Blutke A, Rozman J, Klingenspor M, Deutsch M J, Rathkolb B, Fink B, Gimpfli M, Hrabe De Angelis M, Roscher A A, Wolf E, Ensenauer R. Peri-conceptional obesogenic exposure induces sex-specific programming of disease susceptibilities in adult mouse offspring. *Biochim Biophys Acta* 2014; 1842(2): 304-317

Daniel C, Gerlach K, Vath M, Neurath M F, Weigmann B. Nuclear factor of activated T cells - a transcription factor family as critical regulator in lung and colon cancer. *Int J Cancer* 2014; 134(8): 1767-1775

Publications 2014

De J, T.M.* Nbsp, Jochens, Nbsp, A.* Nbsp, Jockel S, Nbsp, Y.* Nbsp, Harks, Nbsp, I.* Nbsp, Dommisch, Nbsp, H.* Nbsp, Graetz, Nbsp, C.* Nbsp, Flachsbart, Nbsp, F.* Nbsp, Staufenbiel, Nbsp, I.* Nbsp, Eberhard, Nbsp, J.* Nbsp, Folwaczny, Nbsp, M.* Nbsp, Noack, Nbsp, B.* Nbsp, Meyle, Nbsp, J.* Nbsp, Eickholz, Nbsp, P.* Nbsp, Gieger, Nbsp, C, Nbsp, Grallert, Nbsp, H, Nbsp, Lieb, Nbsp, W.* Nbsp, Franke, Nbsp, A.* Nbsp, Nebel, Nbsp, A.* Nbsp, Schreiber, Nbsp, S.* Nbsp, Doerfer, Nbsp, C.* Nbsp, Jepsen, Nbsp, S.* Nbsp, Bruckmann, Nbsp, C.* Nbsp, Van Der V, Nbsp, U.* Nbsp, Loos, Nbsp, B.G.* Nbsp, Schäfer, Nbsp, A.S.* Nbsp, Group K S, R, Illig, Nbsp, T, John, Nbsp, J, Meisinger, Nbsp, C, Peters, Nbsp, A, Wichmann, Nbsp, H E. SLC23A1 polymorphism rs6596473 in the vitamin C transporter SVCT1 is associated with aggressive periodontitis. *J. Clin. Periodontol.* 2014; 41(6): 531-540

Dick K J, Nelson C P, Tsaprouni L, Sandling J K, Aissi D, Wahl S, Meduri E, Morange P E, Gagnon F, Grallert H, Waldenberger M, Peters A, Erdmann J, Hengstenberg C, Cambien F, Goodall A H, Ouwehand W H, Schunkert H, Thompson J R, Spector T D, Gieger C, Tregouet D A, Deloukas P, Samani N J. DNA methylation and body-mass index: a genome-wide analysis. *Lancet* 2014; 383(9933): 1990-1998

Dimas A S, Lagou V, Barker A, Knowles J W, Magi R, HIVERT M F, Benazzo A, Rybin D, Jackson A U, Stringham H M, Song C, Fischer-Rosinsky A, Boesgaard T W, Grarup N, Abbasi F A, Assimes T L, Hao K, Yang X, Lecoeur C, Barroso I, Bonnycastle L L, Bottcher Y, Bumpstead S, Chines P S, Erdos M R, Graessler J, Kovacs P, Morken M A, Narisu N, Payne F, Stancakova A, Swift A J, Tonjes A, Bornstein S R, Cauchi S, Froguel P, Meyre D, Schwarz P E, Haring H U, Smith U, Boehnke M, Bergman R N, Collins F S, Mohlke K L, Tuomilehto J, Quertermous T, Lind L, Hansen T, Pedersen O, Walker M, Pfeiffer A F, Spranger J, Stumvoll M, Meigs J B, Wareham N J, Kuusisto J, Laakso M, Langenberg C, Dupuis J, Watanabe R M, Florez J C, Ingelsson E, McCarthy M I, Prokopenko I, Investigators M. Impact of type 2 diabetes susceptibility variants on quantitative glycemic traits reveals mechanistic heterogeneity. *Diabetes* 2014; 63(6): 2158-2171

Dimitrov S, Besedovsky L, Born J, Lange T. Differential acute effects of sleep on spontaneous and stimulated production of tumor necrosis factor in men. *Brain Behav Immun* 2014

Dullaart R P, Al-Daghri N M, Ashina M, Bouzas-Mosquera A, Brunetti N D, Buechler C, Chen H S, Corrales J J, D'archivio M, Dei Cas A, Pino G G, Gomez-Abril S A, Gyori D, Haslacher H, Herder C, Kerstens M N, Koutsilieris M, Lombardi C, Lupattelli G, Mocsai A, Msaouel P, Orfao A, Ormazabal P, Pacher R, Perkmann T, Peteiro J, Plischke M, Reynaert N L, Ricci M A, Robles N R, Rocha M, Rutten E P, Sabico S, Santamaria F, Santoro F, Schmid A, Schmidt M, Schytz H W, Shyu K G, Tada H, Thorand B, Valerio G, Vesely D L, Wu T E, Yamagishi M, Yeh Y T. Research update for articles published in EJCI in 2012. *Eur J Clin Invest* 2014; 44(10): 1010-1023

Eckardt K, Gorgens S W, Raschke S, Eckel J. Myokines in insulin resistance and type 2 diabetes. *Diabetologia* 2014; 57(6): 1087-1099

Ehlers K, Brand T, Bangert A, Hauner H, Laumen H. Postprandial activation of metabolic and inflammatory signalling pathways in human peripheral mononuclear cells. *Br J Nutr* 2014; 111(12): 2167-2175

Publications 2014

Eichner, J.* , Rosenbaum, L.* , Wrzodek, C.* , Häring, H U, Zell, A.* , Lehmann, R. Integrated enrichment analysis and pathway-centered visualization of metabolomics, proteomics, transcriptomics, and genomics data by using the InCroMAP software. *J. Chromatogr. B* 2014; 966: 77-82

Eichner J, Rosenbaum L, Wrzodek C, Haring H U, Zell A, Lehmann R. Integrated enrichment analysis and pathway-centered visualization of metabolomics, proteomics, transcriptomics, and genomics data by using the InCroMAP software. *J Chromatogr B Analyt Technol Biomed Life Sci* 2014; 966: 77-82

Ellis J, Lange E M, Li J, Dupuis J, Baumert J, Walston J D, Keating B J, Durda P, Fox E R, Palmer C D, Meng Y A, Young T, Farlow D N, Schnabel R B, Marzi C S, Larkin E, Martin L W, Bis J C, Auer P, Ramachandran V S, Gabriel S B, Willis M S, Pankow J S, Papanicolaou G J, Rotter J I, Ballantyne C M, Gross M D, Lettre G, Wilson J G, Peters U, Koenig W, Tracy R P, Redline S, Reiner A P, Benjamin E J, Lange L A. Large multiethnic Candidate Gene Study for C-reactive protein levels: identification of a novel association at CD36 in African Americans. *Hum Genet* 2014; 133(8): 985-995

Ellwanger, D.C, Leonhardt, J, Mewes, H W. Large-scale modeling of condition-specific gene regulatory networks by information integration and inference. *Nucleic Acids Res.* 2014; 42(21)

Elsen M, Raschke S, Tennagels N, Schwahn U, Jelenik T, Roden M, Romacho T, Eckel J. BMP4 and BMP7 induce the white-to-brown transition of primary human adipose stem cells. *Am J Physiol Cell Physiol* 2014; 306(5): C431-440

Endesfelder D, Zu Castell W, Ardisson A, Davis-Richardson A G, Achenbach P, Hagen M, Pflueger M, Gano K A, Fagen J R, Drew J C, Brown C T, Kolaczkowski B, Atkinson M, Schatz D, Bonifacio E, Triplett E W, Ziegler A G. Compromised gut microbiota networks in children with anti-islet cell autoimmunity. *Diabetes* 2014; 63(6): 2006-2014

Farukuoye M, Strassburger K, Kacerovsky-Bielesz G, Giani G, Roden M. Validity and reproducibility of an interviewer-administered food frequency questionnaire in Austrian adults at risk of or with overt diabetes mellitus. *Nutr Res* 2014; 34(5): 410-419

Ferreira R C, Guo H, Coulson R M, Smyth D J, Pekalski M L, Burren O S, Cutler A J, Doecke J D, Flint S, McKinney E F, Lyons P A, Smith K G, Achenbach P, Beyerlein A, Dunger D B, Clayton D G, Wicker L S, Todd J A, Bonifacio E, Wallace C, Ziegler A G. A type I interferon transcriptional signature precedes autoimmunity in children genetically at risk for type 1 diabetes. *Diabetes* 2014; 63(7): 2538-2550

Finan B, Yang B, Ottaway N, Perez-Tilve D, Smiley D L, Ma T, Chabenne J, Zhang L, Pfluger P, Habegger K M, Muller T D, Clemmensen C, Fischer K, Bleicher K, Uhles S, Riboulet W, Funk J, Hertel C, Sebokova E, Conde-Knape K, Konkar K, Drucker D J, Gelfanov V, Dimarchi R D, Tschop M H. Integrated triple gut hormone action broadens the therapeutic potential of endocrine biologics for metabolic diseases. *Nat Med* 2014; (in revision)

Publications 2014

Fischer, K, Finan, B, Clemmensen, C, Van Der P, L.H.T.* Tschöp, M.H., Müller, T.D. The pentapeptide RM-131 promotes food intake and adiposity in wildtype mice but not in mice lacking the ghrelin receptor. *Front. Nutr.* 2014

Fischer K, Muller T D. Relationship status update for PTP1B and LepR: Its complicated. *Mol Metab* 2014; 3(3): 217-218

Flaquer, A, Baumbach, C, Kriebel, J, Meitinger, T, Peters, A, Waldenberger, M, Grallert, H, Strauch, K. Mitochondrial genetic variants identified to be associated with BMI in adults. *PLoS ONE* 2014; 9(8)

Floegel A, Wientzek A, Bachlechner U, Jacobs S, Drogan D, Prehn C, Adamski J, Krumsiek J, Schulze M B, Pischon T, Boeing H. Linking diet, physical activity, cardiorespiratory fitness and obesity to serum metabolite networks: findings from a population-based study. *Int J Obes (Lond)* 2014

Frank S, Wilms B, Veit R, Ernst B, Thurnheer M, Kullmann S, Fritzsche A, Birbaumer N, Preissl H, Schultes B. Altered brain activity in severely obese women may recover after Roux-en Y gastric bypass surgery. *Int J Obes (Lond)* 2014; 38(3): 341-348

Franko A, Von Kleist-Retzow J C, Neschen S, Wu M, Schommers P, Bose M, Kunze A, Hartmann U, Sanchez-Lasheras C, Stoehr O, Huntgeburth M, Brodesser S, Irmler M, Beckers J, De Angelis M H, Paulsson M, Schubert M, Wiesner R J. Liver adapts mitochondrial function to insulin resistant and diabetic states in mice. *J Hepatol* 2014; 60(4): 816-823

Friedrich N, Wolthers O D, Arafat A M, Emeny R T, Spranger J, Roswall J, Kratzsch J, Grabe H J, Hubener C, Pfeiffer A F, Doring A, Bielohuby M, Dahlgren J, Frystyk J, Wallaschofski H, Bidlingmaier M. Age- and sex-specific reference intervals across life span for insulin-like growth factor binding protein 3 (IGFBP-3) and the IGF-I to IGFBP-3 ratio measured by new automated chemiluminescence assays. *J Clin Endocrinol Metab* 2014; 99(5): 1675-1686

Fuchs Y F, Adler K, Lindner A, Karasinsky A, Wilhelm C, Weigelt M, Balke H, Fortsch K, Mortler-Hildebrandt L F, Harlan D M, Pechhold K, Ziegler A G, Bonifacio E. IGRP and insulin vaccination induce CD8+ T cell-mediated autoimmune diabetes in the RIP-CD80GP mouse. *Clin Exp Immunol* 2014; 176(2): 199-206

Gao Y, Ottaway N, Schriever S C, Legutko B, Garcia-Caceres C, De La Fuente E, Mergen C, Bour S, Thaler J P, Seeley R J, Filosa J, Stern J E, Perez-Tilve D, Schwartz M W, Tschop M H, Yi C X. Hormones and diet, but not body weight, control hypothalamic microglial activity. *Glia* 2014; 62(1): 17-25

Gao Y, Tschop M H, Luquet S. Hypothalamic tanycytes: gatekeepers to metabolic control. *Cell Metab* 2014; 19(2): 173-175

Garcia-Caceres C, Tschop M H. The emerging neurobiology of calorie addiction. *Elife (Cambridge)* 2014; 3: e01928

Publications 2014

Gegg, M., Böttcher, A., Burtscher, I., Hasenöder, S., Van C., C.A.*, Aichler, M., Walch, A.K., Grant, S.G.*., Lickert, H. Flattop regulates basal body docking and positioning in mono- and multiciliated cells. *eLife* 2014; 3

Gerdes, J.M., Christou, S., S.*., Xiong, Y.*., Moede, T.*., Moruzzi, N., Karlsson, E., P.*., Leibiger, B.*., Leibiger, I.*., Ostenson, C.G.*., Beales, P.*., Berggren, P.O.*. Ciliary dysfunction impairs beta-cell insulin secretion and promotes development of type 2 diabetes in rodents. *Nat. Commun.* 2014; 5

Gerl M J, Sachsenheimer T, Grzybek M, Coskun U, Wieland F T, Brugger B. Analysis of transmembrane domains and lipid modified peptides with matrix-assisted laser desorption ionization-time-of-flight mass spectrometry. *Anal Chem* 2014; 86(8): 3722-3726

Gharabaghi A, Naros G, Khademi F, Jesser J, Spuler M, Walter A, Bogdan M, Rosenstiel W, Birbaumer N. Learned self-regulation of the lesioned brain with epidural electrocorticography. *Front Behav Neurosci* 2014; 8: 429

Goldman, O.*., Han, S.*., Hamou, W.*., Jodon De V, V.*., Uzan, G.*., Lickert, H., Gouon E, V.*. Endoderm generates endothelial cells during liver development. *Stem Cell Reports* 2014; 3(4): 556-565

Goletzke J, Buyken A E, Joslowski G, Bolzenius K, Remer T, Carstensen M, Egert S, Nothlings U, Rathmann W, Roden M, Herder C. Increased intake of carbohydrates from sources with a higher glycemic index and lower consumption of whole grains during puberty are prospectively associated with higher IL-6 concentrations in younger adulthood among healthy individuals. *J Nutr* 2014; 144(10): 1586-1593

Gorgens S W, Eckardt K, Elsen M, Tennagels N, Eckel J. Chitinase-3-like protein 1 protects skeletal muscle from TNFalpha-induced inflammation and insulin resistance. *Biochem J* 2014; 459(3): 479-488

Gorski, M.*., Tin, A.*., Garnaas, M.*., Mcmahon, G.M.*., Chu, A.Y.*., Tayo, B.O.*., Pattaro, C.*., Teumer, A.*., Chasman, D.I.*., Chalmers, J.*., Hamet, P.*., Tremblay, J.*., Woodward, M.*., Aspelund, T.*., Eiriksdottir, G.*., Gudnason, V.*., Harris, T.B.*., Launer, L.J.*., Smith, A.V.*., Mitchell, B.D.*., O'connell, J.R.*., Shuldiner, A.R.*., Coresh, J.*., Li, M.*., Freudemberger, P.*., Hofer, E.*., Schmidt, H.*., Schmidt, R.*., Holliday, E.G.*., Mitchell, P.*., Wang, J.J.*., De B, I.H.*., Li, G.*., Siscovick, D.S.*., Katalik, Z.*., Corre, T.*., Vollenweider, P.*., Waeber, G.*., Gupta, J.*., Kanetsky, P.A.*., Hwang, S.J.*., Olden, M.*., Yang, Q.*., De A, M.*., Atkinson, E.J.*., Kardia, S.L.*., Turner, S.T.*., Stafford, J.M.*., Ding, J.*., Liu, Y.*., Barlassina,

Publications 2014

C.* , Cusi, D.* , Salvi, E.* , Staessen, J.A.* , Ridker, P.M.* , Grallert, H, Meisinger, C, Müller N, M, Krämer, B.K.* , Kramer, H.* , Rosas, S.E.* , Nolte, I.M.* , Penninx, B.W.* , Snieder, H.* , Fabiola Del G, M.* , Franke, A.* , Nöthlings, U.* , Lieb, W.* , Bakker, S.J.* , Gansevoort, R.T.* , Van Der H, P.* , Dehghan, A.* , Franco, O.H.* , Hofman, A.* , Rivadeneira, F.* , Sedaghat, S.* , Uitterlinden, A.G.* , Coassin, S.* , Haun, M.* , Kollerits, B.* , Kronenberg, F.* , Paulweber, B.* , Aumann, N.* , Endlich, K.* , Pietzner, M.* , Völker, U.* , Rettig, R.* , Chouraki, V.* , Helmer, C.* , Lambert, J.C.* , Metzger, M.* , Stengel, B.* , Lehtimäki, T.* , Lyttikäinen, L.P.* , Raitakari, O.* , Johnson, A.* , Parsa, A.* , Bochud, M.* , Heid, I.M, Goessling, W.* , Köttgen, A.* , Kao, W.H.* , Fox, C.S.* , Böger, C.A.* . Genome-wide association study of kidney function decline in individuals of European descent. *Kidney Int.* 2014

Gorski, M.* , Winkler, T.W.* , Stark, K.* , Müller N, M, Ried, J.S, Grallert, H, Weber, B.H.F.* , Heid, I.M. Harmonization of study and reference data by PhaseLift: Saving time when imputing study data. *Genet Epidemiol.* 2014; 38(5): 381-388

Graessler J, Bornstein T D, Goel D, Bhalla V P, Lohmann T, Wolf T, Koch M, Qin Y, Licinio J, Wong M L, Chavakis T, Xu A, Shevchenko A, Schuhmann K, Schwarz P E, Schulte K M, Patel A, Bornstein S R. Lipidomic profiling before and after Roux-en-Y gastric bypass in obese patients with diabetes. *Pharmacogenomics J* 2014; 14(3): 201-207

Grimpo K, Kutschke M, Kastl A, Meyer C W, Heldmaier G, Exner C, Jastroch M. Metabolic depression during warm torpor in the Golden spiny mouse (*Acomys russatus*) does not affect mitochondrial respiration and hydrogen peroxide release. *Comp Biochem Physiol A Mol Integr Physiol* 2014; 167: 7-14

Gutierrez A, R.* , Kim, D.* , Casimir, M.* , Dai, X.* , Pfluger, P.T, Park, J.* , Haller, A.* , Donelan, E.* , D'alessio, D.* , Woods, S.C.* , Macdonald, P.E.* , Seeley, R.J.* . The role of the transcription factor ETV5 in insulin exocytosis. *Diabetologia* 2014; 57(2): 383-391

H V, Bhat G G, Inamdar S R, Gudihal R K, Swamy B M. Sclerotium rolfsii lectin exerts insecticidal activity on Spodoptera litura larvae by binding to membrane proteins of midgut epithelial cells and triggering caspase-3-dependent apoptosis. *Toxicon* 2014; 78: 47-57

Habegger K M, Al-Massadi O, Heppner K M, Myronovych A, Holland J, Berger J, Yi C X, Gao Y, Lehti M, Ottaway N, Amburgy S, Raver C, Muller T D, Pfluger P T, Kohli R, Perez-Tilve D, Seeley R J, Tschop M H. Duodenal nutrient exclusion improves metabolic syndrome and stimulates villus hyperplasia. *Gut* 2014; 63(8): 1238-1246

Publications 2014

Habegger K M, Heppner K M, Amburgy S E, Ottaway N, Holland J, Raver C, Bartley E, Muller T D, Pfluger P T, Berger J, Toure M, Benoit S C, Dimarchi R D, Perez-Tilve D, D'alessio D A, Seeley R J, Tschop M H. GLP-1R responsiveness predicts individual gastric bypass efficacy on glucose tolerance in rats. *Diabetes* 2014; 63(2): 505-513

Hara, Nbsp, K.* , Nbsp, Fujita, Nbsp, H.* , Nbsp, Johnson, Nbsp, T.A.* , Nbsp, Yamauchi, Nbsp, T.* , Nbsp, Yasuda, Nbsp, K.* , Nbsp, Horikoshi, Nbsp, M.* , Nbsp, Peng, Nbsp, C.* , Nbsp, Hu, Nbsp, C.* , Nbsp, Ma, Nbsp, R.C.* , Nbsp, Imamura, Nbsp, M.* , Nbsp, Iwata, Nbsp, M.* , Nbsp, Tsunoda, Nbsp, T.* , Nbsp, Morizono, Nbsp, T.* , Nbsp, Shojima, Nbsp, N.* , Nbsp, So, Nbsp, W.Y.* , Nbsp, Leung, Nbsp, T.F.* , Nbsp, Kwan, Nbsp, P.* , Nbsp, Zhang, Nbsp, R.* , Nbsp, Wang, Nbsp, J.* , Nbsp, Yu, Nbsp, W.* , Nbsp, Maegawa, Nbsp, H.* , Nbsp, Hirose, Nbsp, H.* , Nbsp, Consortium D, C, Gieger, Nbsp, C, Klopp, Nbsp, N.B, Meitinger, Nbsp, T, Illig, Nbsp, T, Grallert, Nbsp, H, Thorand, Nbsp, B, Wichmann, Nbsp, H E, Petersen, Nbsp, A K, Nbsp, Kaku, Nbsp, K.* , Nbsp, Ito, Nbsp, C.* , Nbsp, Watada, Nbsp, H.* , Nbsp, Tanaka, Nbsp, Y.* , Nbsp, Tobe, Nbsp, K.* , Nbsp, Kashiwagi, Nbsp, A.* , Nbsp, Kawamori, Nbsp, R.* , Nbsp, Jia, Nbsp, W.* , Nbsp, Chan, Nbsp, J.C.* , Nbsp, Teo, Nbsp, Y.Y.* , Nbsp, Shyong, Nbsp, T.E.* , Nbsp, Kamatani, Nbsp, N.* , Nbsp, Kubo, Nbsp, M.* , Nbsp, Maeda, Nbsp, S.* , Nbsp, Kadowaki, Nbsp, T.* . Genome-wide association study identifies three novel loci for type 2 diabetes. *Hum. Mol. Genet.* 2014; 23(1): 239-246

Hartwig S, Raschke S, Knebel B, Scheler M, Irmler M, Passlack W, Muller S, Hanisch F G, Franz T, Li X, Dicken H D, Eckardt K, Beckers J, De Angelis M H, Weigert C, Haring H U, Al-Hasani H, Ouwens D M, Eckel J, Kotzka J, Lehr S. Secretome profiling of primary human skeletal muscle cells. *Biochim Biophys Acta* 2014; 1844(5): 1011-1017

Heidemann C, Niemann H, Paprott R, Du Y, Rathmann W, Scheidt-Nave C. Residential traffic and incidence of Type 2 diabetes: the German Health Interview and Examination Surveys. *Diabet Med* 2014

Heise T, Morrow L, Hompesch M, Haring H U, Kapitza C, Abt M, Ramsauer M, Magnone M C, Fuerst-Recktenwald S. Safety, efficacy and weight effect of two 11beta-HSD1 inhibitors in metformin-treated patients with type 2 diabetes. *Diabetes Obes Metab* 2014

Helmbrecht M S, Soellner H, Truckenbrodt A M, Sundermeier J, Cohrs C, Hans W, De Angelis M H, Feuchtinger A, Aichler M, Fouad K, Huber A B. Loss of Npn1 from motor neurons causes postnatal deficits independent from Sema3A signaling. *Dev Biol* 2014

Heni M, Kullmann S, Ketterer C, Guthoff M, Bayer M, Staiger H, Machicao F, Haring H U, Preissl H, Veit R, Fritzsche A. Differential effect of glucose ingestion on the neural processing of food stimuli in lean and overweight adults. *Hum Brain Mapp* 2014; 35(3): 918-928

Heni M, Kullmann S, Veit R, Ketterer C, Frank S, Machicao F, Staiger H, Haring H U, Preissl H, Fritzsche A. Variation in the obesity risk gene FTO determines the postprandial cerebral processing of food stimuli in the prefrontal cortex. *Mol Metab* 2014; 3(2): 109-113

Heni M, Schopfer P, Peter A, Sartorius T, Fritzsche A, Synofzik M, Haring H U, Maetzler W, Hennige A M. Evidence for altered transport of insulin across the blood-brain barrier in insulin-resistant humans. *Acta Diabetol* 2014; 51(4): 679-681

Publications 2014

Heni M, Wagner R, Kullmann S, Veit R, Mat-Husin H, Linder K, Benkendorff C, Peter A, Stefan N, Haring H U, Preissl H, Fritzsche A. Central insulin administration improves whole-body insulin sensitivity via hypothalamus and parasympathetic outputs in men. *Diabetes* 2014

Heppner K M, Piechowski C L, Muller A, Ottaway N, Sisley S, Smiley D L, Habegger K M, Pfluger P T, Dimarchi R, Biebermann H, Tschoop M H, Sandoval D A, Perez-Tilve D. Both acyl and des-acyl ghrelin regulate adiposity and glucose metabolism via central nervous system ghrelin receptors. *Diabetes* 2014; 63(1): 122-131

Herder C, Kowall B, Tabak A G, Rathmann W. The potential of novel biomarkers to improve risk prediction of type 2 diabetes. *Diabetologia* 2014; 57(1): 16-29

Herder C, Nuotio M L, Shah S, Blankenberg S, Brunner E J, Carstensen M, Gieger C, Grallert H, Jula A, Kahonen M, Kettunen J, Kivimaki M, Koenig W, Kristiansson K, Langenberg C, Lehtimaki T, Luotola K, Marzi C, Muller C, Peters A, Prokisch H, Raitakari O, Rathmann W, Roden M, Salmi M, Schramm K, Swerdlow D, Tabak A G, Thorand B, Wareham N, Wild P S, Zeller T, Hingorani A D, Witte D R, Kumari M, Perola M, Salomaa V. Genetic determinants of circulating interleukin-1 receptor antagonist levels and their association with glycemic traits. *Diabetes* 2014; 63(12): 4343-4359

Herder C, Peltonen M, Svensson P A, Carstensen M, Jacobson P, Roden M, Sjostrom L, Carlsson L. Adiponectin and bariatric surgery: associations with diabetes and cardiovascular disease in the Swedish Obese Subjects Study. *Diabetes Care* 2014; 37(5): 1401-1409

Hernandez, E.D.* , Lee, S.J.* , Kim, J.Y.* , Duran, A.* , Linares, J.F.* , Yajima, T.* , Müller, T.D., Tschöp, M.H., Smith, S.R.* , Diaz M, M.T.* , Moscat, J.* . A macrophage NBR1-MEKK3 complex triggers JNK-mediated adipose tissue inflammation in obesity. *Cell Metab.* 2014; 20(3): 499-511

Hesse D, Radloff K, Jaschke A, Lagerpusch M, Chung B, Tailleux A, Staels B, Schurmann A. Hepatic trans-Golgi action coordinated by the GTPase ARFRP1 is crucial for lipoprotein lipidation and assembly. *J Lipid Res* 2014; 55(1): 41-52

Hieronymus A, Klein R, Haring H U, Fritzsche A, Wagner R. Jaundice from diabetes therapy. *Diabetes Care* 2014; 37(3): e57-58

Hinney, A.* , Albayrak, Ö.* , Antel, J.* , Volckmar, A.L.* , Sims, R.* , Chapman, J.* , Harold, D.* , Gerrish, A.* , Heid, I.M.* , Winkler, T.W.* , Scherag, A.* , Wiltfang, J.* , Williams, J.* , Hebebrand, J.* , Consortium G, Consortium I, Consortium G, E, Gieger, C, Grallert, H, Heid, I.M, Illig, T, Müller N, M, Peters, A, Thorand, B, Wichmann, H E. Genetic variation at the CELF1 (CUGBP, elav-like family member 1 gene) locus is genome-wide associated with Alzheimer's disease and obesity. *Am. J. Med. Genet. B* 2014; 165(4): 283-293

Publications 2014

Hoene M, Li J, Haring H U, Weigert C, Xu G, Lehmann R. The lipid profile of brown adipose tissue is sex-specific in mice. *Biochim Biophys Acta* 2014; 1842(10): 1563-1570

Horsch M, Beckers J, Fuchs H, Gailus-Durner V, Hrabe De Angelis M, Rathkolb B, Wolf E, Aigner B, Kemter E. Uromodulin retention in thick ascending limb of Henle's loop affects SCD1 in neighboring proximal tubule: renal transcriptome studies in mouse models of uromodulin-associated kidney disease. *PLoS One* 2014; 9(11): e113125

Hunger M, Holle R, Meisinger C, Rathmann W, Peters A, Schunk M. Longitudinal changes in health-related quality of life in normal glucose tolerance, prediabetes and type 2 diabetes: results from the KORA S4/F4 cohort study. *Qual Life Res* 2014

Huth C, Thorand B, Baumert J, Kruse J, Emeny R T, Schneider A, Meisinger C, Ladwig K H. Job strain as a risk factor for the onset of type 2 diabetes mellitus: findings from the MONICA/KORA Augsburg cohort study. *Psychosom Med* 2014; 76(7): 562-568

International League against Epilepsy Consortium on Complex E, C, Grallert, Nnbsp, H, Heinrich, Nnbsp, J, Holle, Nnbsp, R, Leidl, Nnbsp, R, Meisinger, Nnbsp, C, Peters, Nnbsp, A, Strauch, Nnbsp, K. Genetic determinants of common epilepsies: A meta-analysis of genome-wide association studies. *Lancet Neurol.* 2014; 13(9): 893-903

Ioacara S, Guja C, Ionescu-Tirgoviste C, Fica S, Roden M. Cancer specific mortality in insulin-treated type 2 diabetes patients. *PLoS One* 2014; 9(3): e93132

Islam S, Lechner A, Ferrari U, Froeschl G, Alam D, Holle R, Seissler J, Niessen L W. Mobile phone intervention for increasing adherence to treatment for type 2 diabetes in an urban area of Bangladesh: protocol for a randomized controlled trial. *BMC Health Serv Res* 2014; 14(1): 586

Iwen K A, Scherer T, Heni M, Sayk F, Wellnitz T, Machleidt F, Preissl H, Haring H U, Fritzsche A, Lehnert H, Buettner C, Hallschmid M. Intranasal insulin suppresses systemic but not subcutaneous lipolysis in healthy humans. *J Clin Endocrinol Metab* 2014; 99(2): E246-251

Jacobs S, Kroger J, Floegel A, Boeing H, Drogan D, Pischon T, Fritzsche A, Prehn C, Adamski J, Isermann B, Weikert C, Schulze M B. Evaluation of various biomarkers as potential mediators of the association between coffee consumption and incident type 2 diabetes in the EPIC-Potsdam Study. *Am J Clin Nutr* 2014; 100(3): 891-900

Jacobs S, Schiller K, Jansen E, Fritzsche A, Weikert C, Di Giuseppe R, Boeing H, Schulze M B, Kroger J. Association between erythrocyte membrane fatty acids and biomarkers of dyslipidemia in the EPIC-Potsdam study. *Eur J Clin Nutr* 2014; 68(4): 517-525

Jager S, Jacobs S, Kroger J, Fritzsche A, Schienkiewitz A, Rubin D, Boeing H, Schulze M B. Breast-feeding and maternal risk of type 2 diabetes: a prospective study and meta-analysis. *Diabetologia* 2014; 57(7): 1355-1365

Jastroch, Nnbsp, M, Nnbsp, Morin, Nnbsp, S, Nnbsp, Tschöp, Nnbsp, M.H, Nnbsp, Yi, Nnbsp, C X. The hypothalamic neural-glial network and the metabolic syndrome. *Best Pract. Res. Clin. Endoc. Metab.* 2014; 28(5): 661-671

Publications 2014

Jastroch M, Keipert S, Perocchi F. From explosives to physiological combustion: Next generation chemical uncouplers. *Mol Metab* 2014; 3(2): 86-87

Jelenik T, Sequareis G, Kaul K, Ouwens D M, Phielix E, Kotzka J, Knebel B, Weiss J, Reinbeck A L, Janke L, Nowotny P, Partke H J, Zhang D, Shulman G I, Szendroedi J, Roden M. Tissue-specific differences in the development of insulin resistance in a mouse model for type 1 diabetes. *Diabetes* 2014

Jilkova Z M, Hensler M, Medrikova D, Janovska P, Horakova O, Rossmeisl M, Flachs P, Sell H, Eckel J, Kopecky J. Adipose tissue-related proteins locally associated with resolution of inflammation in obese mice. *Int J Obes (Lond)* 2014; 38(2): 216-223

Jourdan C, Linseisen J, Meisinger C, Petersen A K, Gieger C, Rawal R, Illig T, Heier M, Peters A, Wallaschofski H, Nauck M, Kastenmuller G, Suhre K, Prehn C, Adamski J, Koenig W, Roden M, Wichmann H E, Volzke H. Associations between thyroid hormones and serum metabolite profiles in an euthyroid population. *Metabolomics* 2014; 10: 152-164

Kahl S, Nowotny B, Piepel S, Nowotny P J, Strassburger K, Herder C, Pacini G, Roden M. Estimates of insulin sensitivity from the intravenous-glucose-modified-clamp test depend on suppression of lipolysis in type 2 diabetes: a randomised controlled trial. *Diabetologia* 2014

Kahl S, Strassburger K, Nowotny B, Livingstone R, Kluppelholz B, Kessel K, Hwang J H, Giani G, Hoffmann B, Pacini G, Gastaldelli A, Roden M. Comparison of liver fat indices for the diagnosis of hepatic steatosis and insulin resistance. *PLoS One* 2014; 9(4): e94059

Kanzleiter T, Rath M, Gorgens S W, Jensen J, Tangen D S, Kolnes A J, Kolnes K J, Lee S, Eckel J, Schurmann A, Eckardt K. The myokine decorin is regulated by contraction and involved in muscle hypertrophy. *Biochem Biophys Res Commun* 2014

Karp N A, Speak A O, White J K, Adams D J, Hrabe De Angelis M, Herault Y, Mott R F. Impact of temporal variation on design and analysis of mouse knockout phenotyping studies. *PLoS One* 2014; 9(10): e111239

Keildson, Nbsp, S.*, Nbsp, Fadista, Nbsp, J.*, Nbsp, Ladenvall, Nbsp, C.*, Nbsp, Hedman, Nbsp, A.K.* , Nbsp, Elgzyri, Nbsp, T.* , Nbsp, Small, Nbsp, K.S.* , Nbsp, Grundberg, Nbsp, E.* , Nbsp, Nica, Nbsp, A.C.* , Nbsp, Glass, Nbsp, D.* , Nbsp, Richards, Nbsp, J.B.* , Nbsp, Barrett, Nbsp, A.* , Nbsp, Nisbet, Nbsp, J.* , Nbsp, Zheng, Nbsp, H.F.* , Nbsp, Rönn, Nbsp, T.* , Nbsp, Ström, Nbsp, K.* , Nbsp, Eriksson, Nbsp, K.F.* , Nbsp, Prokopenko, Nbsp, I.* , Nbsp, Consortium M, H, Gieger, Nbsp, C, Thorand, Nbsp, B, Meisinger, Nbsp, C, Illig, Nbsp, T, Wichmann, Nbsp, H E, Nbsp, Consortium D, C, Grallert, Nbsp, H, Klopp, Nbsp, N.B, Meitinger, Nbsp, T, Petersen, Nbsp, A K, Thorand, Nbsp, B, Wichmann, Nbsp, H E, Illig, Nbsp, T, Gieger, Nbsp, C, Nbsp, Mu T C, Nbsp, Spector, Nbsp, T.D.* , Nbsp, Dermitzakis, Nbsp, E.T.* , Nbsp, Deloukas, Nbsp, P.* , Nbsp, McCarthy, Nbsp, M.I.* , Nbsp, Rung, Nbsp, J.* , Nbsp, Groop, Nbsp, L.* , Nbsp, Franks, Nbsp, P.W.* , Nbsp, Lindgren, Nbsp, C.M.* , Nbsp, Hansson, Nbsp, O.*. Expression of phosphofructokinase in skeletal muscle is influenced by genetic variation and associated with insulin sensitivity. *Diabetes* 2014; 63(3): 1154-1165

Publications 2014

Keipert S, Ost M, Johann K, Imber F, Jastroch M, Van Schothorst E M, Keijer J, Klaus S. Skeletal muscle mitochondrial uncoupling drives endocrine cross-talk through the induction of FGF21 as a myokine. *Am J Physiol Endocrinol Metab* 2014; 306(5): E469-482

Keller, Nbsp, J.* , Nbsp, Catala L, Nbsp, P.* , Nbsp, Huebner, Nbsp, A.K.* , Nbsp, Jeschke, Nbsp, A.* , Nbsp, Heckt, Nbsp, T.* , Nbsp, Lueth, Nbsp, A.* , Nbsp, Krause, Nbsp, M.* , Nbsp, Koehne, Nbsp, T.* , Nbsp, Albers, Nbsp, J.* , Nbsp, Schulze, Nbsp, J.* , Nbsp, Schilling, Nbsp, S.* , Nbsp, Haberland, Nbsp, M.* , Nbsp, Denninger, Nbsp, H.* , Nbsp, Neven, Nbsp, M.* , Nbsp, Hermans B, Nbsp, I.* , Nbsp, Streichert, Nbsp, T.* , Nbsp, Breer, Nbsp, S.* , Nbsp, Barvencik, Nbsp, F.* , Nbsp, Levkau, Nbsp, B.* , Nbsp, Rathkolb, Nbsp, B, Nbsp, Wolf, Nbsp, E.* , Nbsp, Calzada W, Nbsp, J, Nbsp, Neff, Nbsp, F, Nbsp, Gailus D, Nbsp, V, Nbsp, Fuchs, Nbsp, H, Nbsp, Hrabě De A, Nbsp, M, Nbsp, Klutmann, Nbsp, S.* , Nbsp, Tsourdi, Nbsp, E.* , Nbsp, Hofbauer, Nbsp, L.C.* , Nbsp, Kleuser, Nbsp, B.* , Nbsp, Chun, Nbsp, J.* , Nbsp, Schinke, Nbsp, T.* , Nbsp, Amling, Nbsp, M.* . Calcitonin controls bone formation by inhibiting the release of sphingosine 1-phosphate from osteoclasts. *Nat. Commun.* 2014; 5

Kemter E, Rathkolb B, Becker L, Bolle I, Busch D H, Dalke C, Elvert R, Favor J, Graw J, Hans W, Ivandic B, Kalaydjiev S, Klopstock T, Racz I, Rozman J, Schrewe A, Schulz H, Zimmer A, Fuchs H, Gailus-Durner V, Hrabe De Angelis M, Wolf E, Aigner B. Standardized, systemic phenotypic analysis of *Slc12a1I299F* mutant mice. *J Biomed Sci* 2014; 21: 68

Kemter E, Sklenak S, Rathkolb B, Hrabe De Angelis M, Wolf E, Aigner B, Wanke R. No amelioration of uromodulin maturation and trafficking defect by sodium 4-phenylbutyrate *in vivo*: studies in mouse models of uromodulin-associated kidney disease. *J Biol Chem* 2014; 289(15): 10715-10726

Kenar E, Franken H, Forcisi S, Wormann K, Haring H U, Lehmann R, Schmitt-Kopplin P, Zell A, Kohlbacher O. Automated label-free quantification of metabolites from liquid chromatography-mass spectrometry data. *Mol Cell Proteomics* 2014; 13(1): 348-359

Kender Z, Fleming T, Kopf S, Torzsa P, Grolmusz V, Herzig S, Schleicher E, Racz K, Reismann P, Nawroth P P. Effect of metformin on methylglyoxal metabolism in patients with type 2 diabetes. *Exp Clin Endocrinol Diabetes* 2014; 122(5): 316-319

Kengne A P, Beulens J W, Peelen L M, Moons K G, Van Der Schouw Y T, Schulze M B, Spijkerman A M, Griffin S J, Grobbee D E, Palla L, Tormo M J, Arriola L, Barengo N C, Barricarte A, Boeing H, Bonet C, Clavel-Chapelon F, Dartois L, Fagherazzi G, Franks P W, Huerta J M, Kaaks R, Key T J, Khaw K T, Li K, Muhlenbruch K, Nilsson P M, Overvad K, Overvad T F, Palli D, Panico S, Quiros J R, Rolandsson O, Roswall N, Sacerdote C, Sanchez M J, Slimani N, Tagliabue G, Tjonneland A, Tumino R, Van Der A D, Forouhi N G, Sharp S J, Langenberg C, Riboli E, Wareham N J. Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. *Lancet Diabetes Endocrinol* 2014; 2(1): 19-29

Ketterer C, Heni M, Stingl K, Tschritter O, Linder K, Wagner R, Machicao F, Haring H U, Preissl H, Staiger H, Fritzsche A. Polymorphism rs3123554 in CNR2 reveals gender-specific effects on body weight and affects loss of body weight and cerebral insulin action. *Obesity (Silver Spring)* 2014; 22(3): 925-931

Publications 2014

Keuper M, Jastroch M, Yi C X, Fischer-Pozovszky P, Wabitsch M, Tschoop M H, Hofmann S M. Spare mitochondrial respiratory capacity permits human adipocytes to maintain ATP homeostasis under hypoglycemic conditions. *FASEB J* 2014; 28(2): 761-770

Kim J G, Suyama S, Koch M, Jin S, Argente-Arizon P, Argente J, Liu Z W, Zimmer M R, Jeong J K, Szigeti-Buck K, Gao Y, Garcia-Caceres C, Yi C X, Salmaso N, Vaccarino F M, Chowen J, Diano S, Dietrich M O, Tschoop M H, Horvath T L. Leptin signaling in astrocytes regulates hypothalamic neuronal circuits and feeding. *Nat Neurosci* 2014; 17(7): 908-910

Kistler M, Szymczak W, Fedrigo M, Fiamoncini J, Hollriegl V, Hoeschen C, Klingenspor M, Hrabe De Angelis M, Rozman J. Effects of diet-matrix on volatile organic compounds in breath in diet-induced obese mice. *J Breath Res* 2014; 8(1): 016004

Kluth O, Matzke D, Schulze G, Schwenk R W, Joost H G, Schurmann A. Differential transcriptome analysis of diabetes resistant and sensitive mouse islets reveals significant overlap with human diabetes susceptibility genes. *Diabetes* 2014

Knoch K P, Nath-Sain S, Petzold A, Schneider H, Beck M, Wegbrod C, Sonmez A, Munster C, Friedrich A, Roivainen M, Solimena M. PTBP1 is required for glucose-stimulated cap-independent translation of insulin granule proteins and Coxsackieviruses in beta cells. *Mol Metab* 2014; 3(5): 518-530

Knoll, N., Jarick, N., Volckmar, N., Klingenspor, N., M., Illig, N., Grallert, N., H., Gieger, N., C., Wichmann, N., H., E., Peters, N., A., Wiegand, N., S., Bieermann, N., H., Fischer, P., P., Wabitsch, N., M., Völzke, N., H., Nauck, N., M., Teumer, N., A., Rosskopf, N., D., Rimmbach, N., C., Schreiber, N., Jacobs, N., G., Lieb, N., W., Franke, N., A., Hebebrand, N., J., Hinney, N., A. Mitochondrial DNA variants in obesity. *PLoS ONE* 2014; 9(5)

Koch W, Forcisi S, Lehmann R, Schmitt-Kopplin P. Sensitivity improvement in hydrophilic interaction chromatography negative mode electrospray ionization mass spectrometry using 2-(2-methoxyethoxy)ethanol as a post-column modifier for non-targeted metabolomics. *J Chromatogr A* 2014; 1361: 209-216

Koivula R W, Heggie A, Barnett A, Cederberg H, Hansen T H, Koopman A D, Ridderstrale M, Rutters F, Vestergaard H, Gupta R, Herrgard S, Heymans M W, Perry M H, Rauh S, Siloaho M, Teare H J, Thorand B, Bell J, Brunak S, Frost G, Jablonka B, Mari A, McDonald T J, Dekker J M, Hansen T, Hattersley A, Laakso M, Pedersen O, Koivisto V, Ruetten H, Walker M, Pearson E, Franks P W, Consortium D. Discovery of biomarkers for glycaemic deterioration before and after the onset of type 2 diabetes: rationale and design of the epidemiological studies within the IMI DIRECT Consortium. *Diabetologia* 2014; 57(6): 1132-1142

Kok M, Mihl C, Mingels A A, Kietselaer B L, Muhlenbruch G, Seehofnerova A, Wildberger J E, Das M. Influence of contrast media viscosity and temperature on injection pressure in computed tomographic angiography: a phantom study. *Invest Radiol* 2014; 49(4): 217-223

Publications 2014

Koliaki C, Roden M. Do mitochondria care about insulin resistance? Mol Metab 2014; 3(4): 351-353

Kopf S, Oikonomou D, Hartmann M, Feier F, Faude-Lang V, Morcos M, Haring H U, Herzog W, Bierhaus A, Humpert P M, Nawroth P P. Effects of Stress Reduction on Cardiovascular Risk Factors in Type 2 Diabetes Patients with Early Kidney Disease - Results of a Randomized Controlled Trial (HEIDIS). Exp Clin Endocrinol Diabetes 2014; 122(6): 341-349

Kostev K, Dippel F W, Rathmann W. Predictors of hypoglycaemia in insulin-treated type 2 diabetes patients in primary care: a retrospective database analysis. Prim Care Diabetes 2014; 8(2): 127-131

Kottas M, Kuss O, Zapf A. A modified Wald interval for the area under the ROC curve (AUC) in diagnostic case-control studies. BMC Med Res Methodol 2014; 14: 26

Kraja, A.T.* , Chasman, D.I.* , North, K.E.* , Reiner, A.P.* , Yanek, L.R.* , Kilpeläinen, T.O.* , Smith, J.A.* , Dehghan, A.* , Dupuis, J.* , Johnson, A.D.* , Feitosa, M.F.* , Tekola A, F.* , Chu, A.Y.* , Nolte, I.M.* , Dastani, Z.* , Morris, A.* , Pendergrass, S.A.* , Sun, Y.V.* , Ritchie, M.D.* , Vaez, A.* , Lin, H.* , Ligthart, S.* , Marullo, L.* , Rohde, R.* , Shao, Y.* , Ziegler, M.A.* , Im, H.K.* , Cross Consortium P, Consortium C, Consortium G, Grallert, H, Thorand, B, Gieger, C, Peters, A, Wichmann, Müller N, Heid, I.M, Global Lipids Genetics C, Consortium M, Global B C, S, Döring, A, Meitinger, T, Pfeufer, A, Consortium A D, Women's Genome Health S, Howard University Family S, Schnabel, R.B.* , Jorgensen, T.* , Jorgensen, M.E.* , Hansen, T.* , Pedersen, O.* , Stolk, R.P.* , Snieder, H.* , Hofman, A.* , Uitterlinden, A.G.* , Franco, O.H.* , Ikram, M.A.* , Richards, J.B.* , Rotimi, C.N.* , Wilson, J.G.* , Lange, L.A.* , Ganesh, S.K.* , Nalls, M.* , Rasmussen T, Pankow, J.S.* , Coresh, J.* , Tang, W.* , Kao, W.H.L.* , Boerwinkle, E.* , Morrison, A.C.* , Ridker, P.M.* , Becker, D.M.* , Rotter, J.I.* , Kardia, S.L.R.* , Loos, R.J.F.* , Larson, M.G.* , Hsu, Y.H.* , Province, M.A.* , Tracy, R.* , Voight, B.F.* , Vaidya, D.* , O'donnell, C.J.* , Benjamin, E.J.* , Alizadeh, B.Z.* , Prokopenko, I.* , Meigs, J.B.* , Borecki, I.B.* . Pleiotropic genes for metabolic syndrome and inflammation. Mol. Genet. Metab. 2014; 112(4): 317-338

Kraus P, Yu H B, Xing X, Lim S L, Adler T, Pimentel J A, Becker L, Bohla A, Garrett L, Hans W, Holter S M, Janas E, Moreth K, Prehn C, Puk O, Rathkolb B, Rozman J, Adamski J, Bekeredjian R, Busch D H, Graw J, Klingenspor M, Klopstock T, Neff F, Ollert M, Stoeger T, Yildrim A O, Eickelberg O, Wolf E, Wurst W, Fuchs H, Gailus-Durner V, De Angelis M H, Lufkin T, Stanton L W. Pleiotropic functions for transcription factor zscan10. PLoS One 2014; 9(8): e104568

Publications 2014

Krause S, Beyerlein A, Winkler C, Gavrisan A, Kayser C, Puff R, Bonifacio E, Ziegler A G, Achenbach P. Soluble interleukin-2 receptor alpha in preclinical type 1 diabetes. *Acta Diabetol* 2014; 51(3): 517-518

Krause S, Landherr U, Agardh C D, Hausmann S, Link K, Hansen J M, Lynch K F, Powell M, Furmaniak J, Rees-Smith B, Bonifacio E, Ziegler A G, Lernmark A, Achenbach P. GAD autoantibody affinity in adult patients with latent autoimmune diabetes, the study participants of a GAD65 vaccination trial. *Diabetes Care* 2014; 37(6): 1675-1680

Kretschmer, Nnbsp, A, Nnbsp, Möller, Nnbsp, G, Nnbsp, Lee, Nnbsp, H.K, Nnbsp, Laumen, Nnbsp, H, Nnbsp, Von T, Nnbsp, C, Nnbsp, Schramm, Nnbsp, K, Nnbsp, Prokisch, Nnbsp, H, Nnbsp, Eyerich, Nnbsp, S, Nnbsp, Wahl, Nnbsp, S, Nnbsp, Baurecht, Nnbsp, H.*, Nnbsp, Franke, Nnbsp, A.*, Nnbsp, Claussnitzer, Nnbsp, M, Nnbsp, Eyerich, Nnbsp, K.*, Nnbsp, Teumer, Nnbsp, A.*, Nnbsp, Milani, Nnbsp, L.* , Nnbsp, Klopp, Nnbsp, N.B, Nnbsp, Hauck, Nnbsp, S, Nnbsp, Illig, Nnbsp, T, Nnbsp, Peters, Nnbsp, A, Nnbsp, Waldenberger, Nnbsp, M, Nnbsp, Adamski, Nnbsp, J, Nnbsp, Reischl, Nnbsp, E, Nnbsp, Weidinger, Nnbsp, S.*. A common atopy-associated variant in the TH2 cytokine locus control region impacts transcriptional regulation and alters SMAD3 and SP1 binding. *Allergy* 2014; 69(5): 632-642

Krinnerger, Nnbsp, P, Nnbsp, Ensenauer, Nnbsp, R.*, Nnbsp, Ehlers, Nnbsp, K, Nnbsp, Rauh, Nnbsp, K.* , Nnbsp, Stoll, Nnbsp, J.* , Nnbsp, Krauss E, Nnbsp, S, Nnbsp, Hauner, Nnbsp, H, Nnbsp, Laumen, Nnbsp, H. Peripheral monocytes of obese women display increased chemokine receptor expression and migration capacity. *J. Clin. Endocrinol. Metab.* 2014; 99(7): 2500-2509

Kronenberg F, Kollerits B, Kiechl S, Lamina C, Kedenko L, Meisinger C, Willeit J, Huth C, Wietzorrek G, Altmann M E, Thorand B, Melmer A, Dahnhardt D, Santer P, Rathmann W, Paulweber B, Koenig W, Peters A, Adham I M, Dieplinger H. Plasma concentrations of afamin are associated with the prevalence and development of metabolic syndrome. *Circ Cardiovasc Genet* 2014; 7(6): 822-829

Kuss O, Hoyer A, Solms A. Meta-analysis for diagnostic accuracy studies: a new statistical model using beta-binomial distributions and bivariate copulas. *Stat Med* 2014; 33(1): 17-30

Lane M C, Jackson J G, Krizman E N, Rothstein J D, Porter B E, Robinson M B. Genetic deletion of the neuronal glutamate transporter, EAAC1, results in decreased neuronal death after pilocarpine-induced status epilepticus. *Neurochem Int* 2014; 73: 152-158

Laufs A, Livingstone R, Nowotny B, Nowotny P, Wickrath F, Giani G, Bunke J, Roden M, Hwang J H. Quantitative liver 31P magnetic resonance spectroscopy at 3T on a clinical scanner. *Magn Reson Med* 2014; 71(5): 1670-1675

Laxy, Nnbsp, M, Nnbsp, Mielck, Nnbsp, A, Nnbsp, Hunger, Nnbsp, M, Nnbsp, Schunk, Nnbsp, M, Nnbsp, Meisinger, Nnbsp, C, Nnbsp, Rückert, Nnbsp, I M, Nnbsp, Rathmann, Nnbsp, W.* , Nnbsp, Holle, Nnbsp, R. The association between patient-reported self-management behavior, intermediate clinical outcomes, and mortality in patients with type 2 diabetes: Results from the KORA-A study. *Diabetes Care* 2014; 37(6): 1604-1612

Publications 2014

Laxy M, Holle R, Doring A, Peters A, Hunger M. The longitudinal association between weight change and health-related quality of life: the KORA S4/F4 cohort study. *International Journal of Public Health* 2014; 59(2): 279-288

Laxy M, Mielck A, Hunger M, Schunk M, Meisinger C, Ruckert I M, Rathmann W, Holle R. The association between patient-reported self-management behavior, intermediate clinical outcomes, and mortality in patients with type 2 diabetes: results from the KORA-A study. *Diabetes Care* 2014; 37(6): 1604-1612

Linder K, Schleger F, Ketterer C, Fritzsche L, Kiefer-Schmidt I, Hennige A, Haring H U, Preissl H, Fritzsche A. Maternal insulin sensitivity is associated with oral glucose-induced changes in fetal brain activity. *Diabetologia* 2014; 57(6): 1192-1198

Linder K, Springer F, Machann J, Schick F, Fritzsche A, Haring H U, Blumenstock G, Ranke M B, Stefan N, Binder G, Ehehalt S. Relationships of body composition and liver fat content with insulin resistance in obesity-matched adolescents and adults. *Obesity (Silver Spring)* 2014; 22(5): 1325-1331

Liu X, Campillos M. Unveiling new biological relationships using shared hits of chemical screening assay pairs. *Bioinformatics* 2014; 30(17): i579-586

Lorenz L, Herbst J, Engel C, Peter A, Abele H, Poets C F, Westerman M, Franz A R. Gestational Age-Specific Reference Ranges of Hepcidin in Cord Blood. *Neonatology* 2014; 106(2): 133-139

Lutz S Z, Franck O, Bohm A, Machann J, Schick F, Machicao F, Fritzsche A, Haring H U, Staiger H. Common genetic variation in the human CTF1 locus, encoding cardiotrophin-1, determines insulin sensitivity. *PLoS One* 2014; 9(7): e100391

Lutz S Z, Staiger H, Fritzsche A, Haring H U. Antihyperglycaemic therapies and cancer risk. *Diab Vasc Dis Res* 2014; 11(6): 371-389

Ly A, Scheerer M F, Zukunft S, Muschet C, Merl J, Adamski J, De Angelis M H, Neschen S, Hauck S M, Ueffing M. Retinal proteome alterations in a mouse model of type 2 diabetes. *Diabetologia* 2014; 57(1): 192-203

Ly-Verdu S, Schaefer A, Kahle M, Groeger T, Neschen S, Arteaga-Salas J M, Ueffing M, De Angelis M H, Zimmermann R. The impact of blood on liver metabolite profiling - a combined metabolomic and proteomic approach. *Biomed Chromatogr* 2014; 28(2): 231-240

Mahajan A, Go M J, Zhang W, Below J E, Gaulton K J, Ferreira T, Horikoshi M, Johnson A D, Ng M C, Prokopenko I, Saleheen D, Wang X, Zeggini E, Abecasis G R, Adair L S, Almgren P, Atalay M, Aung T, Baldassarre D, Balkau B, Bao Y, Barnett A H, Barroso I, Basit A, Been L F, Beilby J, Bell G I, Benediktsson R, Bergman R N, Boehm B O, Boerwinkle E, Bonnycastle L L, Burtt N, Cai Q, Campbell H, Carey J, Cauchi S, Caulfield M, Chan J C, Chang L C, Chang T J, Chang Y C, Charpentier G, Chen C H, Chen H, Chen Y T, Chia K S, Chidambaram M, Chines P S, Cho N H, Cho Y M, Chuang L M, Collins F S, Cornelis M C, Couper D J, Crenshaw A T, Van Dam R M, Danesh J, Das D, De Faire U, Dedoussis G, Deloukas P, Dimas A S, Dina C, Doney A S, Donnelly P J, Dorkhan M, Van Duijn C, Dupuis J, Edkins S, Elliott P, Emilsson V, Erbel R, Eriksson J G, Escobedo J, Esko T, Eury E, Florez J

Publications 2014

C, Fontanillas P, Forouhi N G, Forsen T, Fox C, Fraser R M, Frayling T M, Froguel P, Frossard P, Gao Y, Gertow K, Gieger C, Gigante B, Grallert H, Grant G B, Grrop L C, Groves C J, Grundberg E, Guiducci C, Hamsten A, Han B G, Hara K, Hassanali N, Hattersley A T, Hayward C, Hedman A K, Herder C, Hofman A, Holmen O L, Hovingh K, Hreidarsson A B, Hu C, Hu F B, Hui J, Humphries S E, Hunt S E, Hunter D J, Hveem K, Hydrie Z I, Ikegami H, Illig T, Ingelsson E, Islam M, Isomaa B, Jackson A U, Jafar T, James A, Jia W, Jockel K H, Jonsson A, Jowett J B, Kadewaki T, Kang H M, Kanoni S, Kao W H, Kathiresan S, Kato N, Katulanda P, Keinanen-Kiukaanniemi K M, Kelly A M, Khan H, Khaw K T, Khor C C, Kim H L, Kim S, Kim Y J, Kinnunen L, Klopp N, Kong A, Korpi-Hyovalti E, Kowlessur S, Kraft P, Kravic J, Kristensen M M, Krithika S, Kumar A, Kumate J, Kuusisto J, Kwak S H, Laakso M, Lagou V, Lakka T A, Langenberg C, Langford C, Lawrence R, Leander K, Lee J M, Lee N R, Li M, Li X, Li Y, Liang J, Liju S, Lim W Y, Lind L, Lindgren C M, Lindholm E, Liu C T, Liu J J, Lobbens S, Long J, Loos R J, Lu W, Luan J, Lyssenko V, Ma R C, Maeda S, Magi R, Mannisto S, Matthews D R, Meigs J B, Melander O, Metspalu A, Meyer J, Mirza G, Mihailov E, Moebus S, Mohan V, Mohlke K L, Morris A D, Muhleisen T W, Muller-Nurasyid M, Musk B, Nakamura J, Nakashima E, Navarro P, Ng P K, Nica A C, Nilsson P M, Njolstad I, Nothen M M, Ohnaka K, Ong T H, Owen K R, Palmer C N, Pankow J S, Park K S, Parkin M, Pechlivanis S, Pedersen N L, Peltonen L, Perry J R, Peters A, Pinidiyapathirage J M, Platou C G, Potter S, Price J F, Qi L, Radha V, Rallidis L, Rasheed A, Rathman W, Rauramaa R, Raychaudhuri S, Rayner N W, Rees S D, Rehnberg E, Ripatti S, Robertson N, Roden M, Rossin E J, Rudan I, Rybin D, Saaristo T E, Salomaa V, Saltevo J, Samuel M, Sanghera D K, Saramies J, Scott J, Scott L J, Scott R A, Segre A V, Sehmi J, Sennblad B, Shah N, Shah S, Shera A S, Shu X O, Shuldiner A R, Sigurdsson G, Sijbrands E, Silveira A, Sim X, Sivapalaratnam S, Small K S, So W Y, Stancakova A, Stefansson K, Steinbach G, Steinhorsdottir V, Stirrups K, Strawbridge R J, Stringham H M, Sun Q, Suo C, Syvanen A C, Takayanagi R, Takeuchi F, Tay W T, Teslovich T M, Thorand B, Thorleifsson G, Thorsteinsdottir U, Tikkannen E, Trakalo J, Tremoli E, Trip M D, Tsai F J, Tuomi T, Tuomilehto J, Uitterlinden A G, Valladares-Salgado A, Vedantam S, Veglia F, Voight B F, Wang C, Wareham N J, Wennauer R, Wickremasinghe A R, Wilsgaard T, Wilson J F, Wiltshire S, Winckler W, Wong T Y, Wood A R, Wu J Y, Wu Y, Yamamoto K, Yamauchi T, Yang M, Yengo L, Yokota M, Young R, Zabaneh D, Zhang F, Zhang R, Zheng W, Zimmet P Z, Altshuler D, Bowden D W, Cho Y S, Cox N J, Cruz M, Hanis C L, Kooner J, Lee J Y, Seielstad M, Teo Y Y, Boehnke M, Parra E J, Chambers J C, Tai E S, McCarthy M I, Morris A P. Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. *Nat Genet* 2014; 46(3): 234-244

Majithia A R, Flannick J, Shahinian P, Guo M, Bray M A, Fontanillas P, Gabriel S B, Rosen E D, Altshuler D. Rare variants in PPARG with decreased activity in adipocyte differentiation are associated with increased risk of type 2 diabetes. *Proc Natl Acad Sci U S A* 2014; 111(36): 13127-13132

Malzahn, Nbsp, D.*, Nbsp, Müller N, Nbsp, M, Nbsp, Heid, Nbsp, I.M, Nbsp, Wichmann, Nbsp, H E, Nbsp, Bickeböller, Nbsp, H.*, Nbsp, Group K S, C, Grallert, Nbsp, H, Heinrich, Nbsp, J, Holle, Nbsp, R, Leidl, Nbsp, R, Meisinger, Nbsp, C, Peters, Nbsp, A, Strauch, Nbsp, K. Controversial association results for INSIG2 on body mass index may be explained by interactions with age and with MC4R. *Eur. J. Hum. Genet.* 2014; 22(10): 1217-1224

Publications 2014

Marciniak A, Cohrs C M, Tsata V, Chouinard J A, Selck C, Stertmann J, Reichelt S, Rose T, Ehehalt F, Weitz J, Solimena M, Slak Rupnik M, Speier S. Using pancreas tissue slices for in situ studies of islet of Langerhans and acinar cell biology. *Nat Protoc* 2014; 9(12): 2809-2822

Marker T, Kriebel J, Wohlrab U, Burkart V, Habich C. Adipocytes from New Zealand obese mice exhibit aberrant proinflammatory reactivity to the stress signal heat shock protein 60. *J Diabetes Res* 2014; 2014: 187153

Mathew S, Krug S, Skurk T, Halama A, Stank A, Artati A, Prehn C, Malek J A, Kastenmuller G, Romisch-Margl W, Adamski J, Hauner H, Suhre K. Metabolomics of Ramadan fasting: an opportunity for the controlled study of physiological responses to food intake. *J Transl Med* 2014; 12: 161

Matthes, Nnbsp, M, Nnbsp, Preusse, Nnbsp, M, Nnbsp, Zhang, Nnbsp, J, Nnbsp, Schechter, Nnbsp, J, Nnbsp, Mayer, Nnbsp, D, Nnbsp, Lentes, Nnbsp, B, Nnbsp, Theis, Nnbsp, F.J, Nnbsp, Prakash, Nnbsp, N, Nnbsp, Wurst, Nnbsp, W, Nnbsp, Trümbach, Nnbsp, D. Mouse IDGenes: A reference database for genetic interactions in the developing mouse brain. *Database (Oxford)* 2014; 2014

Mayer C T, Lahl K, Milanez-Almeida P, Watts D, Dittmer U, Fyhrquist N, Huehn J, Kopf M, Kretschmer K, Rouse B, Sparwasser T. Advantages of Foxp3(+) regulatory T cell depletion using DEREG mice. *Immun Inflamm Dis* 2014; 2(3): 162-165

Medenwald D, Kuss O. Mortality on match days of the German national soccer team: a time series analysis from 1995 to 2009. *J Epidemiol Community Health* 2014; 68(9): 869-873

Medenwald D, Kuss O. Deaths and major biographical events: a study of all cancer deaths in Germany from 1995 to 2009. *BMJ Open* 2014; 4(4): e004423

Meilin S, Machicao F, Elmlinger M. Treatment with Actovegin improves spatial learning and memory in rats following transient forebrain ischaemia. *J Cell Mol Med* 2014

Meisinger C, Rückert I, Stöckl D, Thorand B, Peters A, Kowall B, Rathmann W, Study H P a P a D I a F T G P a C-S. Hematological Parameters and Prediabetes and Diabetes in Adults from the General Population: A Cross-Sectional Study. *J Diabetes Metab* 2014; 5(2)

Meissner T, Wolf J, Kersting M, Frohlich-Reiterer E, Flechtner-Mors M, Salgin B, Stahl-Pehe A, Holl R W. Carbohydrate intake in relation to BMI, HbA1c and lipid profile in children and adolescents with type 1 diabetes. *Clin Nutr* 2014; 33(1): 75-78

Menart-Houtermans B, Rutter R, Nowotny B, Rosenbauer J, Koliaki C, Kahl S, Simon M C, Szendroedi J, Schloot N C, Roden M, German Diabetes Study G. Leukocyte Profiles Differ Between Type 1 and Type 2 Diabetes and Are Associated With Metabolic Phenotypes: Results From the German Diabetes Study (GDS). *Diabetes Care* 2014; 37(8): 2326-2333

Migliorini A, Bader E, Lickert H. Islet cell plasticity and regeneration. *Mol Metab* 2014; 3(3): 268-274

Publications 2014

Mook-Kanamori D O, Romisch-Margl W, Kastenmuller G, Prehn C, Petersen A K, Illig T, Gieger C, Wang-Sattler R, Meisinger C, Peters A, Adamski J, Suhre K. Increased amino acids levels and the risk of developing of hypertriglyceridemia in a 7-year follow-up. *J Endocrinol Invest* 2014

Moreth K, Fischer R, Fuchs H, Gailus-Durner V, Wurst W, Katus H A, Bekeredjian R, Hrabe De Angelis M. High-throughput phenotypic assessment of cardiac physiology in four commonly used inbred mouse strains. *J Comp Physiol B* 2014

Moruzzi N, Del Sole M, Fato R, Gerdes J M, Berggren P O, Bergamini C, Brismar K. Short and prolonged exposure to hyperglycaemia in human fibroblasts and endothelial cells: Metabolic and osmotic effects. *Int J Biochem Cell Biol* 2014; 53C: 66-76

Movassagh H, Shan L, Halayko A J, Roth M, Tamm M, Chakir J, Gounni A S. Neuronal chemorepellent Semaphorin 3E inhibits human airway smooth muscle cell proliferation and migration. *J Allergy Clin Immunol* 2014; 133(2): 560-567

Much D, Beyerlein A, Rossbauer M, Hummel S, Ziegler A G. Beneficial effects of breastfeeding in women with gestational diabetes mellitus. *Mol Metab* 2014; 3(3): 284-292

Muhlenbruch K, Ludwig T, Jeppesen C, Joost H G, Rathmann W, Meisinger C, Peters A, Boeing H, Thorand B, Schulze M B. Update of the German Diabetes Risk Score and external validation in the German MONICA/KORA study. *Diabetes Res Clin Pract* 2014; 104(3): 459-466

Mühlhaus, Nnbsp, J.* , Nnbsp, Dinter, Nnbsp, J.* , Nnbsp, Piechowski, Nnbsp, C.L.* , Nnbsp, Müller, Nnbsp, A.* , Nnbsp, Nürnberg, Nnbsp, D.* , Nnbsp, Grüters, Nnbsp, A.* , Nnbsp, Köhrle, Nnbsp, J.* , Nnbsp, Yi, Nnbsp, C X, Nnbsp, Tschöp, Nnbsp, M.H, Nnbsp, Krude, Nnbsp, H.* , Nnbsp, Kleinau, Nnbsp, G.* , Nnbsp, Biebermann, Nnbsp, H.* . Aspects of 3-iodothyronamine (3T1AM) induced signaling by human and mouse trace amine-associated receptor 5 (TAAR5). *Exp. Clin. Endocrinol. Diabet.* 2014; 122(3)

Mullen W, Saigusa D, Abe T, Adamski J, Mischak H. Proteomics and metabolomics as tools to unravel novel culprits and mechanisms of uremic toxicity: instrument or hype? *Semin Nephrol* 2014; 34(2): 180-190

Müller, Nnbsp, T.D. The potential of glucagon-like peptide 1 to reverse high-fat, high-sugar diet-related metabolic damage. *Expert Rev. Endocrinol. Metab.* 2014; 9(4): 293-295

Müller, Nnbsp, T.D, Nnbsp, Heppner, Nnbsp, K.* , Nnbsp, Pfluger, Nnbsp, P.T, Nnbsp, Tschöp, Nnbsp, M.H, Gastro-intestinal regulation of energy balance, Bray, et al., Editors. 2014, CRC Press: Boca Raton. p. 173-182.

Müller, Nnbsp, T.D, Nnbsp, Tschöp, Nnbsp, M.H. Play down protein to play up metabolism? *J. Clin. Invest.* 2014; 124(9): 3691-3693

Muller C, Fonseca J R, Rock T M, Krauss-Etschmann S, Schmitt-Kopplin P. Enantioseparation and selective detection of D-amino acids by ultra-high-performance liquid chromatography/mass spectrometry in analysis of complex biological samples. *J Chromatogr A* 2014; 1324: 109-114

Neschen S, Scheerer M, Seelig A, Huypens P, Schultheiss J, Wu M, Wurst W, Rathkolb B, Suhre K, Wolf E, Beckers J, Hrabe De Angelis M. Metformin supports the antidiabetic effect of a sodium

Publications 2014

glucose cotransporter 2 (SGLT2) inhibitor by suppressing endogenous glucose production in diabetic mice. *Diabetes* 2014

Neuschafer-Rube F, Lieske S, Kuna M, Henkel J, Perry R J, Erion D M, Pesta D, Willmes D M, Brachs S, Von Loeffelholz C, Tolkachov A, Schupp M, Pathe-Neuschafer-Rube A, Pfeiffer A F, Shulman G I, Puschel G P, Birkenfeld A L. The mammalian INDY homolog is induced by CREB in a rat model of type 2 diabetes. *Diabetes* 2014; 63(3): 1048-1057

Ng M C, Shriner D, Chen B H, Li J, Chen W M, Guo X, Liu J, Bielinski S J, Yanek L R, Nalls M A, Comeau M E, Rasmussen-Torvik L J, Jensen R A, Evans D S, Sun Y V, An P, Patel S R, Lu Y, Long J, Armstrong L L, Wagenknecht L, Yang L, Snively B M, Palmer N D, Mudgal P, Langefeld C D, Keene K L, Freedman B I, Mychaleckyj J C, Nayak U, Raffel L J, Goodarzi M O, Chen Y D, Taylor H A, Jr., Correa A, Sims M, Couper D, Pankow J S, Boerwinkle E, Adeyemo A, Doumatey A, Chen G, Mathias R A, Vaidya D, Singleton A B, Zonderman A B, Igo R P, Jr., Sedor J R, Kabagambe E K, Siscovick D S, McKnight B, Rice K, Liu Y, Hsueh W C, Zhao W, Bielak L F, Kraja A, Province M A, Bottinger E P, Gottesman O, Cai Q, Zheng W, Blot W J, Lowe W L, Pacheco J A, Crawford D C, Grundberg E, Rich S S, Hayes M G, Shu X O, Loos R J, Borecki I B, Peyser P A, Cummings S R, Psaty B M, Fornage M, Iyengar S K, Evans M K, Becker D M, Kao W H, Wilson J G, Rotter J I, Sale M M, Liu S, Rotimi C N, Bowden D W. Meta-analysis of genome-wide association studies in African Americans provides insights into the genetic architecture of type 2 diabetes. *PLoS Genet* 2014; 10(8): e1004517

Nowotny B, Zahragic L, Bierwagen A, Kabisch S, Groener J B, Nowotny P J, Fleitmann A K, Herder C, Pacini G, Erlund I, Landberg R, Haering H U, Pfeiffer A F, Nawroth P P, Roden M. Low-energy diets differing in fibre, red meat and coffee intake equally improve insulin sensitivity in type 2 diabetes: a randomised feasibility trial. *Diabetologia* 2014

Oelkrug, Nbsp, R.* , Nbsp, Götze, Nbsp, N.* , Nbsp, Meyer, Nbsp, C.W, Nbsp, Jastroch, Nbsp, M. Antioxidant properties of UCP1 are evolutionary conserved in mammals and buffer mitochondrial reactive oxygen species. *Free Radic. Biol. Med.* 2014; 77: 210-216

Orban E, Schwab S, Thorand B, Huth C. Association of iron indices and type 2 diabetes: a meta-analysis of observational studies. *Diabetes Metab Res Rev* 2014; 30(5): 372-394

Ott V, Lehnert H, Staub J, Wonne K, Born J, Hallschmid M. Central nervous insulin administration does not potentiate the acute glucoregulatory impact of concurrent mild hyperinsulinemia. *Diabetes* 2014

Pabst, Nbsp, G, Nbsp, Zimmermann, Nbsp, A K, Nbsp, Huth, Nbsp, C, Nbsp, Koenig, Nbsp, W.* , Nbsp, Ludwig, Nbsp, T, Nbsp, Zierer, Nbsp, A, Nbsp, Peters, Nbsp, A, Nbsp, Thorand, Nbsp, B. Association of low 25-hydroxyvitamin D levels with the frailty syndrome in an aged population: Results from the KORA-Age Augsburg study. *J. Nutr. Health Aging* 2014

Papanas N, Ziegler D. New vistas in the diagnosis of diabetic polyneuropathy. *Endocrine* 2014

Peter A, Fritzsche A, Machicao F, Nawroth P P, Haring H U, Isermann B. Lower plasma creatinine and urine albumin in individuals at increased risk of type 2 diabetes with factor v leiden mutation. *ISRN Endocrinol* 2014; 2014: 530830

Publications 2014

Peter A, Kovarova M, Nadalin S, Cermak T, Konigsrainer A, Machicao F, Stefan N, Haring H U, Schleicher E. PNPLA3 variant I148M is associated with altered hepatic lipid composition in humans. *Diabetologia* 2014;

Peters A S, Hakimi M, Vittas S, Fleming T H, Nawroth P P, Bockler D, Dihlmann S. Gender difference in glyoxalase 1 activity of atherosclerotic carotid artery lesions. *J Vasc Surg* 2014;

Petersen A K, Zeilinger S, Kastenmuller G, Romisch-Margl W, Brugger M, Peters A, Meisinger C, Strauch K, Hengstenberg C, Pagel P, Huber F, Mohney R P, Grallert H, Illig T, Adamski J, Waldenberger M, Gieger C, Suhre K. Epigenetics meets metabolomics: an epigenome-wide association study with blood serum metabolic traits. *Hum Mol Genet* 2014; 23(2): 534-545

Petrou M A, Alhamoui F A, Welk A, Altarabulsi M B, Alkilzy M, C H S. A randomized clinical trial on the use of medical Portland cement, MTA and calcium hydroxide in indirect pulp treatment. *Clin Oral Investig* 2014; 18(5): 1383-1389

Pfeiffer, Nnbsp, L, Nnbsp, Wahl, Nnbsp, S, Nnbsp, Pilling, Nnbsp, L.C.* , Nnbsp, Reischl, Nnbsp, E, Nnbsp, Sandling, Nnbsp, J.K.* , Nnbsp, Zeilinger, Nnbsp, S, Nnbsp, Holdt, Nnbsp, L.M.* , Nnbsp, Kretschmer, Nnbsp, A, Nnbsp, Schramm, Nnbsp, K, Nnbsp, Adamski, Nnbsp, J, Nnbsp, Illig, Nnbsp, T.* , Nnbsp, Hedman, Nnbsp, A.K.* , Nnbsp, Roden, Nnbsp, M.* , Nnbsp, Hernandez, Nnbsp, D.G.* , Nnbsp, Singleton, Nnbsp, A.B.* , Nnbsp, Bandinelli, Nnbsp, S.* , Nnbsp, Thasler, Nnbsp, W.E.* , Nnbsp, Grallert, Nnbsp, H, Nnbsp, Gieger, Nnbsp, C, Nnbsp, Herder, Nnbsp, C.* , Nnbsp, Teupser, Nnbsp, D.* , Nnbsp, Meisinger, Nnbsp, C, Nnbsp, Spector, Nnbsp, T.D.* , Nnbsp, Kronenberg, Nnbsp, F.* , Nnbsp, Prokisch, Nnbsp, H, Nnbsp, Melzer, Nnbsp, D.* , Nnbsp, Peters, Nnbsp, A, Nnbsp, Deloukas, Nnbsp, P.* , Nnbsp, Ferrucci, Nnbsp, L.* , Nnbsp, Waldenberger, Nnbsp, M. DNA methylation of lipid-related genes affects blood lipid levels: A genome-wide screen. 2014

Pfeiffer A F, Klein H H. The treatment of type 2 diabetes. *Dtsch Arztebl Int* 2014; 111(5): 69-81; quiz 82

Phielix E, Jelenik T, Nowotny P, Szendroedi J, Roden M. Reduction of non-esterified fatty acids improves insulin sensitivity and lowers oxidative stress, but fails to restore oxidative capacity in type 2 diabetes: a randomised clinical trial. *Diabetologia* 2014; 57(3): 572-581

Poschmann G, Seyfarth K, Besong Agbo D, Klafki H W, Rozman J, Wurst W, Wiltfang J, Meyer H E, Klingenspor M, Stuhler K. High-fat diet induced isoform changes of the Parkinson's disease protein DJ-1. *J Proteome Res* 2014; 13(5): 2339-2351

Prior L J, Davern P J, Burke S L, Lim K, Armitage J A, Head G A. Exposure to a high-fat diet during development alters leptin and ghrelin sensitivity and elevates renal sympathetic nerve activity and arterial pressure in rabbits. *Hypertension* 2014; 63(2): 338-345

Reinehr T, Wolters B, Knop C, Lass N, Hellmuth C, Harder U, Peissner W, Wahl S, Grallert H, Adamski J, Illig T, Prehn C, Yu Z, Wang-Sattler R, Koletzko B. Changes in the serum metabolite profile in obese children with weight loss. *Eur J Nutr* 2014

Replication D I G, Meta-Analysis C, Asian Genetic Epidemiology Network Type 2 Diabetes C, South Asian Type 2 Diabetes C, Mexican American Type 2 Diabetes C, Type 2 Diabetes Genetic

Publications 2014

Exploration by Next-Generation Sequencing in Multi-Ethnic Samples C, Mahajan A, Go M J, Zhang W, Below J E, Gaulton K J, Ferreira T, Horikoshi M, Johnson A D, Ng M C, Prokopenko I, Saleheen D, Wang X, Zeggini E, Abecasis G R, Adair L S, Almgren P, Atalay M, Aung T, Baldassarre D, Balkau B, Bao Y, Barnett A H, Barroso I, Basit A, Been L F, Beilby J, Bell G I, Benediktsson R, Bergman R N, Boehm B O, Boerwinkle E, Bonnycastle L L, Burtt N, Cai Q, Campbell H, Carey J, Cauchi S, Caulfield M, Chan J C, Chang L C, Chang T J, Chang Y C, Charpentier G, Chen C H, Chen H, Chen Y T, Chia K S, Chidambaram M, Chines P S, Cho N H, Cho Y M, Chuang L M, Collins F S, Cornelis M C, Couper D J, Crenshaw A T, Van Dam R M, Danesh J, Das D, De Faire U, Dedoussis G, Deloukas P, Dimas A S, Dina C, Doney A S, Donnelly P J, Dorkhan M, Van Duijn C, Dupuis J, Edkins S, Elliott P, Emilsson V, Erbel R, Eriksson J G, Escobedo J, Esko T, Eury E, Florez J C, Fontanillas P, Forouhi N G, Forsen T, Fox C, Fraser R M, Frayling T M, Froguel P, Frossard P, Gao Y, Gertow K, Gieger C, Gigante B, Grallert H, Grant G B, Grrop L C, Groves C J, Grundberg E, Guiducci C, Hamsten A, Han B G, Hara K, Hassanali N, Hattersley A T, Hayward C, Hedman A K, Herder C, Hofman A, Holmen O L, Hovingh K, Hreidarsson A B, Hu C, Hu F B, Hui J, Humphries S E, Hunt S E, Hunter D J, Hveem K, Hydrie Z I, Ikegami H, Illig T, Ingelsson E, Islam M, Isomaa B, Jackson A U, Jafar T, James A, Jia W, Jockel K H, Jonsson A, Jowett J B, Kadowaki T, Kang H M, Kanoni S, Kao W H, Kathiresan S, Kato N, Katulanda P, Keinanen-Kiukaanniemi K M, Kelly A M, Khan H, Khaw K T, Khor C C, Kim H L, Kim S, Kim Y J, Kinnunen L, Klopp N, Kong A, Korpi-Hyovaltti E, Kowlessur S, Kraft P, Kravic J, Kristensen M M, Krithika S, Kumar A, Kumate J, Kuusisto J, Kwak S H, Laakso M, Lagou V, Lakka T A, Langenberg C, Langford C, Lawrence R, Leander K, Lee J M, Lee N R, Li M, Li X, Li Y, Liang J, Liju S, Lim W Y, Lind L, Lindgren C M, Lindholm E, Liu C T, Liu J J, Lobbens S, Long J, Loos R J, Lu W, Luan J, Lyssenko V, Ma R C, Maeda S, Magi R, Mannisto S, Matthews D R, Meigs J B, Melander O, Metspalu A, Meyer J, Mirza G, Mihailov E, Moebus S, Mohan V, Mohlke K L, Morris A D, Muhleisen T W, Muller-Nurasyid M, Musk B, Nakamura J, Nakashima E, Navarro P, Ng P K, Nica A C, Nilsson P M, Njolstad I, Nothen M M, Ohnaka K, Ong T H, Owen K R, Palmer C N, Pankow J S, Park K S, Parkin M, Pechlivanis S, Pedersen N L, Peltonen L, Perry J R, Peters A, Pinidiyapathirage J M, Platou C G, Potter S, Price J F, Qi L, Radha V, Rallidis L, Rasheed A, Rathman W, Rauramaa R, Raychaudhuri S, Rayner N W, Rees S D, Rehnberg E, Ripatti S, Robertson N, Roden M, Rossin E J, Rudan I, Rybin D, Saaristo T E, Salomaa V, Saltevo J, Samuel M, Sanghera D K, Saramies J, Scott J, Scott L J, Scott R A, Segre A V, Sehmi J, Sennblad B, Shah N, Shah S, Shera A S, Shu X O, Shuldiner A R, Sigurdsson G, Sijbrands E, Silveira A, Sim X, Sivapalaratnam S, Small K S, So W Y, Stancakova A, Stefansson K, Steinbach G, Steinthorsdottir V, Stirrups K, Strawbridge R J, Stringham H M, Sun Q, Suo C, Syvanen A C, Takayanagi R, Takeuchi F, Tay W T, Teslovich T M, Thorand B, Thorleifsson G, Thorsteinsdottir U, Tikkanen E, Trakalo J, Tremoli E, Trip M D, Tsai F J, Tuomi T, Tuomilehto J, Uitterlinden A G, Valladares-Salgado A, Vedantam S, Veglia F, Voight B F, Wang C, Wareham N J, Wennauer R, Wickremasinghe A R, Wilsgaard T, Wilson J F, Wiltshire S, Winckler W, Wong T Y, Wood A R, Wu J Y, Wu Y, Yamamoto K, Yamauchi T, Yang M, Yengo L, Yokota M, Young R, Zabaneh D, Zhang F, Zhang R, Zheng W, Zimmet P Z, Altshuler D, Bowden D W, Cho Y S, Cox N J, Cruz M, Hanis C L, Koerner J, Lee J Y, Seielstad M, Teo Y Y, Boehnke M, Parra E J, Chambers J C, Tai E S, McCarthy M I, Morris A P. Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. *Nat Genet* 2014; 46(3): 234-244

Richter K, Breitner S, Webb A R, Huth C, Thorand B, Kift R, Linseisen J, Schuh A, Kratzsch J, Mielck A, Weidinger S, Peters A, Schneider A. Influence of external, intrinsic and individual behaviour variables on serum 25(OH)D in a German survey. *J Photochem Photobiol B* 2014; 140: 120-129

Publications 2014

Ried J S, Shin S Y, Krumsiek J, Illig T, Theis F J, Spector T D, Adamski J, Wichmann H E, Strauch K, Soranzo N, Suhre K, Gieger C. Novel genetic associations with serum level metabolites identified by phenotype set enrichment analyses. *Hum Mol Genet* 2014

Rodriguez, Nbsp, E.* , Nnbsp, Baurecht, Nnbsp, H.* , Nnbsp, Wahn, Nnbsp, A.F.* , Nnbsp, Kretschmer, Nnbsp, A, Nnbsp, Hotze, Nnbsp, M.* , Nnbsp, Zeilinger, Nnbsp, S, Nnbsp, Klopp, Nnbsp, N.B.* , Nnbsp, Illig, Nnbsp, T.* , Nnbsp, Schramm, Nnbsp, K, Nnbsp, Prokisch, Nnbsp, H, Nnbsp, Kühnel, Nnbsp, B, Nnbsp, Gieger, Nnbsp, C, Nnbsp, Harder, Nnbsp, J.* , Nnbsp, Cifuentes, Nnbsp, L.* , Nnbsp, Novak, Nnbsp, N.* , Nnbsp, Weidinger, Nnbsp, S.* . An integrated epigenetic and transcriptomic analysis reveals distinct tissue-specific patterns of DNA methylation associated with atopic dermatitis. *J. Invest. Dermatol.* 2014; 134(7): 1873-1883

Rohrborn D, Eckel J, Sell H. Shedding of dipeptidyl peptidase 4 is mediated by metalloproteases and up-regulated by hypoxia in human adipocytes and smooth muscle cells. *FEBS Lett* 2014; 588(21): 3870-3877

Romacho T, Elsen M, Rohrborn D, Eckel J. Adipose tissue and its role in organ crosstalk. *Acta Physiol (Oxf)* 2014; 210(4): 733-753

Rozman J, Klingenspor M, Hrabe De Angelis M. A review of standardized metabolic phenotyping of animal models. *Mamm Genome* 2014; 25(9-10): 497-507

Ruckerl R, Hampel R, Breitner S, Cyrys J, Kraus U, Carter J, Dailey L, Devlin R B, Diaz-Sanchez D, Koenig W, Phipps R, Silbajoris R, Soentgen J, Soukup J, Peters A, Schneider A. Associations between ambient air pollution and blood markers of inflammation and coagulation/fibrinolysis in susceptible populations. *Environ Int* 2014; 70: 32-49

Sartorius T, Peter A, Schulz N, Drescher A, Bergheim I, Machann J, Schick F, Siegel-Axel D, Schurmann A, Weigert C, Haring H U, Hennige A M. Cinnamon extract improves insulin sensitivity in the brain and lowers liver fat in mouse models of obesity. *PLoS One* 2014; 9(3): e92358

Schafer N, Yu Z, Wagener A, Millrose M K, Reissmann M, Bortfeldt R, Dieterich C, Adamski J, Wang-Sattler R, Illig T, Brockmann G A. Changes in metabolite profiles caused by genetically determined obesity in mice. *Metabolomics* 2014; 10: 461-472

Scheufele F, Wolf B, Kruse M, Hartmann T, Lempart J, Muehlich S, Pfeiffer A F, Field L J, Charron M J, Pan Z Q, Engelhardt S, Sarikas A. Evidence for a regulatory role of Cullin-RING E3 ubiquitin ligase 7 in insulin signaling. *Cell Signal* 2014; 26(2): 233-239

Scheuing N, Bartus B, Berger G, Haberland H, Icks A, Knauth B, Nellen-Hellmuth N, Rosenbauer J, Teufel M, Holl R W, Initiative D P V, German B C N D M. Clinical characteristics and outcome of 467 patients with a clinically recognized eating disorder identified among 52,215 patients with type 1 diabetes: a multicenter german/austrian study. *Diabetes Care* 2014; 37(6): 1581-1589

Schiller K, Jacobs S, Jansen E, Weikert C, Di Giuseppe R, Boeing H, Schulze M B, Kroger J. Associated factors of estimated desaturase activity in the EPIC-Potsdam study. *Nutr Metab Cardiovasc Dis* 2014; 24(5): 503-510

Publications 2014

Schipf S, Ittermann I, Tamayo T, Holle R, Schunk M, Maier W, Meisinger C, Thorand B, Klutigg A, Greiser K H, Berger K, Mueller G, Moebus S, Slomiany U, Icks A, Rathmann W, Völzke H. Regional differences in the incidence of known type 2 diabetes in Germany: Results from five population-based studies in Germany (DIAB-CORE Consortium). 2014; [submitted]

Schipf S, Ittermann T, Tamayo T, Holle R, Schunk M, Maier W, Meisinger C, Thorand B, Klutigg A, Greiser K H, Berger K, Muller G, Moebus S, Slomiany U, Icks A, Rathmann W, Volzke H. Regional differences in the incidence of self-reported type 2 diabetes in Germany: results from five population-based studies in Germany (DIAB-CORE Consortium). *J Epidemiol Community Health* 2014; 68(11): 1088-1095

Schmid S M, Hallschmid M, Schultes B. The metabolic burden of sleep loss. *Lancet Diabetes Endocrinol* 2014

Schmidt E, Linz B, Diekelmann S, Besedovsky L, Lange T, Born J. Effects of an interleukin-1 receptor antagonist on human sleep, sleep-associated memory consolidation, and blood monocytes. *Brain Behav Immun* 2014

Schottker B, Jorde R, Peasey A, Thorand B, Jansen E H, Groot L, Streppel M, Gardiner J, Ordonez-Mena J M, Perna L, Wilsgaard T, Rathmann W, Feskens E, Kampman E, Siganos G, Njolstad I, Mathiesen E B, Kubanova R, Pajak A, Topor-Madry R, Tamosiunas A, Hughes M, Kee F, Bobak M, Trichopoulou A, Boffetta P, Brenner H, Consortium On H, Ageing: Network of Cohorts In E, The United S. Vitamin D and mortality: meta-analysis of individual participant data from a large consortium of cohort studies from Europe and the United States. *BMJ* 2014; 348: g3656

Schramm K, Marzi C, Schurmann C, Carstensen M, Reinmaa E, Biffar R, Eckstein G, Gieger C, Grabe H J, Homuth G, Kastenmuller G, Magi R, Metspalu A, Mihailov E, Peters A, Petersmann A, Roden M, Strauch K, Suhre K, Teumer A, Volker U, Volzke H, Wang-Sattler R, Waldenberger M, Meitinger T, Illig T, Herder C, Grallert H, Prokisch H. Mapping the genetic architecture of gene regulation in whole blood. *PLoS One* 2014; 9(4): e93844

Schulte E C, Schramm K, Schurmann C, Lichtner P, Herder C, Roden M, Gieger C, Peters A, Trenkwalder C, Hogl B, Frauscher B, Berger K, Fietze I, Gross N, Stiasny-Kolster K, Oertel W, Bachmann C G, Paulus W, Zimprich A, Volzke H, Schminke U, Nauck M, Illig T, Meitinger T, Muller-Myhsok B, Prokisch H, Winkelmann J. Blood cis-eQTL analysis fails to identify novel association signals among sub-threshold candidates from genome-wide association studies in restless legs syndrome. *PLoS One* 2014; 9(5): e98092

Schwab S, Heier M, Schneider A, Fischer B, Huth C, Peters A, Thorand B. The use of dietary supplements among older persons in southern Germany - results from the KORA-age study. *J Nutr Health Aging* 2014; 18(5): 510-519

Schwartz M W, Tschop M, Zeltser L M. A mother's influence on metabolic disorders. *Nat Med* 2014; 20(3): 244-245

Serr I, Weigmann B, Franke R K, Daniel C. Treg vaccination in autoimmune type 1 diabetes. *BioDrugs* 2014; 28(1): 7-16

Publications 2014

- Shin S Y, Petersen A K, Wahl S, Zhai G, Romisch-Margl W, Small K S, Doring A, Kato B S, Peters A, Grundberg E, Prehn C, Wang-Sattler R, Wichmann H E, Hrabe De Angelis M, Illig T, Adamski J, Deloukas P, Spector T D, Suhre K, Gieger C, Soranzo N. Interrogating causal pathways linking genetic variants, small molecule metabolites and circulating lipids. *Genome Med* 2014; 6(3): 25
- Siegel-Axel D I, Ullrich S, Stefan N, Rittig K, Gerst F, Klingler C, Schmidt U, Schreiner B, Randrianarisoa E, Schaller H E, Stock U A, Weigert C, Konigsrainer A, Haring H U. Fetuin-A influences vascular cell growth and production of proinflammatory and angiogenic proteins by human perivascular fat cells. *Diabetologia* 2014; 57(5): 1057-1066
- Silbernagel G, Machann J, Haring H U, Fritzsche A, Peter A. Plasminogen activator inhibitor-1, monocyte chemoattractant protein-1, e-selectin and C-reactive protein levels in response to 4-week very-high-fructose or -glucose diets. *Eur J Clin Nutr* 2014; 68(1): 97-100
- Simon M, Stefan N, Borsig L, Pluckthun A, Zangemeister-Wittke U. Increasing the antitumor effect of an EpCAM-targeting fusion toxin by facile click PEGylation. *Mol Cancer Ther* 2014; 13(2): 375-385
- Sinreich, M.* Anko, M.* Zukunft, S, Adamski, J, Lanisnik R, T.*. Important roles of the AKR1C2 and SRD5A1 enzymes in progesterone metabolism in endometrial cancer model cell lines. *Chem. Biol. Interactions* 2014
- Spieler D, Kaffe M, Knauf F, Bessa J, Tena J J, Giesert F, Schormair B, Tilch E, Lee H, Horsch M, Czamara D, Karbalai N, Von Toerne C, Waldenberger M, Gieger C, Lichtner P, Claussnitzer M, Naumann R, Muller-Myhsok B, Torres M, Garrett L, Rozman J, Klingenspor M, Gailus-Durner V, Fuchs H, Hrabe De Angelis M, Beckers J, Holter S M, Meitinger T, Hauck S M, Laumen H, Wurst W, Casares F, Gomez-Skarmeta J L, Winkelmann J. Restless legs syndrome-associated intronic common variant in Meis1 alters enhancer function in the developing telencephalon. *Genome Res* 2014; 24(4): 592-603
- Stark R, Guebre-Egziabher F, Zhao X, Feriod C, Dong J, Alves T C, Ishaq S, Pongratz R L, Bhanot S, Roden M, Cline G W, Shulman G I, Kibbey R G. A role for mitochondrial phosphoenolpyruvate carboxykinase (PEPCK-M) in the regulation of hepatic gluconeogenesis. *J Biol Chem* 2014; 289(11): 7257-7263
- Stefan N, Artunc F, Heyne N, Machann J, Schleicher E D, Haring H U. Obesity and renal disease: not all fat is created equal and not all obesity is harmful to the kidneys. *Nephrol Dial Transplant* 2014
- Stefan N, Fritzsche A, Haring H U. Mechanisms Explaining the Relationship Between Metabolically Healthy Obesity and Cardiovascular Risk. *J Am Coll Cardiol* 2014; 63(24): 2748-2749
- Stefan N, Ramsauer M, Jordan P, Nowotny B, Kantartzis K, Machann J, Hwang J H, Nowotny P, Kahl S, Harreiter J, Hornemann S, Sanyal A J, Stewart P M, Pfeiffer A F, Kautzky-Willer A, Roden M, Haring H U, Furst-Recktenwald S. Inhibition of 11beta-HSD1 with RO5093151 for non-alcoholic fatty liver disease: a multicentre, randomised, double-blind, placebo-controlled trial. *Lancet Diabetes Endocrinol* 2014; 2(5): 406-416

Publications 2014

Stefan N, Sun Q, Fritsche A, Machann J, Schick F, Gerst F, Jeppesen C, Joost H G, Hu F B, Boeing H, Ullrich S, Haring H U, Schulze M B. Impact of the adipokine adiponectin and the hepatokine fetuin-A on the development of type 2 diabetes: prospective cohort- and cross-sectional phenotyping studies. *PLoS One* 2014; 9(3): e92238

Stemmer, K, Kotzbeck, P, Zani, F, Bauer, M, Neff, C, Müller, T.D, Pfluger, P.T, Seeley, R.J.*., Divanovic, S.*. Thermoneutral housing is a critical factor for immune function and diet-induced obesity in C57BL/6 nude mice. *Int. J. Obes.* 2014

Stockl D, Peters A, Thorand B, Heier M, Koenig W, Seissler J, Thiery J, Rathmann W, Meisinger C. Reproductive factors, intima media thickness and carotid plaques in a cross-sectional study of postmenopausal women enrolled in the population-based KORA F4 study. *BMC Womens Health* 2014; 14: 17

Stratmann B, Xu T, Meisinger C, Menart B, Roden M, Herder C, Grallert H, Peters A, Koenig W, Illig T, Wichmann H E, Wang-Sattler R, Rathmann W, Tschoepe D. PLA1A2 platelet polymorphism predicts mortality in prediabetic subjects of the population based KORA S4-Cohort. *Cardiovasc Diabetol* 2014; 13: 90

Stribl C, Samara A, Trumbach D, Peis R, Neumann M, Fuchs H, Gailus-Durner V, Hrabe De Angelis M, Rathkolb B, Wolf E, Beckers J, Horsch M, Neff F, Kremmer E, Koob S, Reichert A S, Hans W, Rozman J, Klingenspor M, Aichler M, Walch A K, Becker L, Klopstock T, Glasl L, Holter S M, Wurst W, Floss T. Mitochondrial dysfunction and decrease in body weight of a transgenic knock-in mouse model for TDP-43. *J Biol Chem* 2014; 289(15): 10769-10784

Strom A, Bruggemann J, Ziegler I, Jeruschke K, Weiss J, Al-Hasani H, Roden M, Ziegler D, Group G D S. Pronounced reduction of cutaneous Langerhans cell density in recently diagnosed type 2 diabetes. *Diabetes* 2014; 63(3): 1148-1153

Stumpp C, Beyerlein A, Ziegler A G, Bonifacio E. Neonatal and infant beta cell hormone concentrations in relation to type 1 diabetes risk. *Pediatr Diabetes* 2014; 15(7): 528-533

Swierczynska M M, Mateska I, Peitzsch M, Bornstein S R, Chavakis T, Eisenhofer G, Lamounier-Zepter V, Eaton S. Changes in morphology and function of adrenal cortex in mice fed a high-fat diet. *Int J Obes (Lond)* 2014

Szabo T, Scherbakov N, Sandek A, Kung T, Von Haehling S, Lainscak M, Jankowska E A, Rudovich N, Anker S D, Frystyk J, Flyvbjerg A, Pfeiffer A F, Doehner W. Plasma adiponectin in heart failure with and without cachexia: catabolic signal linking catabolism, symptomatic status, and prognosis. *Nutr Metab Cardiovasc Dis* 2014; 24(1): 50-56

Szendroedi J, Kaul K, Kloock L, Strassburger K, Schmid A I, Chmelik M, Kacerovsky M, Kacerovsky-Bielez G, Prikoszovich T, Brehm A, Krssak M, Gruber S, Krebs M, Kautzky-Willer A, Moser E, Pacini G, Roden M. Lower fasting muscle mitochondrial activity relates to hepatic steatosis in humans. *Diabetes Care* 2014; 37(2): 468-474

Szendroedi J, Roden M. Perilipin 5: From fatty liver to hepatic lipodystrophy? *Hepatology* 2014

Szendroedi J, Yoshimura T, Phielix E, Koliaki C, Marcucci M, Zhang D, Jelenik T, Muller J, Herder C, Nowotny P, Shulman G I, Roden M. Role of diacylglycerol activation of PKCtheta in lipid-induced muscle insulin resistance in humans. *Proc Natl Acad Sci U S A* 2014; 111(26): 9597-9602

Szymczak W, Rozman J, Hollriegl V, Kistler M, Keller S, Peters D, Kneipp M, Schulz H, Hoeschen C, Klingenspor M, De Angelis M H. Online breath gas analysis in unrestrained mice by hs-PTR-MS. *Mamm Genome* 2014; 25(3-4): 129-140

Tamayo T, Claessen H, Ruckert I M, Maier W, Schunk M, Meisinger C, Mielck A, Holle R, Thorand B, Narres M, Moebus S, Mahabadi A A, Pundt N, Krone B, Slomiany U, Erbel R, Jockel K H, Rathmann W, Icks A. Treatment pattern of type 2 diabetes differs in two german regions and with patients' socioeconomic position. *PLoS One* 2014; 9(6): e99773

Tamayo T, Rathmann W, Kramer U, Sugiri D, Grabert M, Holl R W. Is particle pollution in outdoor air associated with metabolic control in type 2 diabetes? *PLoS One* 2014; 9(3): e91639

Tamayo T, Rosenbauer J, Wild S H, Spijkerman A M, Baan C, Forouhi N G, Herder C, Rathmann W. Diabetes in Europe: an update. *Diabetes Res Clin Pract* 2014; 103(2): 206-217

Tamayo T, Schipf S, Meisinger C, Schunk M, Maier W, Herder C, Roden M, Nauck M, Peters A, Volzke H, Rathmann W. Regional differences of undiagnosed type 2 diabetes and prediabetes prevalence are not explained by known risk factors. *PLoS One* 2014; 9(11): e113154

Teichert T, Vossoughi M, Vierkotter A, Sugiri D, Schikowski T, Hoffmann B, Schulte T, Roden M, Raulf-Heimsoth M, Luckhaus C, Kramer U, Herder C. Investigating the spill-over hypothesis: Analysis of the association between local inflammatory markers in sputum and systemic inflammatory mediators in plasma. *Environ Res* 2014; 134: 24-32

Teutsch C A, Panse M, Grundmann M, Kaiser G, Kostenis E, Haring H U, Ullrich S. Detection of free fatty acid receptor 1 expression: the critical role of negative and positive controls. *Diabetologia* 2014; 57(4): 776-780

Then C, Kowall B, Lechner A, Meisinger C, Heier M, Koenig W, Peters A, Rathmann W, Seissler J. Plasma copeptin is associated with type 2 diabetes in men but not in women in the population-based KORA F4 study. *Acta Diabetol* 2014

Thienel M, Heinrichs M, Fischer S, Ott V, Born J, Hallschmid M. Oxytocin's impact on social face processing is stronger in homosexual than heterosexual men. *Psychoneuroendocrinology* 2014; 39: 194-203

Thomaseseth K, Brehm A, Pavan A, Pacini G, Roden M. Modeling glucose and free fatty acid kinetics during insulin-modified intravenous glucose tolerance test in healthy humans: role of counterregulatory response. *Am J Physiol Regul Integr Comp Physiol* 2014

Tischner C, Hofer A, Wulff V, Stepek J, Dumitru I, Becker L, Haack T, Kremer L, Datta A N, Sperl W, Floss T, Wurst W, Chrzanowska-Lightowers Z, De Angelis M H, Klopstock T, Prokisch H, Wenz T. MTO1 mediates tissue-specificity of OXPHOS defects via tRNA modification and translation optimization, which can be bypassed by dietary intervention. *Hum Mol Genet* 2014

Publications 2014

- Tong J, Davis H W, Summer S, Benoit S C, Haque A, Bidlingmaier M, Tschop M H, D'alessio D. Acute administration of unacylated ghrelin has no effect on Basal or stimulated insulin secretion in healthy humans. *Diabetes* 2014; 63(7): 2309-2319
- Tonjes A, Scholz M, Breitfeld J, Marzi C, Grallert H, Gross A, Ladenvall C, Schleinitz D, Krause K, Kirsten H, Laurila E, Kriebel J, Thorand B, Rathmann W, Groop L, Prokopenko I, Isomaa B, Beutner F, Kratzsch J, Thiery J, Fasshauer M, Klöting N, Gieger C, Bluher M, Stumvoll M, Kovacs P. Genome Wide Meta-analysis Highlights the Role of Genetic Variation in RARRES2 in the Regulation of Circulating Serum Chemerin. *PLoS Genet* 2014; 10(12): e1004854
- Ussar S. Linking maternal obesity to early insulin resistance. *Mol Metab* 2014; 3(3): 219-220
- Ussar S, Lee K Y, Dankel S N, Boucher J, Haering M F, Kleinridders A, Thomou T, Xue R, Macotela Y, Cypress A M, Tseng Y H, Mellgren G, Kahn C R. ASC-1, PAT2, and P2RX5 are cell surface markers for white, beige, and brown adipocytes. *Sci Transl Med* 2014; 6(247): 247ra103
- Van Genugten R E, Van Raalte D H, Muskiet M H, Heymans M W, Pouwels P J, Ouwens D M, Mari A, Diamant M. Does dipeptidyl peptidase-4 inhibition prevent the diabetogenic effects of glucocorticoids in men with the metabolic syndrome? A randomized controlled trial. *Eur J Endocrinol* 2014; 170(3): 429-439
- Vistisen D, Witte D R, Tabak A G, Herder C, Brunner E J, Kivimaki M, Faerch K. Patterns of obesity development before the diagnosis of type 2 diabetes: the Whitehall II cohort study. *PLoS Med* 2014; 11(2): e1001602
- Vogt I, Prinz J, Campillos M. Molecularly and clinically related drugs and diseases are enriched in phenotypically similar drug-disease pairs. *Genome Med* 2014; 6(7): 52
- Vogt I, Prinz J, Worf K, Campillos M. Systematic analysis of gene properties influencing organ system phenotypes in mammalian perturbations. *Bioinformatics* 2014; 30(21): 3093-3100
- Vogt M C, Paeger L, Hess S, Steculorum S M, Awazawa M, Hampel B, Neupert S, Nicholls H T, Mauer J, Hausen A C, Predel R, Kloppenburg P, Horvath T L, Bruning J C. Neonatal insulin action impairs hypothalamic neurocircuit formation in response to maternal high-fat feeding. *Cell* 2014; 156(3): 495-509
- Vossoughi M, Schikowski T, Vierkötter A, Sugiri D, Hoffmann B, Teichert T, Herder C, Schulte T, Luckhaus C, Raulf-Heimsoth M, Casjens S, Bruning T, Kramer U. Air pollution and subclinical airway inflammation in the SALIA cohort study. *Immun Ageing* 2014; 11(1): 5
- Wagner R, Haring H U, Fritzsche A. [Phenotypes of prediabetes and type 2 diabetes]. *Dtsch Med Wochenschr* 2014; 139(21): 1109-1113
- Wagner R, Heni M, Linder K, Ketterer C, Peter A, Bohm A, Hatziagelaki E, Stefan N, Staiger H, Haring H U, Fritzsche A. Age-dependent association of serum prolactin with glycaemia and insulin sensitivity in humans. *Acta Diabetol* 2014; 51(1): 71-78
- Wagner R, Hieronimus A, Lamprinou A, Heni M, Hatziagelaki E, Ullrich S, Stefan N, Staiger H, Haring H U, Fritzsche A. Peroxisome proliferator-activated receptor gamma (PPARG) modulates

Publications 2014

free fatty acid receptor 1 (FFAR1) dependent insulin secretion in humans. Mol Metab 2014; 3(6): 676-680

Wagner R, Li J, Kenar E, Kohlbacher O, Machicao F, Haring H U, Fritsche A, Xu G, Lehmann R. Clinical and non-targeted metabolomic profiling of homozygous carriers of Transcription Factor 7-like 2 variant rs7903146. Sci Rep 2014; 4: 5296

Wagner R, Staiger H, Ullrich S, Stefan N, Fritsche A, Haring H U. Untangling the interplay of genetic and metabolic influences on beta-cell function: Examples of potential therapeutic implications involving TCF7L2 and FFAR1. Mol Metab 2014; 3(3): 261-267

Wahl, Nnbsp, S, Nnbsp, Krug, Nnbsp, S, Nnbsp, Then, Nnbsp, C, Nnbsp, Kirchhofer, Nnbsp, A, Nnbsp, Kastenmüller, Nnbsp, G, Nnbsp, Brand, Nnbsp, T, Nnbsp, Skurk, Nnbsp, T.*, Nnbsp, Claussnitzer, Nnbsp, M.*, Nnbsp, Huth, Nnbsp, C, Nnbsp, Heier, Nnbsp, M, Nnbsp, Meisinger, Nnbsp, C, Nnbsp, Peters, Nnbsp, A, Nnbsp, Thorand, Nnbsp, B, Nnbsp, Gieger, Nnbsp, C, Nnbsp, Prehn, Nnbsp, C, Nnbsp, Römisch M, Nnbsp, W, Nnbsp, Adamski, Nnbsp, J, Nnbsp, Suhre, Nnbsp, K, Nnbsp, Illig, Nnbsp, T, Nnbsp, Grallert, Nnbsp, H, Nnbsp, Laumen, Nnbsp, H, Nnbsp, Seissler, Nnbsp, J, Nnbsp, Hauner, Nnbsp, H. Comparative analysis of plasma metabolomics response to metabolic challenge tests in healthy subjects and influence of the FTO obesity risk allele. Catal. Lett. 2014; 10(3): 386-401

Wahl S, Fenske N, Zeilinger S, Suhre K, Gieger C, Waldenberger M, Grallert H, Schmid M. On the potential of models for location and scale for genome-wide DNA methylation data. BMC Bioinformatics 2014; 15(1): 232

Walker A, Lucio M, Pfitzner B, Scheerer M F, Neschen S, Hrabe De Angelis M, Hartmann A, Schmitt-Kopplin P. The importance of sulfur-containing metabolites in discriminating fecal extracts between normal and type 2 diabetic mice. J Proteome Res 2014

Walker A, Pfitzner B, Neschen S, Kahle M, Harrir M, Lucio M, Moritz F, Tziotis D, Witting M, Rothballer M, Engel M, Schmid M, Endesfelder D, Klingenspor M, Rattei T, Castell W Z, De Angelis M H, Hartmann A, Schmitt-Kopplin P. Distinct signatures of host-microbial meta-metabolome and gut microbiome in two C57BL/6 strains under high-fat diet. ISME J 2014

Walter, Nnbsp, M.C, Nnbsp, Öhrman, Nnbsp, C.*, Nnbsp, Myrtennäs, Nnbsp, K.*, Nnbsp, Sjödin, Nnbsp, A.*, Nnbsp, Byström, Nnbsp, M.* Nnbsp, Larsson, Nnbsp, P.*, Nnbsp, Macellaro, Nnbsp, A.* Nnbsp, Forsman, Nnbsp, M.* Nnbsp, Frangoulidis, Nnbsp, D.*. Genome sequence of Coxiella burnetii strain Namibia. Stand. Genomic Sci. 2014; 9

Wang, Nnbsp, S.R.* Nnbsp, Agarwala, Nnbsp, V.* Nnbsp, Flannick, Nnbsp, J.* Nnbsp, Chiang, Nnbsp, C.W.* Nnbsp, Altshuler, Nnbsp, D.* Nnbsp, Go T D C, C, Grallert, Nnbsp, H, Hrabě De A, Nnbsp, M, Huth, Nnbsp, C, Kriebel, Nnbsp, J, Meisinger, Nnbsp, C, Meitinger, Nnbsp, T, Müller N, Nnbsp, M, Ried, Nnbsp, J.S, Peters, Nnbsp, A, Rathmann, Nnbsp, W, Strauch, Nnbsp, K, Strom, Nnbsp, T M, Nnbsp, Hirschhorn, Nnbsp, J.N.*. Simulation of finnish population history, guided by empirical genetic data, to assess power of rare-variant tests in Finland. Am. J. Hum. Genet. 2014; 94(5): 710-720

Weigert C, Lehmann R, Hartwig S, Lehr S. The secretome of the working human skeletal muscle-a promising opportunity to combat the metabolic disaster? Proteomics Clin Appl 2014; 8(1-2): 5-18

Publications 2014

Weimer S, Priels J, Kuhlow D, Groth M, Priebe S, Mansfeld J, Merry T L, Dubuis S, Laube B, Pfeiffer A F, Schulz T J, Guthke R, Platzer M, Zamboni N, Zarse K, Ristow M. D-Glucosamine supplementation extends life span of nematodes and of ageing mice. *Nat Commun* 2014; 5: 3563

Weinhold S L, Seeck-Hirschner M, Nowak A, Hallschmid M, Goder R, Baier P C. The effect of intranasal orexin-A (hypocretin-1) on sleep, wakefulness and attention in narcolepsy with cataplexy. *Behav Brain Res* 2014; 262: 8-13

Wientzek A, Floegel A, Knuppel S, Vigl M, Drogan D, Adamski J, Pischon T, Boeing H. Serum metabolites related to cardiorespiratory fitness, physical activity energy expenditure, sedentary time and vigorous activity. *Int J Sport Nutr Exerc Metab* 2014; 24(2): 215-226

Winkler, T.W.* , Day, F.R.* , Croteau C, D.C.* , Wood, A.R.* , Locke, A.E.* , Mägi, R.* , Ferreira, T.* , Fall, T.* , Graff, M.* , Justice, A.E.* , Luan, J.* , Gustafsson, S.* , Randall, J.C.* , Vedantam, S.* , Workalemahu, T.* , Kilpeläinen, T.O.* , Scherag, A.* , Esko, T.* , Kutalik, Z.* , Heid, I.M., Loos, R.J.* , Consortium G, Müller N, M, Grallert, H, Peters, A, Thorand, B, Gieger, C, Illig, T, Wichmann, H E. Quality control and conduct of genome-wide association meta-analyses. *Nat. Protoc.* 2014; 9(5): 1192-1212

Winkler C, Krumsiek J, Buettner F, Angermuller C, Giannopoulou E, Theis F J, Ziegler A, Bonifacio E. Feature ranking of T1D susceptibility genes improves prediction of T1D. *Diabetologia* 2014; (in revision)

Wiza C, Chadt A, Blumensatt M, Kanzleiter T, Herzfeld De Wiza D, Horrights A, Mueller H, Nascimento E B, Schurmann A, Al-Hasani H, Ouwendijk D M. Over-expression of PRAS40 enhances insulin sensitivity in skeletal muscle. *Arch Physiol Biochem* 2014; 120(2): 64-72

Wolf E, Braun-Reichhart C, Streckel E, Renner S. Genetically engineered pig models for diabetes research. *Transgenic Res* 2014; 23(1): 27-38

Xiao S, Yosef N, Yang J, Wang Y, Zhou L, Zhu C, Wu C, Baloglu E, Schmidt D, Ramesh R, Loher M, Sundrud M S, Tsai P Y, Xiang Z, Wang J, Xu Y, Lin X, Kretschmer K, Rahl P B, Young R A, Zhong Z, Hafler D A, Regev A, Ghosh S, Marson A, Kuchroo V K. Small-molecule ROR γ T antagonists inhibit T helper 17 cell transcriptional network by divergent mechanisms. *Immunity* 2014; 40(4): 477-489

Yan X, Sabrautzki S, Horsch M, Fuchs H, Gailus-Durner V, Beckers J, Hrabe De Angelis M, Graw J. Peroxidasin is essential for eye development in the mouse. *Hum Mol Genet* 2014; 23(21): 5597-5614

Yang D, Lutter D, Burtscher I, Uetzmann L, Theis F J, Lickert H. miR-335 promotes mesendodermal lineage segregation and shapes a transcription factor gradient in the endoderm. *Development* 2014; 141(3): 514-525

Publications 2014

Yousri N A, Kastenmuller G, Gieger C, Shin S Y, Erte I, Menni C, Peters A, Meisinger C, Mohney R P, Illig T, Adamski J, Soranzo N, Spector T D, Suhre K. Long term conservation of human metabolic phenotypes and link to heritability. *Metabolomics* 2014; 10(5): 1005-1017

Zamora-Ros R, Forouhi N G, Sharp S J, Gonzalez C A, Buijsse B, Guevara M, Van Der Schouw Y T, Amiano P, Boeing H, Bredsdorff L, Fagherazzi G, Feskens E J, Franks P W, Grioni S, Katzke V, Key T J, Khaw K T, Kuhn T, Masala G, Mattiello A, Molina-Montes E, Nilsson P M, Overvad K, Perquier F, Redondo M L, Ricceri F, Rolandsson O, Romieu I, Roswall N, Scalbert A, Schulze M, Slimani N, Spijkerman A M, Tjonneland A, Tormo M J, Touillaud M, Tumino R, Van Der A D, Van Woudenbergh G J, Langenberg C, Riboli E, Wareham N J. Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. *J Nutr* 2014; 144(3): 335-343

Zhou Z, Chadt A, Al-Hasani H. Tuning in to the rhythm of clock genes in skeletal muscle. *Mol Metab* 2014; 3(1): 1-2

Ziegler D, Buchholz S, Sohr C, Nourooz-Zadeh J, Roden M. Oxidative stress predicts progression of peripheral and cardiac autonomic nerve dysfunction over 6 years in diabetic patients. *Acta Diabetol* 2014

Ziegler D, Papanas N, Zhivov A, Allgeier S, Winter K, Ziegler I, Bruggemann J, Strom A, Peschel S, Kohler B, Stachs O, Guthoff R F, Roden M, German Diabetes Study G. Early detection of nerve fiber loss by corneal confocal microscopy and skin biopsy in recently diagnosed type 2 diabetes. *Diabetes* 2014; 63(7): 2454-2463