

DZD Publikationen 2017

- Adam J, Brandmaier S, Troll M, et al. Response to Comment on Adam et al. Metformin Effect on Nontargeted Metabolite Profiles in Patients With Type 2 Diabetes and in Multiple Murine Tissues. *Diabetes*. 2016;65:3776-3785. *Diabetes*. 2017;66(5):e3-e4.
- Ahmed Alfar E, Kirova D, Konantz J, Birke S, Mansfeld J, Ninov N. Distinct Levels of Reactive Oxygen Species Coordinate Metabolic Activity with Beta-cell Mass Plasticity. *Scientific reports*. 2017;7(1):3994.
- Aichler M, Borgmann D, Krumsiek J, et al. N-acyl Taurines and Acylcarnitines Cause an Imbalance in Insulin Synthesis and Secretion Provoking beta Cell Dysfunction in Type 2 Diabetes. *Cell metabolism*. 2017;25(6):1334-1347 e1334.
- Akinkugbe AA, Avery CL, Barritt AS, et al. Do Genetic Markers of Inflammation Modify the Relationship between Periodontitis and Nonalcoholic Fatty Liver Disease? Findings from the SHIP Study. *J Dent Res*. 2017;96(12):1392-1399.
- Al Massadi O, Lopez M, Tschoop M, Dieguez C, Nogueiras R. Current Understanding of the Hypothalamic Ghrelin Pathways Inducing Appetite and Adiposity. *Trends in neurosciences*. 2017;40(3):167-180.
- Altmae S, Segura MT, Esteban FJ, et al. Maternal Pre-Pregnancy Obesity Is Associated with Altered Placental Transcriptome. *PloS one*. 2017;12(1):e0169223.
- Ambrosi TH, Schulz TJ. The emerging role of bone marrow adipose tissue in bone health and dysfunction. *J Mol Med (Berl)*. 2017;95(12):1291-1301.
- Ambrosi TH, Scialdone A, Graja A, et al. Adipocyte Accumulation in the Bone Marrow during Obesity and Aging Impairs Stem Cell-Based Hematopoietic and Bone Regeneration. *Cell stem cell*. 2017;20(6):771-784 e776.
- Amri EZ, Scheideler M. Small non coding RNAs in adipocyte biology and obesity. *Mol Cell Endocrinol*. 2017.
- Anitei M, Stange C, Czupalla C, et al. Spatiotemporal Control of Lipid Conversion, Actin-Based Mechanical Forces, and Curvature Sensors during Clathrin/AP-1-Coated Vesicle Biogenesis. *Cell reports*. 2017;20(9):2087-2099.
- Awazawa M, Gabel P, Tsaooudiou E, et al. A microRNA screen reveals that elevated hepatic ectodysplasin A expression contributes to obesity-induced insulin resistance in skeletal muscle. *Nature medicine*. 2017.
- Bachlechner U, Boeing H, Haftenberger M, et al. Predicting risk of substantial weight gain in German adults-a multi-center cohort approach. *Eur J Public Health*. 2017;27(4):768-774.
- Baechle C, Hoyer A, Castillo-Reinado K, et al. Eating Frequency and Carbohydrate Intake in Adolescents with Type 1 Diabetes Differ from Those in Their Peers and are Associated with Glycemic Control. *Experimental and clinical endocrinology & diabetes : official journal, German Society of Endocrinology [and] German Diabetes Association*. 2017.
- Balyura M, Gelfgat E, Ullmann E, Ludwig B, Barnea ER, Bornstein SR. PreImplantation Factor (PIF*) Regulates Stress-Induced Adrenal Steroidogenesis and Anti-Inflammatory Cytokines: Potential Application for Bioartificial Adrenal Transplant. *Hormone and metabolic research = Hormon- und Stoffwechselforschung = Hormones et metabolisme*. 2017.
- Bamberg F, Hetterich H, Rospleszcz S, et al. Subclinical Disease Burden as Assessed by Whole-Body MRI in Subjects With Prediabetes, Subjects With Diabetes, and Normal Control Subjects From the General Population: The KORA-MRI Study. *Diabetes*. 2017;66(1):158-169.

Banning F, Rottenkolber M, Freibothe I, Seissler J, Lechner A. Insulin secretory defect in familial partial lipodystrophy Type 2 and successful long-term treatment with a glucagon-like peptide 1 receptor agonist. *Diabetic medicine : a journal of the British Diabetic Association.* 2017;34(12):1792-1794.

Bardot E, Calderon D, Santoriello F, et al. Foxa2 identifies a cardiac progenitor population with ventricular differentiation potential. *Nature communications.* 2017;8:14428.

Bastidas-Ponce A, Roscioni SS, Burtscher I, et al. Foxa2 and Pdx1 cooperatively regulate postnatal maturation of pancreatic beta-cells. *Molecular metabolism.* 2017;6(6):524-534.

Bastidas-Ponce A, Scheibner K, Lickert H, Bakhti M. Cellular and molecular mechanisms coordinating pancreas development. *Development.* 2017;144(16):2873-2888.

Baumeier C, Saussenthaler S, Kammel A, et al. Hepatic DPP4 DNA Methylation Associates With Fatty Liver. *Diabetes.* 2017;66(1):25-35.

Baumeier C, Schluter L, Saussenthaler S, et al. Elevated hepatic DPP4 activity promotes insulin resistance and non-alcoholic fatty liver disease. *Molecular metabolism.* 2017;6(10):1254-1263.

Becker M, Levings MK, Daniel C. Adipose-tissue regulatory T cells: Critical players in adipose-immune crosstalk. *Eur J Immunol.* 2017;47(11):1867-1874.

Benedetti E, Pucic-Bakovic M, Keser T, et al. Network inference from glycoproteomics data reveals new reactions in the IgG glycosylation pathway. *Nature communications.* 2017;8(1):1483.

Besedovsky L, Schmidt EM, Linz B, Diekelmann S, Lange T, Born J. Signs of enhanced sleep and sleep-associated memory processing following the anti-inflammatory antibiotic minocycline in men. *J Psychopharmacol.* 2017;31(2):204-210.

Bilkova E, Pleskot R, Rissanen S, et al. Calcium Directly Regulates Phosphatidylinositol 4,5-Bisphosphate Headgroup Conformation and Recognition. *J Am Chem Soc.* 2017;139(11):4019-4024.

Blumensatt M, Fahlbusch P, Hilgers R, et al. Secretory products from epicardial adipose tissue from patients with type 2 diabetes impair mitochondrial beta-oxidation in cardiomyocytes via activation of the cardiac renin-angiotensin system and induction of miR-208a. *Basic research in cardiology.* 2017;112(1):2.

Blutke A, Renner S, Flenkenthaler F, et al. The Munich MIDY Pig Biobank - A unique resource for studying organ crosstalk in diabetes. *Molecular metabolism.* 2017;6(8):931-940.

Bohm A, Wagner R, Machicao F, et al. DPP4 gene variation affects GLP-1 secretion, insulin secretion, and glucose tolerance in humans with high body adiposity. *PloS one.* 2017;12(7):e0181880.

Bohn B, Bramlage P, Wagner C, et al. [Which patients from routine care use the new insulin analogue glargine U300 compared to patients with glargine U100 : A multicenter analysis of 14,123 patients with insulin glargine from die diabetes registries DPV and DIVE]. *Wien Med Wochenschr.* 2017.

Bohn B, Zimmermann A, Wagner C, et al. Real-life experience of patients starting insulin degludec. A multicenter analysis of 1064 subjects from the German/Austrian DPV registry. *Diabetes research and clinical practice.* 2017;129:52-58.

Bohnert BN, Menacher M, Janessa A, et al. Aprotinin prevents proteolytic epithelial sodium channel (ENaC) activation and volume retention in nephrotic syndrome. *Kidney Int.* 2017.

Bongaerts BW, Mussig K, Wens J, et al. Effectiveness of chronic care models for the management of type 2 diabetes mellitus in Europe: a systematic review and meta-analysis. *BMJ open.* 2017;7(3):e013076.

Bonhof GJ, Strom A, Puttgen S, et al. Patterns of cutaneous nerve fibre loss and regeneration in type 2 diabetes with painful and painless polyneuropathy. *Diabetologia.* 2017;60(12):2495-2503.

Bonifacio E, Mathieu C, Nepom GT, et al. Rebranding asymptomatic type 1 diabetes: the case for autoimmune beta cell disorder as a pathological and diagnostic entity. *Diabetologia.* 2017;60(1):35-38.

Boon MR, Bakker LEH, Prehn C, et al. LysoPC-acyl C16:0 is associated with brown adipose tissue activity in men. *Metabolomics*. 2017;13(5):48.

Borquez M, Contreras MP, Vivaldi E, Born J, Inostroza M. Post-Learning Sleep Transiently Boosts Context Specific Operant Extinction Memory. *Front Behav Neurosci*. 2017;11:74.

Bramlage P, Bluhmki T, Fleischmann H, et al. Determinants of weight change in patients on basal insulin treatment: an analysis of the DIVE registry. *BMJ open diabetes research & care*. 2017;5(1):e000301.

Braune J, Weyer U, Matz-Soja M, et al. Hedgehog signalling in myeloid cells impacts on body weight, adipose tissue inflammation and glucose metabolism. *Diabetologia*. 2017;60(5):889-899.

Brede S, Sputh A, Hartmann AC, Hallschmid M, Lehnert H, Klement J. Visual food cues decrease postprandial glucose concentrations in lean and obese men without affecting food intake and related endocrine parameters. *Appetite*. 2017;117:255-262.

Breier M, Wahl S, Prehn C, et al. Immediate reduction of serum citrulline but no change of steroid profile after initiation of metformin in individuals with type 2 diabetes. *The Journal of steroid biochemistry and molecular biology*. 2017;174:114-119.

Brings S, Fleming T, De Buhr S, et al. A scavenger peptide prevents methylglyoxal induced pain in mice. *Biochim Biophys Acta*. 2017;1863(3):654-662.

Brings S, Fleming T, Freichel M, Muckenthaler MU, Herzig S, Nawroth PP. Dicarbonyls and Advanced Glycation End-Products in the Development of Diabetic Complications and Targets for Intervention. *Int J Mol Sci*. 2017;18(5).

Brinks R, Hoyer A, Rolka DB, Kuss O, Gregg EW. Comparison of surveillance-based metrics for the assessment and monitoring of disease detection: simulation study about type 2 diabetes. *BMC Med Res Methodol*. 2017;17(1):54.

Brouwers B, Schrauwen-Hinderling VB, Jelenik T, et al. Metabolic disturbances of non-alcoholic fatty liver resemble the alterations typical for type 2 diabetes. *Clin Sci (Lond)*. 2017;131(15):1905-1917.

Brunssen C, Hofmann A, Peitzsch M, et al. Impact of Aldosterone Synthase Inhibitor FAD286 on Steroid Hormone Profile in Human Adrenocortical Cells. *Hormone and metabolic research = Hormon- und Stoffwechselforschung = Hormones et metabolisme*. 2017;49(9):701-706.

Buerck LW, Schuster M, Oduncu FS, et al. LEA29Y expression in transgenic neonatal porcine islet-like cluster promotes long-lasting xenograft survival in humanized mice without immunosuppressive therapy. *Scientific reports*. 2017;7(1):3572.

Cai W, Sakaguchi M, Kleinridders A, et al. Domain-dependent effects of insulin and IGF-1 receptors on signalling and gene expression. *Nature communications*. 2017;8:14892.

Carrat GR, Hu M, Nguyen-Tu MS, et al. Decreased STARD10 Expression Is Associated with Defective Insulin Secretion in Humans and Mice. *Am J Hum Genet*. 2017;100(2):238-256.

Carstensen-Kirberg M, Kannenberg JM, Huth C, et al. Inverse associations between serum levels of secreted frizzled-related protein-5 (SFRP5) and multiple cardiometabolic risk factors: KORA F4 study. *Cardiovasc Diabetol*. 2017;16(1):109.

Castro JP, Jung T, Grune T, Siems W. 4-Hydroxynonenal (HNE) modified proteins in metabolic diseases. *Free radical biology & medicine*. 2017;111:309-315.

Chen C, Cohrs CM, Stertmann J, Bozsak R, Speier S. Human beta cell mass and function in diabetes: Recent advances in knowledge and technologies to understand disease pathogenesis. *Molecular metabolism*. 2017;6(9):943-957.

Chernyak N, Julich F, Kasperidus J, et al. Time cost of diabetes: Development of a questionnaire to assess time spent on diabetes self-care. *Journal of diabetes and its complications*. 2017;31(1):260-266.

- Christophersen IE, Rienstra M, Roselli C, et al. Large-scale analyses of common and rare variants identify 12 new loci associated with atrial fibrillation. *Nature genetics*. 2017;49(6):946-952.
- Chu AY, Deng X, Fisher VA, et al. Multiethnic genome-wide meta-analysis of ectopic fat depots identifies loci associated with adipocyte development and differentiation. *Nature genetics*. 2017;49(1):125-130.
- Chung KJ, Chatzigeorgiou A, Economopoulou M, et al. A self-sustained loop of inflammation-driven inhibition of beige adipogenesis in obesity. *Nature immunology*. 2017;18(6):654-664.
- Ciucci S, Ge Y, Duran C, et al. Enlightening discriminative network functional modules behind Principal Component Analysis separation in differential-omic science studies. *Scientific reports*. 2017;7:43946.
- Clauss K, Popp AP, Schulze L, et al. DNA residence time is a regulatory factor of transcription repression. *Nucleic acids research*. 2017;45(19):11121-11130.
- Clemmensen C, Muller TD, Woods SC, Berthoud HR, Seeley RJ, Tschop MH. Gut-Brain Cross-Talk in Metabolic Control. *Cell*. 2017;168(5):758-774.
- Cohrs CM, Chen C, Jahn SR, et al. Vessel Network Architecture of Adult Human Islets Promotes Distinct Cell-Cell Interactions In Situ and Is Altered After Transplantation. *Endocrinology*. 2017;158(5):1373-1385.
- Craig ME, Prinz N, Boyle CT, et al. Prevalence of Celiac Disease in 52,721 Youth With Type 1 Diabetes: International Comparison Across Three Continents. *Diabetes care*. 2017;40(8):1034-1040.
- Craig ME, Prinz N, Boyle CT, et al. Response to Comment on Craig et al. Prevalence of Celiac Disease in 52,721 Youth With Type 1 Diabetes: International Comparison Across Three Continents. *Diabetes Care* 2017;40:1034-1040. *Diabetes care*. 2017;40(11):e168-e169.
- Czeczor JK, McGee SL. Emerging roles for the amyloid precursor protein and derived peptides in the regulation of cellular and systemic metabolism. *Journal of neuroendocrinology*. 2017;29(5).
- Davari K, Lichti J, Gallus C, et al. Rapid Genome-wide Recruitment of RNA Polymerase II Drives Transcription, Splicing, and Translation Events during T Cell Responses. *Cell reports*. 2017;19(3):643-654.
- Day FR, Thompson DJ, Helgason H, et al. Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. *Nature genetics*. 2017;49(6):834-841.
- De Jong KA, Czeczor JK, Sithara S, et al. Obesity and type 2 diabetes have additive effects on left ventricular remodelling in normotensive patients-a cross sectional study. *Cardiovasc Diabetol*. 2017;16(1):21.
- De Jong KA, Czeczor JK, Sithara S, et al. Erratum to: Obesity and type 2 diabetes have additive effects on left ventricular remodelling in normotensive patients-a cross sectional study. *Cardiovasc Diabetol*. 2017;16(1):53.
- De Jong KA, Czeczor JK, Sithara S, et al. Obesity and type 2 diabetes have additive effects on left ventricular remodelling in normotensive patients-a cross sectional study. *Cardiovasc Diabetol*. 2017;16(1):21.
- Deng T, Postnikov Y, Zhang S, et al. Interplay between H1 and HMGN epigenetically regulates OLIG1&2 expression and oligodendrocyte differentiation. *Nucleic acids research*. 2017;45(6):3031-3045.
- Di Dalmazi G, Quinkler M, Deutschbein T, et al. Cortisol-related metabolic alterations assessed by mass spectrometry assay in patients with Cushing's syndrome. *European journal of endocrinology / European Federation of Endocrine Societies*. 2017;177(2):227-237.
- di Giuseppe R, Biemann R, Wirth J, et al. Plasma osteoprotegerin, its correlates, and risk of heart failure: a prospective cohort study. *European journal of epidemiology*. 2017;32(2):113-123.

Diederichs T, Herder C, Rossbach S, et al. Carbohydrates from Sources with a Higher Glycemic Index during Adolescence: Is Evening Rather than Morning Intake Relevant for Risk Markers of Type 2 Diabetes in Young Adulthood? *Nutrients*. 2017;9(6).

Do KT, Pietzner M, Rasp DJ, et al. Phenotype-driven identification of modules in a hierarchical map of multifluid metabolic correlations. *NPJ Syst Biol Appl*. 2017;3:28.

Dodd GT, Andrews ZB, Simonds SE, et al. A Hypothalamic Phosphatase Switch Coordinates Energy Expenditure with Feeding. *Cell metabolism*. 2017;26(2):375-393 e377.

Dost A, Bechtold-Dalla Pozza S, Bollow E, et al. Blood pressure regulation determined by ambulatory blood pressure profiles in children and adolescents with type 1 diabetes mellitus: Impact on diabetic complications. *Pediatr Diabetes*. 2017;18(8):874-882.

Dudeck J, Medyukhina A, Frobel J, et al. Mast cells acquire MHCII from dendritic cells during skin inflammation. *J Exp Med*. 2017.

Duteil D, Tasic M, Willmann D, Georgiadi A, Kanouni T, Schule R. Lsd1 prevents age-programmed loss of beige adipocytes. *Proceedings of the National Academy of Sciences of the United States of America*. 2017;114(20):5265-5270.

Dyar KA, Eckel-Mahan KL. Circadian Metabolomics in Time and Space. *Front Neurosci*. 2017;11:369.

Eberhard D, Lammert E. The Role of the Antioxidant Protein DJ-1 in Type 2 Diabetes Mellitus. *Adv Exp Med Biol*. 2017;1037:173-186.

Ebner M, Birschmann I, Peter A, et al. Emergency Coagulation Assessment During Treatment With Direct Oral Anticoagulants: Limitations and Solutions. *Stroke*. 2017;48(9):2457-2463.

Ebner M, Birschmann I, Peter A, et al. Point-of-care testing for emergency assessment of coagulation in patients treated with direct oral anticoagulants. *Critical care (London, England)*. 2017;21(1):32.

Egana I, Kaito H, Nitzsche A, et al. Female mice lacking Pald1 exhibit endothelial cell apoptosis and emphysema. *Scientific reports*. 2017;7(1):15453.

Eichelmann F, Rudovich N, Pfeiffer AF, et al. Novel adipokines: methodological utility in human obesity research. *International journal of obesity (2005)*. 2017;41(6):976-981.

Eichelmann F, Weikert C, di Giuseppe R, et al. Methodological utility of chemerin as a novel biomarker of immunity and metabolism. *Endocr Connect*. 2017;6(5):340-347.

Emeny RT, Baumert J, Zannas AS, et al. Anxiety Associated Increased CpG Methylation In The Promoter of Asb1: A Translational Approach Evidenced By Epidemiological And Clinical Studies And A Murine Model. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology*. 2017.

Entenmann L, Pietzner M, Artati A, et al. Comprehensive metabolic characterization of serum osteocalcin action in a large non-diabetic sample. *PLoS one*. 2017;12(9):e0184721.

Esslinger U, Garnier S, Korniat A, et al. Exome-wide association study reveals novel susceptibility genes to sporadic dilated cardiomyopathy. *PLoS one*. 2017;12(3):e0172995.

Fallah F, Machann J, Martirosian P, Bamberg F, Schick F, Yang B. Comparison of T1-weighted 2D TSE, 3D SPGR, and two-point 3D Dixon MRI for automated segmentation of visceral adipose tissue at 3 Tesla. *MAGMA*. 2017;30(2):139-151.

Fehlert E, Wagner R, Ketterer C, et al. Genetic determination of body fat distribution and the attributive influence on metabolism. *Obesity (Silver Spring)*. 2017;25(7):1277-1283.

Fehlert E, Willmann K, Fritzsche L, et al. Gestational diabetes alters the fetal heart rate variability during an oral glucose tolerance test: a fetal magnetocardiography study. *BJOG*. 2017;124(12):1891-1898.

Fischer IP, Irmler M, Meyer CW, et al. A history of obesity leaves an inflammatory fingerprint in liver and adipose tissue. *International journal of obesity (2005)*. 2017.

Fischer K, Ruiz HH, Jhun K, et al. Alternatively activated macrophages do not synthesize catecholamines or contribute to adipose tissue adaptive thermogenesis. *Nature medicine*. 2017;23(5):623-630.

Frahnow T, Osterhoff MA, Hornemann S, et al. Heritability and responses to high fat diet of plasma lipidomics in a twin study. *Scientific reports*. 2017;7(1):3750.

Franko A, Neschen S, Rozman J, et al. Bezafibrate ameliorates diabetes via reduced steatosis and improved hepatic insulin sensitivity in diabetic TallyHo mice. *Molecular metabolism*. 2017;6(3):256-266.

Frey H, Moreth K, Hsieh LT, et al. A novel biological function of soluble biglycan: Induction of erythropoietin production and polycythemia. *Glycoconj J*. 2017;34(3):393-404.

Frias JP, Bastyr EJ, 3rd, Vignati L, et al. The Sustained Effects of a Dual GIP/GLP-1 Receptor Agonist, NNC0090-2746, in Patients with Type 2 Diabetes. *Cell metabolism*. 2017;26(2):343-352 e342.

Frohnert BI, Laimighofer M, Krumsiek J, et al. Prediction of type 1 diabetes using a genetic risk model in the Diabetes Autoimmunity Study in the Young. *Pediatr Diabetes*. 2017.

Fuchs H, Aguilar-Pimentel JA, Amarie OV, et al. Understanding gene functions and disease mechanisms: Phenotyping pipelines in the German Mouse Clinic. *Behav Brain Res*. 2017.

Fuchs YF, Eugster A, Dietz S, et al. CD8+ T cells specific for the islet autoantigen IGRP are restricted in their T cell receptor chain usage. *Scientific reports*. 2017;7:44661.

Gancheva S, Bierwagen A, Markgraf DF, et al. Constant hepatic ATP concentrations during prolonged fasting and absence of effects of Cerbomed Nemos(R) on parasympathetic tone and hepatic energy metabolism. *Molecular metabolism*. 2017.

Gao Y, Bielohuby M, Fleming T, et al. Dietary sugars, not lipids, drive hypothalamic inflammation. *Molecular metabolism*. 2017;6(8):897-908.

Gao Y, Layritz C, Legutko B, et al. Disruption of Lipid Uptake in Astroglia Exacerbates Diet-Induced Obesity. *Diabetes*. 2017;66(10):2555-2563.

Gar C, Rottenkolber M, Grallert H, et al. Physical fitness and plasma leptin in women with recent gestational diabetes. *PloS one*. 2017;12(6):e0179128.

Garrett L, Becker L, Rozman J, et al. Fgf9 Y162C Mutation Alters Information Processing and Social Memory in Mice. *Mol Neurobiol*. 2017.

Gemoll T, Kollbeck SL, Karstens KF, et al. EB1 protein alteration characterizes sporadic but not ulcerative colitis associated colorectal cancer. *Oncotarget*. 2017;8(33):54939-54950.

George L, Mitra A, Thimraj TA, et al. Transcriptomic analysis comparing mouse strains with extreme total lung capacities identifies novel candidate genes for pulmonary function. *Respir Res*. 2017;18(1):152.

Gerst F, Wagner R, Kaiser G, et al. Metabolic crosstalk between fatty pancreas and fatty liver: effects on local inflammation and insulin secretion. *Diabetologia*. 2017;60(11):2240-2251.

Giles DA, Moreno-Fernandez ME, Stankiewicz TE, et al. Thermoneutral housing exacerbates nonalcoholic fatty liver disease in mice and allows for sex-independent disease modeling. *Nature medicine*. 2017;23(7):829-838.

Gimpfl M, Rozman J, Dahlhoff M, et al. Modification of the fatty acid composition of an obesogenic diet improves the maternal and placental metabolic environment in obese pregnant mice. *Biochim Biophys Acta*. 2017.

Gimpfl M, Rozman J, Dahlhoff M, et al. Modification of the fatty acid composition of an obesogenic diet improves the maternal and placental metabolic environment in obese pregnant mice. *Biochim Biophys Acta*. 2017;1863(6):1605-1614.

Gorgens SW, Benninghoff T, Eckardt K, et al. Hypoxia in Combination With Muscle Contraction Improves Insulin Action and Glucose Metabolism in Human Skeletal Muscle via the HIF-1alpha Pathway. *Diabetes*. 2017;66(11):2800-2807.

Gorski M, van der Most PJ, Teumer A, et al. 1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. *Scientific reports*. 2017;7:45040.

Graff M, Scott RA, Justice AE, et al. Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. *PLoS genetics*. 2017;13(4):e1006528.

Griesser E, Vemula V, Raulien N, et al. Cross-talk between lipid and protein carbonylation in a dynamic cardiomyocyte model of mild nitroxidative stress. *Redox Biol*. 2017;11:438-455.

Grill JL, Neumann J, Herbst A, et al. Loss of DRO1/CCDC80 results in obesity and promotes adipocyte differentiation. *Mol Cell Endocrinol*. 2017;439:286-296.

Guthoff M, Wagner R, Randrianarisoa E, et al. Soluble urokinase receptor (suPAR) predicts microalbuminuria in patients at risk for type 2 diabetes mellitus. *Scientific reports*. 2017;7:40627.

Guthoff M, Wagner R, Vosseler D, et al. Impact of end-stage renal disease on glucose metabolism-a matched cohort analysis. *Nephrol Dial Transplant*. 2017;32(4):670-676.

Guthoff M, Wagner R, Weichbrodt K, et al. Dynamics of Glucose Metabolism After Kidney Transplantation. *Kidney Blood Press Res*. 2017;42(3):598-607.

Haen SP, Ebz V, Mirza N, et al. Uric acid as a novel biomarker for bone-marrow function and incipient hematopoietic reconstitution after aplasia in patients with hematologic malignancies. *J Cancer Res Clin Oncol*. 2017.

Hammer E, Lilienthal E, Hofer SE, et al. Risk factors for necrobiosis lipoidica in Type 1 diabetes mellitus. *Diabetic medicine : a journal of the British Diabetic Association*. 2017;34(1):86-92.

Hanefeld M, Engelmann K, Appelt D, et al. Intra-individual variability and circadian rhythm of vascular endothelial growth factors in subjects with normal glucose tolerance and type 2 diabetes. *PloS one*. 2017;12(10):e0184234.

Hartmann B, Lanzinger S, Bramlage P, et al. Lean diabetes in middle-aged adults: A joint analysis of the German DIVE and DPV registries. *PloS one*. 2017;12(8):e0183235.

Haynes A, Hermann JM, Miller KM, et al. Severe hypoglycemia rates are not associated with HbA1c: a cross-sectional analysis of 3 contemporary pediatric diabetes registry databases. *Pediatr Diabetes*. 2017;18(7):643-650.

Heber SD, Hetterich H, Lorbeer R, et al. Pancreatic fat content by magnetic resonance imaging in subjects with prediabetes, diabetes, and controls from a general population without cardiovascular disease. *PloS one*. 2017;12(5):e0177154.

Hege MA, Stingl KT, Veit R, Preissl H. Modulation of attentional networks by food-related disinhibition. *Physiol Behav*. 2017;176:84-92.

Heinrich H, Grunitz J, Stonawski V, et al. Attention, cognitive control and motivation in ADHD: Linking event-related brain potentials and DNA methylation patterns in boys at early school age. *Scientific reports*. 2017;7(1):3823.

Heinze JM, Costanzo A, Baselier I, et al. Oil Perception-Detection Thresholds for Varying Fatty Stimuli and Inter-individual Differences. *Chem Senses*. 2017;42(7):585-592.

Heni M, Wagner R, Kullmann S, et al. Hypothalamic and Striatal Insulin Action Suppresses Endogenous Glucose Production and May Stimulate Glucose Uptake During Hyperinsulinemia in Lean but Not in Overweight Men. *Diabetes*. 2017;66(7):1797-1806.

Heninger AK, Eugster A, Kuehn D, et al. A divergent population of autoantigen-responsive CD4+ T cells in infants prior to beta cell autoimmunity. *Sci Transl Med.* 2017;9(378).

Henkel J, Coleman CD, Schraplau A, et al. Induction of steatohepatitis (NASH) with insulin resistance in wildtype B6 mice by a western-type diet containing soybean oil and cholesterol. *Mol Med.* 2017;23.

Hepp MV, Wang JX, Hristova DM, et al. MSX1-Induced Neural Crest-Like Reprogramming Promotes Melanoma Progression. *J Invest Dermatol.* 2017.

Herder C, Furstos JF, Nowotny B, et al. Associations between inflammation-related biomarkers and depressive symptoms in individuals with recently diagnosed type 1 and type 2 diabetes. *Brain, behavior, and immunity.* 2017;61:137-145.

Herder C, Kannenberg JM, Carstensen-Kirberg M, et al. Serum levels of interleukin-22, cardiometabolic risk factors and incident type 2 diabetes: KORA F4/FF4 study. *Cardiovasc Diabetol.* 2017;16(1):17.

Herder C, Kannenberg JM, Huth C, et al. Proinflammatory Cytokines Predict the Incidence and Progression of Distal Sensorimotor Polyneuropathy: KORA F4/FF4 Study. *Diabetes care.* 2017;40(4):569-576.

Herder C, Kannenberg JM, Niersmann C, et al. Independent and opposite associations of serum levels of omentin-1 and adiponectin with increases of glycaemia and incident type 2 diabetes in an older population: KORA F4/FF4 study. *European journal of endocrinology / European Federation of Endocrine Societies.* 2017;177(4):277-286.

Herder C, Schamarek I, Nowotny B, et al. Inflammatory markers are associated with cardiac autonomic dysfunction in recent-onset type 2 diabetes. *Heart (British Cardiac Society).* 2017;103(1):63-70.

Hermann JM, Meusers M, Bachran R, et al. Self-reported regular alcohol consumption in adolescents and emerging adults with type 1 diabetes: A neglected risk factor for diabetic ketoacidosis? Multicenter analysis of 29 630 patients from the DPV registry. *Pediatr Diabetes.* 2017;18(8):817-823.

Hertel J, Konig J, Homuth G, et al. Evidence for Stress-like Alterations in the HPA-Axis in Women Taking Oral Contraceptives. *Scientific reports.* 2017;7(1):14111.

Hesselbarth N, Kunath A, Kern M, et al. Repin1 deficiency in adipose tissue improves whole-body insulin sensitivity, and lipid metabolism. *International journal of obesity (2005).* 2017.

Hidmark A, Spanidis I, Fleming TH, et al. Electrical Muscle Stimulation Induces an Increase of VEGFR2 on Circulating Hematopoietic Stem Cells in Patients With Diabetes. *Clin Ther.* 2017;39(6):1132-1144 e1132.

Hidmark AS, Nawroth PP, Fleming T. STZ causes depletion of immune cells in sciatic nerve and dorsal root ganglion in experimental diabetes. *J Neuroimmunol.* 2017;306:76-82.

Hilgard D, Konrad K, Meusers M, et al. Comorbidity of attention deficit hyperactivity disorder and type 1 diabetes in children and adolescents: Analysis based on the multicentre DPV registry. *Pediatr Diabetes.* 2017;18(8):706-713.

Hinkel R, Hoewe A, Renner S, et al. Diabetes Mellitus-Induced Microvascular Destabilization in the Myocardium. *J Am Coll Cardiol.* 2017;69(2):131-143.

Hinney A, Kesselmeier M, Jall S, et al. Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. *Molecular psychiatry.* 2017;22(2):192-201.

Hofer SE, Miller K, Hermann JM, et al. Response to Comment on Hofer et al. International Comparison of Smoking and Metabolic Control in Patients With Type 1 Diabetes. *Diabetes Care* 2016;39:e177-e178. *Diabetes care.* 2017;40(3):e37.

Hoffmann C, Weigert C. Skeletal Muscle as an Endocrine Organ: The Role of Myokines in Exercise Adaptations. *Cold Spring Harb Perspect Med.* 2017.

- Hohn A, Weber D, Jung T, et al. Happily (n)ever after: Aging in the context of oxidative stress, proteostasis loss and cellular senescence. *Redox Biol.* 2017;11:482-501.
- Horber S, Rettig I, Peter A. Mitotic figure in the peripheral blood smear. *Am J Hematol.* 2017.
- Huls A, Kramer U, Herder C, et al. Genetic susceptibility for air pollution-induced airway inflammation in the SALIA study. *Environmental research.* 2017;152:43-50.
- Icks A, Claessen H, Kvirkina T, et al. Incidence and relative risk of stroke in the diabetic and the non-diabetic population between 1998 and 2014: A community-based stroke register. *PloS one.* 2017;12(11):e0188306.
- Icks A, Dittrich A, Brune M, et al. Agreement found between self-reported and health insurance data on physician visits comparing different recall lengths. *J Clin Epidemiol.* 2017;82:167-172.
- Ingerslev B, Hansen JS, Hoffmann C, et al. Angiopoietin-like protein 4 is an exercise-induced hepatokine in humans, regulated by glucagon and cAMP. *Molecular metabolism.* 2017;6(10):1286-1295.
- Iwen KA, Backhaus J, Cassens M, et al. Cold-Induced Brown Adipose Tissue Activity Alters Plasma Fatty Acids and Improves Glucose Metabolism in Men. *The Journal of clinical endocrinology and metabolism.* 2017;102(11):4226-4234.
- Jacobs E, Hoyer A, Brinks R, Icks A, Kuss O, Rathmann W. Healthcare costs of Type 2 diabetes in Germany. *Diabetic medicine : a journal of the British Diabetic Association.* 2017;34(6):855-861.
- Jacobs E, Hoyer A, Brinks R, Kuss O, Rathmann W. Burden of Mortality Attributable to Diagnosed Diabetes: A Nationwide Analysis Based on Claims Data From 65 Million People in Germany. *Diabetes care.* 2017;40(12):1703-1709.
- Jager S, Wahl S, Kroger J, et al. Genetic variants including markers from the exome chip and metabolite traits of type 2 diabetes. *Scientific reports.* 2017;7(1):6037.
- Jall S, Sachs S, Clemmensen C, et al. Monomeric GLP-1/GIP/glucagon triagonism corrects obesity, hepatosteatosis, and dyslipidemia in female mice. *Molecular metabolism.* 2017;6(5):440-446.
- Jannasch F, Kroger J, Schulze MB. Dietary Patterns and Type 2 Diabetes: A Systematic Literature Review and Meta-Analysis of Prospective Studies. *J Nutr.* 2017;147(6):1174-1182.
- Jastroch M. Uncoupling protein 1 controls reactive oxygen species in brown adipose tissue. *Proceedings of the National Academy of Sciences of the United States of America.* 2017;114(30):7744-7746.
- Jastroch M, Tschop MH. Fat controls U. *Science.* 2017;355(6330):1124-1125.
- Jelenik T, Kaul K, Sequareis G, et al. Mechanisms of Insulin Resistance in Primary and Secondary Non-Alcoholic Fatty Liver. *Diabetes.* 2017.
- Jochem C, Baumeister SE, Wittfeld K, et al. Domains of physical activity and brain volumes: A population-based study. *NeuroImage.* 2017;156:101-108.
- Justice AE, Winkler TW, Feitosa MF, et al. Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. *Nature communications.* 2017;8:14977.
- Kabra UD, Pfuhlmann K, Migliorini A, et al. Direct Substrate Delivery Into Mitochondrial Fission-Deficient Pancreatic Islets Rescues Insulin Secretion. *Diabetes.* 2017;66(5):1247-1257.
- Kaess BM, de Las Heras Gala T, Zierer A, et al. Ultra-sensitive troponin I is an independent predictor of incident coronary heart disease in the general population. *European journal of epidemiology.* 2017;32(7):583-591.
- Kahl S, Nowotny B, Strassburger K, et al. Amino acid and fatty acid levels affect hepatic phosphorus metabolite content in metabolically healthy humans. *The Journal of clinical endocrinology and metabolism.* 2017.

Kaiserman K, Jung H, Benabbad I, Karges B, Polak M, Rosilio M. 20 Years of insulin lispro in pediatric type 1 diabetes: a review of available evidence. *Pediatr Diabetes*. 2017;18(2):81-94.

Kaklamanos A, Rozman J, Roulis M, et al. Extensive phenotypic characterization of a new transgenic mouse reveals pleiotropic perturbations in physiology due to mesenchymal hGH minigene expression. *Scientific reports*. 2017;7(1):2397.

Kalin S, Becker M, Ott VB, et al. A Stat6/Pten Axis Links Regulatory T Cells with Adipose Tissue Function. *Cell metabolism*. 2017;26(3):475-492 e477.

Kamel M, Ninov N. Catching new targets in metabolic disease with a zebrafish. *Curr Opin Pharmacol*. 2017;37:41-50.

Kantartzis K, Rettig I, Staiger H, et al. An extended fatty liver index to predict non-alcoholic fatty liver disease. *Diabetes Metab*. 2017;43(3):229-239.

Karges B, Kapellen T, Wagner VM, et al. Glycated hemoglobin A1c as a risk factor for severe hypoglycemia in pediatric type 1 diabetes. *Pediatr Diabetes*. 2017;18(1):51-58.

Karges B, Schwandt A, Heidtmann B, et al. Association of Insulin Pump Therapy vs Insulin Injection Therapy With Severe Hypoglycemia, Ketoacidosis, and Glycemic Control Among Children, Adolescents, and Young Adults With Type 1 Diabetes. *Jama*. 2017;318(14):1358-1366.

Karp NA, Mason J, Beaudet AL, et al. Prevalence of sexual dimorphism in mammalian phenotypic traits. *Nature communications*. 2017;8:15475.

Kastle M, Bartel S, Geillinger-Kastle K, et al. microRNA cluster 106a~363 is involved in T helper 17 cell differentiation. *Immunology*. 2017;152(3):402-413.

Keipert S, Kutschke M, Ost M, et al. Long-Term Cold Adaptation Does Not Require FGF21 or UCP1. *Cell metabolism*. 2017;26(2):437-446 e435.

Kemter E, Cohrs CM, Schafer M, et al. INS-eGFP transgenic pigs: a novel reporter system for studying maturation, growth and vascularisation of neonatal islet-like cell clusters. *Diabetologia*. 2017;60(6):1152-1156.

Keser T, Vuckovic F, Barrios C, et al. Effects of statins on the immunoglobulin G glycome. *Biochim Biophys Acta*. 2017;1861(5 Pt A):1152-1158.

Kessler K, Hornemann S, Petzke KJ, et al. The effect of diurnal distribution of carbohydrates and fat on glycaemic control in humans: a randomized controlled trial. *Scientific reports*. 2017;7:44170.

Keuper M, Sachs S, Walheim E, et al. Activated macrophages control human adipocyte mitochondrial bioenergetics via secreted factors. *Molecular metabolism*. 2017;6(10):1226-1239.

Khan A, Dellago H, Terlecki-Zaniewicz L, et al. SNEVhPrp19/hPso4 Regulates Adipogenesis of Human Adipose Stromal Cells. *Stem Cell Reports*. 2017;8(1):21-29.

Kim JH, Kim JH, Park PW, et al. Body and liver fat content and adipokines in schizophrenia: a magnetic resonance imaging and spectroscopy study. *Psychopharmacology (Berl)*. 2017;234(12):1923-1932.

Kirchner H, Shaheen F, Kalscheuer H, Schmid SM, Oster H, Lehnert H. The Telomeric Complex and Metabolic Disease. *Genes (Basel)*. 2017;8(7).

Kische H, Arnold A, Gross S, et al. Sex Hormones and Hair Loss in Men From the General Population of Northeastern Germany. *JAMA Dermatol*. 2017.

Klaus V, Bastek H, Damme K, et al. Time-matched analysis of DNA adduct formation and early gene expression as predictive tool for renal carcinogenesis in methylazoxymethanol acetate treated Eker rats. *Arch Toxicol*. 2017.

Kleinert M, Clemmensen C, Stemmer K, Muller TD, DiMarchi RD, Tschop MH. Emerging Poly-Agonists for Obesity and Type 2 Diabetes. *Obesity (Silver Spring)*. 2017;25(10):1647-1649.

- Kleinwort KJH, Amann B, Hauck SM, et al. Retinopathy with central oedema in an INS C94Y transgenic pig model of long-term diabetes. *Diabetologia*. 2017;60(8):1541-1549.
- Kleiser C, Wawro N, Stelmach-Mardas M, et al. Are sleep duration, midpoint of sleep and sleep quality associated with dietary intake among Bavarian adults? *Eur J Clin Nutr*. 2017.
- Klement J, Ott V, Rapp K, et al. Oxytocin Improves beta-Cell Responsivity and Glucose Tolerance in Healthy Men. *Diabetes*. 2017;66(2):264-271.
- Knebel B, Goddeke S, Hartwig S, et al. Alteration of Liver Peroxisomal and Mitochondrial Functionality in the NZO Mouse Model of Metabolic Syndrome. *Proteomics Clin Appl*. 2017.
- Knebel B, Goeddeke S, Poschmann G, et al. Novel Insights into the Adipokineome of Obese and Obese/Diabetic Mouse Models. *Int J Mol Sci*. 2017;18(9).
- Knebel B, Lehr S, Janssen OE, et al. Association between copy-number variation on metabolic phenotypes and HDL-C levels in patients with polycystic ovary syndrome. *Mol Biol Rep*. 2017;44(1):51-61.
- Koch M, Freitag-Wolf S, Schlesinger S, et al. Serum metabolomic profiling highlights pathways associated with liver fat content in a general population sample. *Eur J Clin Nutr*. 2017;71(8):995-1001.
- Kochlik B, Grune T, Weber D. New findings of oxidative stress biomarkers in nutritional research. *Curr Opin Clin Nutr Metab Care*. 2017;20(5):349-359.
- Kollerits B, Lamina C, Huth C, et al. Plasma Concentrations of Afamin Are Associated With Prevalent and Incident Type 2 Diabetes: A Pooled Analysis in More Than 20,000 Individuals. *Diabetes care*. 2017;40(10):1386-1393.
- Konig J, Ott C, Hugo M, et al. Mitochondrial contribution to lipofuscin formation. *Redox Biol*. 2017;11:673-681.
- Korostylev A, Mahaddalkar PU, Keminer O, et al. A high-content small molecule screen identifies novel inducers of definitive endoderm. *Molecular metabolism*. 2017;6(7):640-650.
- Korovila I, Hugo M, Castro JP, et al. Proteostasis, oxidative stress and aging. *Redox Biol*. 2017;13:550-567.
- Kowall B, Rathmann W, Stang A, et al. Perceived risk of diabetes seriously underestimates actual diabetes risk: The KORA FF4 study. *PloS one*. 2017;12(1):e0171152.
- Krabbe CEM, Schipf S, Ittermann T, et al. Comparison of traditional diabetes risk scores and HbA1c to predict type 2 diabetes mellitus in a population based cohort study. *Journal of diabetes and its complications*. 2017;31(11):1602-1607.
- Kufeldt J, Kovarova M, Adolph M, et al. Prevalence and Distribution of Diabetes Mellitus in a Maximum Care Hospital: Urgent Need for HbA1c-Screening. *Experimental and clinical endocrinology & diabetes : official journal, German Society of Endocrinology [and] German Diabetes Association*. 2017.
- Kullmann S, Fritzsche A, Wagner R, et al. Hypothalamic insulin responsiveness is associated with pancreatic insulin secretion in humans. *Physiol Behav*. 2017;176:134-138.
- Kullmann S, Heni M, Veit R, et al. Intranasal insulin enhances brain functional connectivity mediating the relationship between adiposity and subjective feeling of hunger. *Scientific reports*. 2017;7(1):1627.
- Kullmann S, Veit R, Peter A, et al. Dose dependent effects of intranasal insulin on resting-state brain activity. *The Journal of clinical endocrinology and metabolism*. 2017.
- Kumar S, Rathkolb B, Sabrautzki S, et al. Standardized, systemic phenotypic analysis reveals kidney dysfunction as main alteration of Kctd1 I27N mutant mice. *J Biomed Sci*. 2017;24(1):57.
- Kumar V, Fleming T, Terjung S, et al. Homeostatic nuclear RAGE-ATM interaction is essential for efficient DNA repair. *Nucleic acids research*. 2017;45(18):10595-10613.

Kuske S, Schiereck T, Grobosch S, et al. Diabetes-related information-seeking behaviour: a systematic review. *Syst Rev.* 2017;6(1):212.

Laeger T, Baumeier C, Wilhelm I, Wurfel J, Kamitz A, Schurmann A. FGF21 improves glucose homeostasis in an obese diabetes-prone mouse model independent of body fat changes. *Diabetologia.* 2017;60(11):2274-2284.

Lang F, Bissinger R, Abed M, Artunc F. Eryptosis - the Neglected Cause of Anemia in End Stage Renal Disease. *Kidney Blood Press Res.* 2017;42(4):749-760.

Laperrousaz E, Moulle VS, Denis RG, et al. Lipoprotein lipase in hypothalamus is a key regulator of body weight gain and glucose homeostasis in mice. *Diabetologia.* 2017.

Laxy M, Stark R, Peters A, Hauner H, Holle R, Teuner CM. The Non-Linear Relationship between BMI and Health Care Costs and the Resulting Cost Fraction Attributable to Obesity. *Int J Environ Res Public Health.* 2017;14(9).

Laxy M, Teuner C, Holle R, Kurz C. The association between BMI and health-related quality of life in the US population: Sex, age, and ethnicity matters. *International journal of obesity (2005).* 2017.

Le Thuc O, Stobbe K, Cansell C, Nahon JL, Blondeau N, Rovere C. Hypothalamic Inflammation and Energy Balance Disruptions: Spotlight on Chemokines. *Frontiers in endocrinology.* 2017;8:197.

Lee H, Qian K, von Toerne C, et al. Allele-specific quantitative proteomics unravels molecular mechanisms modulated by cis-regulatory PPARG locus variation. *Nucleic acids research.* 2017;45(6):3266-3279.

Lee IS, Preissl H, Enck P. How to Perform and Interpret Functional Magnetic Resonance Imaging Studies in Functional Gastrointestinal Disorders. *J Neurogastroenterol Motil.* 2017.

Lee KY, Sharma R, Gase G, et al. Tbx15 Defines a Glycolytic Subpopulation and White Adipocyte Heterogeneity. *Diabetes.* 2017;66(11):2822-2829.

Lee M, Minaskan N, Wiedemann T, et al. Targeting PI3K/mTOR signaling exerts potent antitumor activity in pheochromocytoma in vivo. *Endocr Relat Cancer.* 2017;24(1):1-15.

Lefort S, Tschop MH, Garcia-Caceres C. A Synaptic Basis for GLP-1 Action in the Brain. *Neuron.* 2017;96(4):713-715.

Leng G, Adan RAH, Belot M, et al. The determinants of food choice. *Proc Nutr Soc.* 2017;76(3):316-327.

Li M, Li Y, Weeks O, et al. SOS2 and ACP1 Loci Identified through Large-Scale Exome Chip Analysis Regulate Kidney Development and Function. *J Am Soc Nephrol.* 2017;28(3):981-994.

Li SX, Imamura F, Ye Z, et al. Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. *The American journal of clinical nutrition.* 2017;106(1):263-275.

Lickert H, Kaestner KH. Islet biology. *Molecular metabolism.* 2017;6(9):vi.

Lindner LME, Rathmann W, Rosenbauer J. Inequalities in glycaemic control, hypoglycaemia and diabetic ketoacidosis according to socio-economic status and area-level deprivation in Type 1 diabetes mellitus: a systematic review. *Diabetic medicine : a journal of the British Diabetic Association.* 2017.

Liu DJ, Peloso GM, Yu H, et al. Exome-wide association study of plasma lipids in >300,000 individuals. *Nature genetics.* 2017.

Lorbeer R, Bayerl C, Auweter S, et al. Association between MRI-derived hepatic fat fraction and blood pressure in participants without history of cardiovascular disease. *J Hypertens.* 2017;35(4):737-744.

Lorbeer R, Hetterich H, Strobl R, et al. Lack of association of MRI determined subclinical cardiovascular disease with dizziness and vertigo in a cross-sectional population-based study. *PloS one.* 2017;12(9):e0184858.

Ludwig B, Ludwig S, Steffen A, et al. Favorable outcome of experimental islet xenotransplantation without immunosuppression in a nonhuman primate model of diabetes. *Proceedings of the National Academy of Sciences of the United States of America*. 2017;114(44):11745-11750.

Lukaschek K, Baumert J, Kruse J, Meisinger C, Ladwig KH. Sex differences in the association of social network satisfaction and the risk for type 2 diabetes. *BMC Public Health*. 2017;17(1):379.

Lutz SZ, Ullrich A, Haring HU, Ullrich S, Gerst F. Sunitinib specifically augments glucose-induced insulin secretion. *Cell Signal*. 2017;36:91-97.

Lyons SK, Hermann JM, Miller KM, et al. Use of Adjuvant Pharmacotherapy in Type 1 Diabetes: International Comparison of 49,996 Individuals in the Prospective Diabetes Follow-up and T1D Exchange Registries. *Diabetes care*. 2017;40(10):e139-e140.

Maas C, Mathes M, Bleeker C, et al. Effect of Increased Enteral Protein Intake on Growth in Human Milk-Fed Preterm Infants: A Randomized Clinical Trial. *JAMA Pediatr*. 2017;171(1):16-22.

Mace A, Tuke MA, Deelen P, et al. CNV-association meta-analysis in 191,161 European adults reveals new loci associated with anthropometric traits. *Nature communications*. 2017;8(1):744.

Machann J, Stefan N, Wagner R, et al. Intra- and interindividual variability of fatty acid unsaturation in six different human adipose tissue compartments assessed by ¹H-MRS in vivo at 3 T. *NMR in biomedicine*. 2017;30(9).

Maciaczyk D, Picard D, Zhao L, et al. CBF1 is clinically prognostic and serves as a target to block cellular invasion and chemoresistance of EMT-like glioblastoma cells. *Br J Cancer*. 2017;117(1):102-112.

Mack S, Coassini S, Rueedi R, et al. A genome-wide association meta-analysis on lipoprotein (a) concentrations adjusted for apolipoprotein (a) isoforms. *J Lipid Res*. 2017;58(9):1834-1844.

Manfrini N, Ricciardi S, Miluzio A, et al. Data on the effects of eIF6 downmodulation on the proportions of innate and adaptive immune system cell subpopulations and on thymocyte maturation. *Data Brief*. 2017;14:653-658.

Manning A, Highland HM, Gasser J, et al. A Low-Frequency Inactivating AKT2 Variant Enriched in the Finnish Population Is Associated With Fasting Insulin Levels and Type 2 Diabetes Risk. *Diabetes*. 2017;66(7):2019-2032.

Marahrens L, Kern R, Ziemssen T, et al. Patients' preferences for involvement in the decision-making process for treating diabetic retinopathy. *BMC Ophthalmol*. 2017;17(1):139.

Marahrens L, Rock D, Ziemssen T, Kern R, Ziemssen F, Fritzsche A. [Implementation of the National Guidelines for the treatment of Diabetes mellitus type 2 in secondary diabetes centers]. *Dtsch Med Wochenschr*. 2017;142(18):e131-e139.

Marjanovic MP, Hurtado-Bages S, Lassi M, et al. MacroH2A1.1 regulates mitochondrial respiration by limiting nuclear NAD⁺ consumption. *Nat Struct Mol Biol*. 2017;24(11):902-910.

Markova M, Pivovarova O, Hornemann S, et al. Isocaloric Diets High in Animal or Plant Protein Reduce Liver Fat and Inflammation in Individuals With Type 2 Diabetes. *Gastroenterology*. 2017;152(3):571-585 e578.

Markus MR, Werner N, Schipf S, et al. Changes in Body Weight and Composition Are Associated With Changes in Left Ventricular Geometry and Function in the General Population: SHIP (Study of Health in Pomerania). *Circ Cardiovasc Imaging*. 2017;10(3):e005544.

Markus MRP, Ittermann T, Wittfeld K, et al. Prediabetes is associated with lower brain gray matter volume in the general population. The Study of Health in Pomerania (SHIP). *Nutr Metab Cardiovasc Dis*. 2017.

Marouli E, Graff M, Medina-Gomez C, et al. Rare and low-frequency coding variants alter human adult height. *Nature*. 2017;542(7640):186-190.

Mendler M, Riedinger C, Schlotterer A, et al. Reduction in ins-7 gene expression in non-neuronal cells of high glucose exposed *Caenorhabditis elegans* protects from reactive metabolites, preserves neuronal structure and head motility, and prolongs lifespan. *Journal of diabetes and its complications*. 2017;31(2):304-310.

Menni C, Migaud M, Kastenmuller G, et al. Metabolomic Profiling of Long-Term Weight Change: Role of Oxidative Stress and Urate Levels in Weight Gain. *Obesity (Silver Spring)*. 2017;25(9):1618-1624.

Menzel J, di Giuseppe R, Biemann R, et al. Association between chemerin, omentin-1 and risk of heart failure in the population-based EPIC-Potsdam study. *Scientific reports*. 2017;7(1):14171.

Metzendorf C, Zeigerer A, Seifert S, et al. Acute loss of the hepatic endo-lysosomal system in vivo causes compensatory changes in iron homeostasis. *Scientific reports*. 2017;7(1):4023.

Milger K, Yu Y, Brudy E, et al. Pulmonary CCR2+CD4+ T cells are immune regulatory and attenuate lung fibrosis development. *Thorax*. 2017;72(11):1007-1020.

Moeller M, Pink C, Endlich N, et al. Mortality is associated with inflammation, anemia, specific diseases and treatments, and molecular markers. *PloS one*. 2017;12(4):e0175909.

Molnos S, Baumbach C, Wahl S, et al. pulver: an R package for parallel ultra-rapid p-value computation for linear regression interaction terms. *BMC Bioinformatics*. 2017;18(1):429.

Molnos S, Wahl S, Haid M, et al. Metabolite ratios as potential biomarkers for type 2 diabetes: a DIRECT study. *Diabetologia*. 2017.

Moor V, Wagner R, Sayer M, et al. Routine Monitoring of Sodium and Phosphorus Removal in Peritoneal Dialysis (PD) Patients Treated with Continuous Ambulatory PD (CAPD), Automated PD (APD) or Combined CAPD+APD. *Kidney Blood Press Res*. 2017;42(2):257-266.

Morgenstern J, Fleming T, Kadiyska I, et al. Sensitive mass spectrometric assay for determination of 15-deoxy-Delta12,14-prostaglandin J2 and its application in human plasma samples of patients with diabetes. *Analytical and bioanalytical chemistry*. 2017.

Morgenstern J, Fleming T, Schumacher D, et al. Loss of Glyoxalase 1 Induces Compensatory Mechanism to Achieve Dicarbonyl Detoxification in Mammalian Schwann Cells. *The Journal of biological chemistry*. 2017;292(8):3224-3238.

Mueller KM, Hartmann K, Kaltenecker D, et al. Adipocyte Glucocorticoid Receptor Deficiency Attenuates Aging- and HFD-Induced Obesity and Impairs the Feeding-Fasting Transition. *Diabetes*. 2017;66(2):272-286.

Muhlenbruch K, Kuxhaus O, di Giuseppe R, Boeing H, Weikert C, Schulze MB. Multiple imputation was a valid approach to estimate absolute risk from a prediction model based on case-cohort data. *J Clin Epidemiol*. 2017;84:130-141.

Mulay SR, Eberhard JN, Desai J, et al. Hyperoxaluria Requires TNF Receptors to Initiate Crystal Adhesion and Kidney Stone Disease. *J Am Soc Nephrol*. 2017;28(3):761-768.

Muller A, Mziaut H, Neukam M, Knoch KP, Solimena M. A 4D view on insulin secretory granule turnover in the beta-cell. *Diabetes, obesity & metabolism*. 2017;19 Suppl 1:107-114.

Muller N, Khunti K, Kuss O, et al. Is there evidence of potential overtreatment of glycaemia in elderly people with type 2 diabetes? Data from the GUIDANCE study. *Acta Diabetol*. 2017;54(2):209-214.

Nagl K, Hermann JM, Plamper M, et al. Factors contributing to partial remission in type 1 diabetes: analysis based on the insulin dose-adjusted HbA1c in 3657 children and adolescents from Germany and Austria. *Pediatr Diabetes*. 2017;18(6):428-434.

Narres M, Kvitkina T, Claessen H, et al. Incidence of lower extremity amputations in the diabetic compared with the non-diabetic population: A systematic review. *PloS one*. 2017;12(8):e0182081.

Nawroth PP, Bendszus M, Pham M, et al. The quest for more research on painful diabetic neuropathy. *Neuroscience*. 2017.

Nikolic N, Gorgens SW, Thoresen GH, Aas V, Eckel J, Eckardt K. Electrical pulse stimulation of cultured skeletal muscle cells as a model for in vitro exercise - possibilities and limitations. *Acta physiologica* (Oxford, England). 2017;220(3):310-331.

Niopek K, Ustunel BE, Seitz S, et al. A Hepatic GAbp-AMPK Axis Links Inflammatory Signaling to Systemic Vascular Damage. *Cell reports*. 2017;20(6):1422-1434.

Nolte IM, Munoz ML, Tragante V, et al. Genetic loci associated with heart rate variability and their effects on cardiac disease risk. *Nature communications*. 2017;8:15805.

Ordelheide AM, Bohm A, Kempe-Teufel D, et al. Common variation in the sodium/glucose cotransporter 2 gene SLC5A2 does neither affect fasting nor glucose-suppressed plasma glucagon concentrations. *PloS one*. 2017;12(5):e0177148.

Ott C, Jung T, Grune T, Hohn A. SIPS as a model to study age-related changes in proteolysis and aggregate formation. *Mech Ageing Dev*. 2017.

Overhagen S, Blumensatt M, Fahrbusch P, et al. Soluble CD14 inhibits contractile function and insulin action in primary adult rat cardiomyocytes. *Biochim Biophys Acta*. 2017;1863(2):365-374.

Paprott R, Mensink GBM, Schulze MB, et al. Temporal changes in predicted risk of type 2 diabetes in Germany: findings from the German Health Interview and Examination Surveys 1997-1999 and 2008-2011. *BMJ open*. 2017;7(7):e013058.

Patzug K, Friedrich N, Kische H, et al. Sex hormones and quantitative ultrasound parameters at the heel in men and women from the general population. *Bone Rep*. 2017;7:51-56.

Paulin N, Doring Y, Kooijman S, et al. Human Neutrophil Peptide 1 Limits Hypercholesterolemia-induced Atherosclerosis by Increasing Hepatic LDL Clearance. *EBioMedicine*. 2017;16:204-211.

Perez-Rivas LG, Rhayem Y, Sabrautzki S, et al. Genetic characterization of a mouse line with primary aldosteronism. *J Mol Endocrinol*. 2017;58(2):67-78.

Pesta D, Roden M. The Janus Head of Oxidative Stress in Metabolic Diseases and During Physical Exercise. *Curr Diab Rep*. 2017;17(6):41.

Pesta DH, Goncalves RLS, Madiraju AK, Strasser B, Sparks LM. Resistance training to improve type 2 diabetes: working toward a prescription for the future. *Nutr Metab (Lond)*. 2017;14:24.

Peters HPF, Schrauwen P, Verhoef P, et al. Liver fat: a relevant target for dietary intervention? Summary of a Unilever workshop. *J Nutr Sci*. 2017;6:e15.

Pfaff DH, Fleming T, Nawroth P, Teleman AA. Evidence Against a Role for the Parkinsonism-associated Protein DJ-1 in Methylglyoxal Detoxification. *The Journal of biological chemistry*. 2017;292(2):685-690.

Pfaff DH, Fleming T, Nawroth P, Teleman AA. Reply to Richarme: Evidence against a role of DJ-1 in methylglyoxal detoxification. *The Journal of biological chemistry*. 2017;292(31):12784-12785.

Pfuhlmann K, Pfluger PT, Schriever SC, Muller TD, Tschop MH, Stemmer K. Dual specificity phosphatase 6 deficiency is associated with impaired systemic glucose tolerance and reversible weight retardation in mice. *PloS one*. 2017;12(9):e0183488.

Pfurr S, Chu YH, Bohrer C, et al. The E2A splice variant E47 regulates the differentiation of projection neurons via p57(KIP2) during cortical development. *Development*. 2017;144(21):3917-3931.

Piontek U, Wallaschofski H, Kastenmuller G, et al. Sex-specific metabolic profiles of androgens and its main binding protein SHBG in a middle aged population without diabetes. *Scientific reports*. 2017;7(1):2235.

Pitchika A, Hampel R, Wolf K, et al. Long-term associations of modeled and self-reported measures of exposure to air pollution and noise at residence on prevalent hypertension and blood pressure. *Sci Total Environ.* 2017;593-594:337-346.

Plomgaard P, Weigert C. Do diabetes and obesity affect the metabolic response to exercise? *Curr Opin Clin Nutr Metab Care.* 2017;20(4):294-299.

Popadic Gacesa J, Schick F, Machann J, Grujic N. Intramyocellular lipids and their dynamics assessed by ¹H magnetic resonance spectroscopy. *Clinical physiology and functional imaging.* 2017;37(6):558-566.

Pramme-Steinwachs I, Jastroch M, Ussar S. Extracellular calcium modulates brown adipocyte differentiation and identity. *Scientific reports.* 2017;7(1):8888.

Prinz N, Ebner S, Grunerbel A, et al. Female sex, young age, northern German residence, hypoglycemia and disabling diabetes complications are associated with depressed mood in the WHO-5 questionnaire - A multicenter DPV study among 17,563 adult patients with type 2 diabetes. *J Affect Disord.* 2017;208:384-391.

Prokesch A, Graef FA, Madl T, et al. Liver p53 is stabilized upon starvation and required for amino acid catabolism and gluconeogenesis. *FASEB J.* 2017;31(2):732-742.

Quarta C, Clemmensen C, Zhu Z, et al. Molecular Integration of Incretin and Glucocorticoid Action Reverses Immunometabolic Dysfunction and Obesity. *Cell metabolism.* 2017;26(4):620-632 e626.

Rahmani E, Shenhav L, Schweiger R, et al. Genome-wide methylation data mirror ancestry information. *Epigenetics & chromatin.* 2017;10:1.

Ramo JT, Kaye SM, Jukarainen S, et al. Liver Fat and Insulin Sensitivity Define Metabolite Profiles During a Glucose Tolerance Test in Young Adult Twins. *The Journal of clinical endocrinology and metabolism.* 2017;102(1):220-231.

Rathmann W, Strassburger K, Bongaerts B, et al. Impact of insulin sensitivity, beta-cell function and glycaemic control on initiation of second-line glucose-lowering treatment in newly diagnosed type 2 diabetes. *Diabetes, obesity & metabolism.* 2017;19(6):866-873.

Rauh SP, Heymans MW, Koopman AD, et al. Predicting glycated hemoglobin levels in the non-diabetic general population: Development and validation of the DIRECT-DETECT prediction model - a DIRECT study. *PloS one.* 2017;12(2):e0171816.

Reimer A, Schmitt A, Ehrmann D, Kulzer B, Hermanns N. Reduction of diabetes-related distress predicts improved depressive symptoms: A secondary analysis of the DIAMOS study. *PloS one.* 2017;12(7):e0181218.

Reinauer C, Rosenbauer J, Bachle C, et al. The Clinical Course of Patients with Preschool Manifestation of Type 1 Diabetes Is Independent of the HLA DR-DQ Genotype. *Genes (Basel).* 2017;8(5).

Reissig S, Tang Y, Nikolaev A, et al. Elevated levels of Bcl-3 inhibits Treg development and function resulting in spontaneous colitis. *Nature communications.* 2017;8:15069.

Rodriguez Camargo DC, Tripsianes K, Buday K, et al. The redox environment triggers conformational changes and aggregation of hIAPP in Type II Diabetes. *Scientific reports.* 2017;7:44041.

Rohling M, Strom A, Bonhof G, et al. Differential Patterns of Impaired Cardiorespiratory Fitness and Cardiac Autonomic Dysfunction in Recently Diagnosed Type 1 and Type 2 Diabetes. *Diabetes care.* 2017;40(2):246-252.

Rohling M, Strom A, Bonhof GJ, Roden M, Ziegler D. Cardiorespiratory Fitness and Cardiac Autonomic Function in Diabetes. *Curr Diab Rep.* 2017;17(12):125.

Rosendahl J, Kirsten H, Hegyi E, et al. Genome-wide association study identifies inversion in the CTRB1-CTRB2 locus to modify risk for alcoholic and non-alcoholic chronic pancreatitis. *Gut.* 2017.

Rossbach S, Diederichs T, Bolzenius K, Herder C, Buyken AE, Alexy U. Age and time trends in eating frequency and duration of nightly fasting of German children and adolescents. *Eur J Nutr.* 2017;56(8):2507-2517.

Rotter M, Brandmaier S, Prehn C, et al. Stability of targeted metabolite profiles of urine samples under different storage conditions. *Metabolomics.* 2017;13(1):4.

Ruiz de Azua I, Mancini G, Srivastava RK, et al. Adipocyte cannabinoid receptor CB1 regulates energy homeostasis and alternatively activated macrophages. *J Clin Invest.* 2017;127(11):4148-4162.

Ruud J, Steculorum SM, Bruning JC. Neuronal control of peripheral insulin sensitivity and glucose metabolism. *Nature communications.* 2017;8:15259.

Ryan DP, Henzel KS, Pearson BL, et al. A paternal methyl donor-rich diet altered cognitive and neural functions in offspring mice. *Molecular psychiatry.* 2017.

Salminen AV, Garrett L, Schormair B, et al. Meis1: effects on motor phenotypes and the sensorimotor system in mice. *Dis Model Mech.* 2017;10(8):981-991.

Sanchez-Garrido MA, Brandt SJ, Clemmensen C, Muller TD, DiMarchi RD, Tschop MH. GLP-1/glucagon receptor co-agonism for treatment of obesity. *Diabetologia.* 2017;60(10):1851-1861.

Sattler C, Moritz F, Chen S, et al. Nanoparticle exposure reactivates latent herpesvirus and restores a signature of acute infection. *Particle and fibre toxicology.* 2017;14(1):2.

Sawangjit A, Kelemen E, Born J, Inostroza M. Sleep Enhances Recognition Memory for Conspecifics as Bound into Spatial Context. *Front Behav Neurosci.* 2017;11:28.

Scerbo MJ, Gerdes JM. Bonding With beta-Cells-A Role for Oxytocin in Glucose Handling. *Diabetes.* 2017;66(2):256-257.

Schaub A, Glasmacher E. Splicing in immune cells-mechanistic insights and emerging topics. *Int Immunol.* 2017;29(4):173-181.

Schiess S, Platz S, Kemper M, et al. Oral administration of nasturtium affects peptide YY secretion in male subjects. *Mol Nutr Food Res.* 2017;61(8).

Schludi MH, Becker L, Garrett L, et al. Spinal poly-GA inclusions in a C9orf72 mouse model trigger motor deficits and inflammation without neuron loss. *Acta Neuropathol.* 2017.

Schmaal L, Hibar DP, Samann PG, et al. Cortical abnormalities in adults and adolescents with major depression based on brain scans from 20 cohorts worldwide in the ENIGMA Major Depressive Disorder Working Group. *Molecular psychiatry.* 2017;22(6):900-909.

Schmid V, Wagner R, Sailer C, et al. Non-alcoholic fatty liver disease and impaired proinsulin conversion as newly identified predictors of the long-term non-response to a lifestyle intervention for diabetes prevention: results from the TULIP study. *Diabetologia.* 2017;60(12):2341-2351.

Schmidt MO, Garman KA, Lee YG, et al. The Role of Fibroblast Growth Factor Binding Protein 1 in Skin Carcinogenesis and Inflammation. *J Invest Dermatol.* 2017.

Schmitt A, Reimer A, Ehrmann D, Kulzer B, Haak T, Hermanns N. Reduction of depressive symptoms predicts improved glycaemic control: Secondary results from the DIAMOS study. *Journal of diabetes and its complications.* 2017;31(11):1608-1613.

Schmitt A, Reimer A, Hermanns N, et al. Depression is linked to hyperglycaemia via suboptimal diabetes self-management: A cross-sectional mediation analysis. *J Psychosom Res.* 2017;94:17-23.

Schoen S, Jergens S, Barbaresko J, et al. Diet Quality during Infancy and Early Childhood in Children with and without Risk of Type 1 Diabetes: A DEDIPAC Study. *Nutrients.* 2017;9(1).

Schommers P, Thurau A, Bultmann-Mellin I, et al. Metformin causes a futile intestinal-hepatic cycle which increases energy expenditure and slows down development of a type 2 diabetes-like state. *Molecular metabolism.* 2017;6(7):737-747.

Schormair B, Zhao C, Bell S, et al. Identification of novel risk loci for restless legs syndrome in genome-wide association studies in individuals of European ancestry: a meta-analysis. *Lancet Neurol.* 2017;16(11):898-907.

Schriever SC, Zimprich A, Pfuhlmann K, et al. Alterations in neuronal control of body weight and anxiety behavior by glutathione peroxidase 4 deficiency. *Neuroscience.* 2017;357:241-254.

Schuhmann K, Srzentic K, Nagornov KO, et al. Monitoring Membrane Lipidome Turnover by Metabolic 15N Labeling and Shotgun Ultra-High-Resolution Orbitrap Fourier Transform Mass Spectrometry. *Analytical chemistry.* 2017.

Schuler R, Osterhoff MA, Frahnow T, et al. Dietary Fat Intake Modulates Effects of a Frequent ACE Gene Variant on Glucose Tolerance with association to Type 2 Diabetes. *Scientific reports.* 2017;7(1):9234.

Schuler R, Osterhoff MA, Frahnow T, et al. High-Saturated-Fat Diet Increases Circulating Angiotensin-Converting Enzyme, Which Is Enhanced by the rs4343 Polymorphism Defining Persons at Risk of Nutrient-Dependent Increases of Blood Pressure. *J Am Heart Assoc.* 2017;6(1).

Schunk M, Reitmeir P, Ruckert-Eheberg IM, et al. Longitudinal change in health-related quality of life in people with prevalent and incident type 2 diabetes compared to diabetes-free controls. *PloS one.* 2017;12(5):e0176895.

Schwandt A, Best F, Biester T, et al. Both the frequency of HbA1c testing and the frequency of self-monitoring of blood glucose predict metabolic control: A multicentre analysis of 15 199 adult type 1 diabetes patients from Germany and Austria. *Diabetes/metabolism research and reviews.* 2017;33(7).

Schwandt A, Denkinger M, Fasching P, et al. Comparison of MDRD, CKD-EPI, and Cockcroft-Gault equation in relation to measured glomerular filtration rate among a large cohort with diabetes. *Journal of diabetes and its complications.* 2017;31(9):1376-1383.

Schwandt A, Hermann JM, Rosenbauer J, et al. Longitudinal Trajectories of Metabolic Control From Childhood to Young Adulthood in Type 1 Diabetes From a Large German/Austrian Registry: A Group-Based Modeling Approach. *Diabetes care.* 2017;40(3):309-316.

Schwartz M, Steidle G, Martirosian P, et al. Spontaneous mechanical and electrical activities of human calf musculature at rest assessed by repetitive single-shot diffusion-weighted MRI and simultaneous surface electromyography. *Magnetic resonance in medicine : official journal of the Society of Magnetic Resonance in Medicine / Society of Magnetic Resonance in Medicine.* 2017.

Schwarz J, Scheckenbach V, Kugel H, et al. Granulocytic myeloid-derived suppressor cells (GR-MDSC) accumulate in cord blood of preterm infants and remain elevated during the neonatal period. *Clin Exp Immunol.* 2017.

Scott RA, Scott LJ, Magi R, et al. An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. *Diabetes.* 2017;66(11):2888-2902.

Serafimidis I, Rodriguez-Aznar E, Lesche M, et al. Pancreas lineage allocation and specification are regulated by sphingosine-1-phosphate signalling. *PLoS Biol.* 2017;15(3):e2000949.

Seyfarth J, Fortsch K, Ahlert H, et al. Dominant TNFalpha and impaired IL-2 cytokine profiles of CD4+ T cells from children with type-1 diabetes. *Immunol Cell Biol.* 2017.

Seyfarth J, Reinehr T, Hoyer A, et al. Lipoprotein-associated phospholipase A2 activity in obese adolescents with and without type 2 diabetes. *J Inherit Metab Dis.* 2017.

Shariful Islam SM, Lechner A, Ferrari U, et al. Healthcare use and expenditure for diabetes in Bangladesh. *BMJ Glob Health.* 2017;2(1):e000033.

Sharma S, Kriebel J, Grallert H. Epigenetic regulation of glucose metabolism. *Curr Opin Clin Nutr Metab Care.* 2017;20(4):266-271.

Shipkova M, Rapp S, Rigo-Bonni R, Wieland E, Peter A. Therapeutic Drug Monitoring of Everolimus: Comparability of Concentrations Determined by 2 Immunoassays and a Liquid Chromatography Tandem Mass Spectrometry Method. *Ther Drug Monit.* 2017;39(2):102-108.

Simon JJ, Wetzel A, Sinno MH, et al. Integration of homeostatic signaling and food reward processing in the human brain. *JCI Insight.* 2017;2(15).

Singh SP, Janjuha S, Hartmann T, et al. Different developmental histories of beta-cells generate functional and proliferative heterogeneity during islet growth. *Nature communications.* 2017;8(1):664.

Siskos AP, Jain P, Romisch-Margl W, et al. Interlaboratory Reproducibility of a Targeted Metabolomics Platform for Analysis of Human Serum and Plasma. *Analytical chemistry.* 2017;89(1):656-665.

Skaaby T, Taylor AE, Jacobsen RK, et al. Investigating the causal effect of smoking on hay fever and asthma: a Mendelian randomization meta-analysis in the CARTA consortium. *Scientific reports.* 2017;7(1):2224.

Solimena M, Schulte AM, Marselli L, et al. Systems biology of the IMIDIA biobank from organ donors and pancreatectomised patients defines a novel transcriptomic signature of islets from individuals with type 2 diabetes. *Diabetologia.* 2017.

Speckmann B, Schulz S, Hiller F, et al. Selenium increases hepatic DNA methylation and modulates one-carbon metabolism in the liver of mice. *J Nutr Biochem.* 2017;48:112-119.

Spetter MS, Hallschmid M. Current findings on the role of oxytocin in the regulation of food intake. *Physiol Behav.* 2017;176:31-39.

Spetter MS, Malekshahi R, Birbaumer N, et al. Volitional regulation of brain responses to food stimuli in overweight and obese subjects: A real-time fMRI feedback study. *Appetite.* 2017;112:188-195.

St John-Williams L, Blach C, Toledo JB, et al. Targeted metabolomics and medication classification data from participants in the ADNI1 cohort. *Sci Data.* 2017;4:170140.

Stadler M, Bollow E, Fritsch M, et al. Prevalence of elevated liver enzymes in adults with type 1 diabetes: A multicentre analysis of the German/Austrian DPV database. *Diabetes, obesity & metabolism.* 2017;19(8):1171-1178.

Stahl-Pehe A, Landwehr S, Lange KS, et al. Impact of quality of life (QoL) on glycemic control (HbA1c) among adolescents and emerging adults with long-duration type 1 diabetes: A prospective cohort-study. *Pediatr Diabetes.* 2017;18(8):808-816.

Staiger H, Keuper M, Berti L, Hrabe de Angelis M, Haring HU. Fibroblast Growth Factor 21-Metabolic Role in Mice and Men. *Endocr Rev.* 2017;38(5):468-488.

Steculorum SM, Timper K, Engstrom Ruud L, et al. Inhibition of P2Y6 Signaling in AgRP Neurons Reduces Food Intake and Improves Systemic Insulin Sensitivity in Obesity. *Cell reports.* 2017;18(7):1587-1597.

Stefan N, Haring HU, Schulze MB. Metabolically healthy obesity: the low-hanging fruit in obesity treatment? *The lancet Diabetes & endocrinology.* 2017.

Stefan N, Schick F, Haring HU. Causes, Characteristics, and Consequences of Metabolically Unhealthy Normal Weight in Humans. *Cell metabolism.* 2017;26(2):292-300.

Stefanko A, Thiede C, Ehninger G, Simons K, Grzybek M. Lipidomic approach for stratification of acute myeloid leukemia patients. *PLoS one.* 2017;12(2):e0168781.

Steffen A, Kiss T, Schmid J, et al. Production of high-quality islets from goettingen minipigs: Choice of organ preservation solution, donor pool, and optimal cold ischemia time. *Xenotransplantation.* 2017;24(1).

- Steinbring J, Graja A, Jank AM, Schulz TJ. Flow Cytometric Isolation and Differentiation of Adipogenic Progenitor Cells into Brown and White/Beige Adipocytes. *Methods Mol Biol.* 2017;1566:25-36.
- Stratmann B, Richter K, Wang R, et al. Metabolomic Signature of Coronary Artery Disease in Type 2 Diabetes Mellitus. *Int J Endocrinol.* 2017;2017:7938216.
- Strohkamp S, Gemoll T, Humborg S, et al. Protein levels of clusterin and glutathione synthetase in platelets allow for early detection of colorectal cancer. *Cell Mol Life Sci.* 2017.
- Strom A, Kaul K, Bruggemann J, et al. Lower serum extracellular superoxide dismutase levels are associated with polyneuropathy in recent-onset diabetes. *Exp Mol Med.* 2017;49(11):e394.
- Suarez-Diez M, Adam J, Adamski J, et al. Plasma and Serum Metabolite Association Networks: Comparability within and between Studies Using NMR and MS Profiling. *Journal of proteome research.* 2017;16(7):2547-2559.
- Sucher S, Markova M, Hornemann S, et al. Comparison of the effects of diets high in animal or plant protein on metabolic and cardiovascular markers in type 2 diabetes: A randomized clinical trial. *Diabetes, obesity & metabolism.* 2017;19(7):944-952.
- Suhre K, Arnold M, Bhagwat AM, et al. Connecting genetic risk to disease end points through the human blood plasma proteome. *Nature communications.* 2017;8:14357.
- Szibor M, Dhandapani PK, Dufour E, et al. Broad AOX expression in a genetically tractable mouse model does not disturb normal physiology. *Dis Model Mech.* 2017;10(2):163-171.
- Tacke C, Aleksandrova K, Rehfeldt M, et al. Assessment of circulating Wnt1 inducible signalling pathway protein 1 (WISP-1)/CCN4 as a novel biomarker of obesity. *J Cell Commun Signal.* 2017.
- Teperino R. Anti-hypertensive treatment in pregnancy impacts offspring growth and metabolism: Q&A. *Molecular metabolism.* 2017;6(10):1079-1080.
- Thienel M, Wilhelm I, Benedict C, Born J, Hallschmid M. Intranasal insulin decreases circulating cortisol concentrations during early sleep in elderly humans. *Neurobiol Aging.* 2017;54:170-174.
- Tiedemann HB, Schneltzer E, Beckers J, Przemeck GKH, Hrabe de Angelis M. Modeling coexistence of oscillation and Delta/Notch-mediated lateral inhibition in pancreas development and neurogenesis. *J Theor Biol.* 2017;430:32-44.
- Tiedemann LJ, Schmid SM, Hettel J, et al. Central insulin modulates food valuation via mesolimbic pathways. *Nature communications.* 2017;8:16052.
- Tilg H, Moschen AR, Roden M. NAFLD and diabetes mellitus. *Nat Rev Gastroenterol Hepatol.* 2017;14(1):32-42.
- Timper K, Bruning JC. Hypothalamic circuits regulating appetite and energy homeostasis: pathways to obesity. *Dis Model Mech.* 2017;10(6):679-689.
- Timper K, Denson JL, Steculorum SM, et al. IL-6 Improves Energy and Glucose Homeostasis in Obesity via Enhanced Central IL-6 trans-Signaling. *Cell reports.* 2017;19(2):267-280.
- Tokarz J, Haid M, Cecil A, et al. Endocrinology Meets Metabolomics: Achievements, Pitfalls, and Challenges. *Trends in endocrinology and metabolism: TEM.* 2017;28(10):705-721.
- Toledo JB, Arnold M, Kastenmuller G, et al. Metabolic network failures in Alzheimer's disease: A biochemical road map. *Alzheimers Dement.* 2017;13(9):965-984.
- Tritschler S, Theis FJ, Lickert H, Bottcher A. Systematic single-cell analysis provides new insights into heterogeneity and plasticity of the pancreas. *Molecular metabolism.* 2017;6(9):974-990.
- Ussar S, Haering MF, Fujisaka S, et al. Regulation of Glucose Uptake and Enteroendocrine Function by the Intestinal Epithelial Insulin Receptor. *Diabetes.* 2017;66(4):886-896.

Valencak TG, Osterrieder A, Schulz TJ. Sex matters: The effects of biological sex on adipose tissue biology and energy metabolism. *Redox Biol.* 2017;12:806-813.

van den Berg ME, Warren HR, Cabrera CP, et al. Discovery of novel heart rate-associated loci using the Exome Chip. *Human molecular genetics.* 2017;26(12):2346-2363.

Van der Auwera S, Wittfeld K, Shumskaya E, et al. Predicting brain structure in population-based samples with biologically informed genetic scores for schizophrenia. *Am J Med Genet B Neuropsychiatr Genet.* 2017;174(3):324-332.

Ventura-Clapier R, Dworatzek E, Seeland U, et al. Sex in basic research: concepts in the cardiovascular field. *Cardiovasc Res.* 2017;113(7):711-724.

Vogel H, Jahnert M, Stadion M, Matzke D, Scherneck S, Schurmann A. A vast genomic deletion in the C56BL/6 genome affects different genes within the Ifi200 cluster on chromosome 1 and mediates obesity and insulin resistance. *BMC genomics.* 2017;18(1):172.

Vogel H, Kraemer M, Rabasa C, Askevik K, Adan RAH, Dickson SL. Genetic predisposition to obesity affects behavioural traits including food reward and anxiety-like behaviour in rats. *Behav Brain Res.* 2017;328:95-104.

Vogl C, Butola T, Haag N, et al. The BEACH protein LRBA is required for hair bundle maintenance in cochlear hair cells and for hearing. *EMBO Rep.* 2017;18(11):2015-2029.

Volta F, Gerdes JM. The role of primary cilia in obesity and diabetes. *Ann N Y Acad Sci.* 2017;1391(1):71-84.

von Bibra H, Saha S, Hapfelmeier A, Muller G, Schwarz PEH. Impact of the Triglyceride/High-Density Lipoprotein Cholesterol Ratio and the Hypertriglyceremic-Waist Phenotype to Predict the Metabolic Syndrome and Insulin Resistance. *Hormone and metabolic research = Hormon- und Stoffwechselforschung = Hormones et metabolisme.* 2017;49(7):542-549.

von Loeffelholz C, Birkenfeld AL. Is mIndy a mediator of energy metabolism reprogramming in hepatocellular carcinoma induced by IL-6/STAT3 signaling? *Hepatology (Baltimore, Md).* 2017.

von Loeffelholz C, Docke S, Lock JF, et al. Increased lipogenesis in spite of upregulated hepatic 5'AMP-activated protein kinase in human non-alcoholic fatty liver. *Hepatol Res.* 2017;47(9):890-901.

von Loeffelholz C, Lieske S, Neuschafer-Rube F, et al. The Human Longevity Gene Homolog INDY and Interleukin-6 Interact in Hepatic Lipid Metabolism. *Hepatology (Baltimore, Md).* 2017.

von Loeffelholz C, Lieske S, Neuschafer-Rube F, et al. The human longevity gene homolog INDY and interleukin-6 interact in hepatic lipid metabolism. *Hepatology (Baltimore, Md).* 2017;66(2):616-630.

von Toerne C, Laimighofer M, Achenbach P, et al. Peptide serum markers in islet autoantibody-positive children. *Diabetologia.* 2017;60(2):287-295.

Wagner R, Fritzsche L, Heni M, et al. Erratum to: A novel insulin sensitivity index particularly suitable to measure insulin sensitivity during gestation. *Acta Diabetol.* 2017;54(7):713-714.

Wagner R, Hakaste LH, Ahlvist E, et al. Nonsuppressed Glucagon After Glucose Challenge as a Potential Predictor for Glucose Tolerance. *Diabetes.* 2017;66(5):1373-1379.

Wagner R, Machann J, Guthoff M, et al. The protective effect of human renal sinus fat on glomerular cells is reversed by the hepatokine fetuin-A. *Scientific reports.* 2017;7(1):2261.

Wagner R, Tabak AG, Fehlert E, et al. Excessive fuel availability amplifies the FTO-mediated obesity risk: results from the TUEF and Whitehall II studies. *Scientific reports.* 2017;7(1):15486.

Wahl A, Kasela S, Monotoro EC, et al. IgG glycosylation and DNA methylation are interconnected with smoking. *Biochim Biophys Acta.* 2017.

- Wahl S, Drong A, Lehne B, et al. Epigenome-wide association study of body mass index, and the adverse outcomes of adiposity. *Nature*. 2017;541(7635):81-86.
- Wang X, Haring MF, Rathjen T, et al. Insulin resistance in vascular endothelial cells promotes intestinal tumour formation. *Oncogene*. 2017;36(35):4987-4996.
- Warrington NM, Richmond R, Fenstra B, et al. Maternal and fetal genetic contribution to gestational weight gain. *International journal of obesity (2005)*. 2017.
- Weber D, Stuetz W, Toussaint O, et al. Associations between Specific Redox Biomarkers and Age in a Large European Cohort: The MARK-AGE Project. *Oxid Med Cell Longev*. 2017;2017:1401452.
- Weber KS, Sporkel O, Mertens M, et al. Positive Effects of Promoting Physical Activity and Balanced Diets in a Primary School Setting with a High Proportion of Migrant School Children. *Experimental and clinical endocrinology & diabetes : official journal, German Society of Endocrinology [and] German Diabetes Association*. 2017;125(8):554-562.
- Weber KS, Strassburger K, Pacini G, et al. Circulating adiponectin concentration is inversely associated with glucose tolerance and insulin secretion in people with newly diagnosed diabetes. *Diabetic medicine : a journal of the British Diabetic Association*. 2017;34(2):239-244.
- Weitz JR, Makhmutova M, Almaca J, et al. Mouse pancreatic islet macrophages use locally released ATP to monitor beta cell activity. *Diabetologia*. 2017.
- Welters A, Kluppel C, Mrugala J, et al. NMDAR antagonists for the treatment of diabetes mellitus- Current status and future directions. *Diabetes, obesity & metabolism*. 2017;19 Suppl 1:95-106.
- Wheeler E, Leong A, Liu CT, et al. Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. *PLoS Med*. 2017;14(9):e1002383.
- Wiemerslage L, Islam R, van der Kamp C, et al. A DNA methylation site within the KLF13 gene is associated with orexigenic processes based on neural responses and ghrelin levels. *International journal of obesity (2005)*. 2017;41(6):990-994.
- Willmes DM, Kurzbach A, Henke C, et al. The longevity gene INDY (I'm Not Dead Yet) in metabolic control: Potential as pharmacological target. *Pharmacol Ther*. 2017.
- Wilson R, Wahl S, Pfeiffer L, et al. The dynamics of smoking-related disturbed methylation: a two time-point study of methylation change in smokers, non-smokers and former smokers. *BMC genomics*. 2017;18(1):805.
- Wood AR, Jonsson A, Jackson AU, et al. A Genome-Wide Association Study of IVGTT-Based Measures of First-Phase Insulin Secretion Refines the Underlying Physiology of Type 2 Diabetes Variants. *Diabetes*. 2017;66(8):2296-2309.
- Xie K, Neff F, Markert A, et al. Every-other-day feeding extends lifespan but fails to delay many symptoms of aging in mice. *Nature communications*. 2017;8(1):155.
- Xu E, Pereira MMA, Karakasilioti I, et al. Temporal and tissue-specific requirements for T-lymphocyte IL-6 signalling in obesity-associated inflammation and insulin resistance. *Nature communications*. 2017;8:14803.
- Yi CX, Walter M, Gao Y, et al. TNFalpha drives mitochondrial stress in POMC neurons in obesity. *Nature communications*. 2017;8:15143.
- Yuan T, Rafizadeh S, Gorrepati KD, et al. Reciprocal regulation of mTOR complexes in pancreatic islets from humans with type 2 diabetes. *Diabetologia*. 2017;60(4):668-678.
- Zeigerer A, Wuttke A, Marsico G, Seifert S, Kalaidzidis Y, Zerial M. Functional properties of hepatocytes in vitro are correlated with cell polarity maintenance. *Exp Cell Res*. 2017;350(1):242-252.

Zeller T, Schurmann C, Schramm K, et al. Transcriptome-Wide Analysis Identifies Novel Associations With Blood Pressure. *Hypertension*. 2017;70(4):743-750.

Zhou Z, Menzel F, Benninghoff T, et al. Rab28 is a TBC1D1/TBC1D4 substrate involved in GLUT4 trafficking. *FEBS Lett.* 2017;591(1):88-96.

Zibrova D, Vandermoere F, Goransson O, et al. GFAT1 phosphorylation by AMPK promotes VEGF-induced angiogenesis. *Biochem J.* 2017;474(6):983-1001.

Zieger K, Weiner J, Kunath A, et al. Ablation of kallikrein 7 (KLK7) in adipose tissue ameliorates metabolic consequences of high fat diet-induced obesity by counteracting adipose tissue inflammation in vivo. *Cell Mol Life Sci.* 2017.

Ziegler D, Schleicher E, Strom A, et al. Association of transketolase polymorphisms with measures of polyneuropathy in patients with recently diagnosed diabetes. *Diabetes/metabolism research and reviews.* 2017;33(4).

Ziegler D, Strom A, Bonhof G, et al. Differential associations of lower cardiac vagal tone with insulin resistance and insulin secretion in recently diagnosed type 1 and type 2 diabetes. *Metabolism: clinical and experimental.* 2017.

Ziegler D, Winter K, Strom A, et al. Spatial analysis improves the detection of early corneal nerve fiber loss in patients with recently diagnosed type 2 diabetes. *PloS one.* 2017;12(3):e0173832.

Zillikens MC, Demissie S, Hsu YH, et al. Large meta-analysis of genome-wide association studies identifies five loci for lean body mass. *Nature communications.* 2017;8(1):80.

Zimdahl H, Haupt A, Brendel M, et al. Influence of common polymorphisms in the SLC5A2 gene on metabolic traits in subjects at increased risk of diabetes and on response to empagliflozin treatment in patients with diabetes. *Pharmacogenet Genomics.* 2017;27(4):135-142.

Zimprich A, Mroz G, Meyer Zu Reckendorf C, et al. Serum Response Factor (SRF) Ablation Interferes with Acute Stress-Associated Immediate and Long-Term Coping Mechanisms. *Mol Neurobiol.* 2017;54(10):8242-8262.

Zimprich A, Ostereicher MA, Becker L, et al. Analysis of locomotor behavior in the German Mouse Clinic. *J Neurosci Methods.* 2017.

Zylla S, Pietzner M, Kuhn JP, et al. Serum chemerin is associated with inflammatory and metabolic parameters-results of a population-based study. *Obesity (Silver Spring).* 2017;25(2):468-475.

Zylla S, Rettig R, Volzke H, Endlich K, Nauck M, Friedrich N. Serum chemerin levels are inversely associated with renal function in a general population. *Clin Endocrinol (Oxf).* 2017.