
Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. Abbas S, Linseisen J, Rohrmann S, Beulens JW, Buijsse B, Amiano P, Ardanaz E, Balkau B, Boeing H, Clavel-Chapelon F, Fagherazzi G, Franks PW, Gavrila D, Grioni S, Kaaks R, Key TJ, Khaw KT, Kühn T, Mattiello A, Molina-Montes E, Nilsson PM, Overvad K, Quirós JR, Rolandsson O, Sacerdote C, Saieva C, Slimani N, Sluijs I, Spijkerman AM, Tjonneland A, Tumino R, van der A DL, Zamora-Ros R, Sharp SJ, Langenberg C, Forouhi NG, Riboli E, Wareham NJ. Eur J Clin Nutr (2013). doi: 10.1038/ejcn.2013.235.

Metabolomics platforms for genome wide association studies - linking the genome to the metabolome. Adamski J, Suhre K. Curr Opin Biotech (2013). 24:39-47.

Metabolomic profiles in individuals with negative affectivity and social inhibition: A population-based study of Type D personality. Altmaier E, Emeny RT, Krumsiek J, Lacurz ME, Lukaschek K, Häfner S, Kastenmüller G, Römisch-Margl W, Prehn C, Mohney RP, Evans AM, Milburn MV, Illig T, Adamski J, Theis F, Suhre K, Ladwig KH. Psychoneuroendocrinology (2013). 38:1299-309.

Glucagon increases circulating fibroblast growth factor 21 independently of endogenous insulin levels: a novel mechanism of glucagon-stimulated lipolysis? Arafat AM, Kaczmarek P, Skrzypski M, Pruszynska-Oszmalek E, Kolodziejki P, Szczepankiewicz D, Sassek M, Wojciechowicz T, Wiedenmann B, Pfeiffer AF, Nowak KW, Strowski MZ. Diabetologia (2013). 56:588-97.

Acute sleep deprivation delays the glucagon-like peptide 1 peak response to breakfast in healthy men. Benedict C, Barclay JL, Ott V, Oster H, Hallschmid M. Nutr Diabetes (2013). 3:e78.

Impaired glucose tolerance in rats fed low-carbohydrate, high-fat diets. Bielohuby M, Sisley S, Sandoval DA, Herbach N, Zengin A, Fischereder M, Menhofer D, Stoehr BJ, Stemmer K, Wanke R, Tschöp MH, Seeley RJ, Bidlingmaier M. Am J Physiol Endocrinol Metab (2013). 305:E1059-70.

Activin A impairs insulin action in cardiomyocytes via up-regulation of miR-143. Blumensatt M, Greulich S, Herzfeld de Wiza D, Mueller H, Maxhera B, Rabelink MJ, Hoeben RC, Akhyari P, Al-Hasani H, Ruige JB, Ouwendam DM. Cardiovasc Res (2013). 100:201-10.

Fibroblast growth factor 21 predicts the metabolic syndrome and type 2 diabetes in Caucasians. Bobbert T, Schwarz F, Fischer-Rosinsky A, Pfeiffer AF, Mohlig M, Mai K and Spranger J. Diabetes Care (2013). 36: 145-149.

A strategy to find gene combinations that identify children who progress rapidly to type 1 diabetes after islet autoantibody seroconversion. Bonifacio E, Krumsiek J, Winkler C, Theis FJ, Ziegler AG. Acta Diabetol (2013). doi:10.1007/s00592-013-0526-2.

Meta-analysis of genome-wide association studies identifies ten loci influencing allergic sensitization. Bønnelykke K, Matheson MC, Pers TH, Granell R, Strachan DP, Alves AC, Linneberg A, Curtin JA, Warrington NM, Standl M, Kerkhof M, Jonsdottir I, Bukvic BK, Kaakinen M, Sleiman P, Thorleifsson G, Thorsteinsdottir U, Schramm K, Baltic S, et al. Nat Genet (2013). 45:902.

Publications 2013



DZD
Deutsches Zentrum
für Diabetesforschung

Mesenchymal stromal cells improve transplanted islet survival and islet function in a syngeneic mouse model. Borg DJ, Weigelt M, Wilhelm C, Gerlach M, Bickle M, Speier S, Bonifacio E, Hommel A. Diabetologia (2013). doi:10.1007/s00125-013-3109-4.

T-helper-1-cell cytokines drive cancer into senescence. Braumüller H, Wieder T, Brenner E, Aßmann S, Hahn M, Alkhaled M, Schilbach K, Essmann F, Kneilling M, Griessinger C, Ranta F, Ullrich S, Mocikat R, Braungart K, Mehra T, Fehrenbacher B, Berdel J, Niessner H, Meier F, van den Broek M, Häring HU, et al. Nature (2013). 494(7437):361-5.

Genetic variation in the vaspin gene affects circulating serum vaspin concentrations. Breitfeld J, Tönjes A, Böttcher Y, Schleinitz D, Wiele N, Marzi C, Brockhaus C, Rathmann W, Huth C, Grallert H, Illig T, Blüher M, Kovacs P, Stumvoll M. Int J Obes (2013). 37:861-866.

Plasma 25-hydroxyvitamin D and its genetic determinants in relation to incident type 2 diabetes: a prospective case-cohort study. Buijsse B, Boeing H, Hirche F, Weikert C, Schulze MB, Gottschald M, Kühn T, Katzke VA, Teucher B, Dierkes J, Stangl GI, Kaaks R. Eur J Epidemiol (2013). 28:743-52.

Foxa2-venus fusion reporter mouse line allows live-cell analysis of endoderm-derived organ formation. Burtscher I, Barkey W, Lickert H. Genesis (2013). 51:596-604.

Altered lipid and salt taste responsivity in Ghrelin and GOAT Null Mice. Cai H, Cong WN, Daimon CM, Wang R, Tschöp MH, Sévigny J, Martin B, Maudsley S. PLoS One (2013). 8:e76553.

Assessment of small fiber neuropathy through a quick, simple and non invasive method in a German diabetes outpatient clinic. Calvet JH, Dupin J, Winiecki H, Schwarz PE. Exp Clin Endocrinol Diabetes (2013). 121: 80-83.

Sfrp5 correlates with insulin resistance and oxidative stress. Carstensen M, Herder C, Kempf K, Erlund I, Martin S, Koenig W, Sundvall J, Bidel S, Kuha S, Roden M, Tuomilehto J. Eur J Clin Invest (2013). 43:350–357.

The effects of vertical sleeve gastrectomy in rodents are ghrelin independent. Chambers AP, Kirchner H, Wilson-Perez HE, Willency JA, Hale JE, Gaylinn BD, Thorner MO, Pfluger PT, Gutierrez JA, Tschöp MH, Sandoval DA, Seeley RJ. Gastroenterology (2013). 144:50-52.

Simultaneous extraction of metabolome and lipidome with methyl tert-butyl ether from a single small tissue sample for the ultra-high performance liquid chromatography/mass spectrometry. Chen S, Hoene M, Li J, Li Y, Zhao X, Häring HU, Schleicher ED, Weigert C, Xu G, Lehmann R. J Chrom A (2013).1298: 9-16.

Activin A is associated with impaired myocardial glucose metabolism and left ventricular remodeling in patients with uncomplicated type 2 diabetes. Chen WJ, Greulich S, van der Meer RW, Rijzewijk LJ, Lamb HJ, de Roos A, Smit JW, Romijn JA, Ruige JB, Lammertsma AA, Lubberink M, Diamant M, Ouwendam DM. Cardiovasc Diabetol. (2013). 12:150.

Publications 2013



Medication Costs by Glucose Tolerance Stage in Younger and Older Women and Men: Results from the Population-based KORA Survey in Germany. Claessen H, Strassburger K, Tepel M, Waldeyer R, Chernyak N, Jülich F, Albers B, Bächle C, Rathmann W, Meisinger C, Thorand B, Hunger M, Schunk M, Stark R, Rückert IM, Peters A, Huth C, Stöckl D, Giani G, Holle R, Icks A. *Experimental and Clinical Endocrinology & Diabetes* (2013). 121:614-23.

Validity and applicability of membrane model systems for studying interactions of peripheral membrane proteins with lipids. Czogalla A, Grzybek M, Jones W, Coskun U. *Biochim Biophys Acta* (2013). pii: S1388-1981(13)00285-0.

Peri-conceptional obesogenic exposure induces sex-specific programming of disease susceptibilities in adult mouse offspring. Dahlhoff M, Pfister S, Blutke A, Rozman J, Klingenspor M, Deutsch MJ, Rathkolb B, Fink B, Gimpfl M, Hrabé de Angelis M, Roscher AA, Wolf E, Ensenauer R. *Biochim Biophys Acta* (2013). 1842:304-317.

Is physical exercise a core therapeutical element for most patients with type 2 diabetes?
De Feo P, Schwarz P. *Diabetes Care* (2013). 36:149-154.

Large-scale association analysis identifies new risk loci for coronary artery disease.
Deloukas P, Kanoni S, Willenborg C, Farall M, Assimes TL, Thompson JR, Ingelsson E, Saleheen D, Erdman J, Goldstein BA, Stirrups K, König IR, Cazier JB, Johansson A, Hall AS, Lee JY, Willer CJ, Chambers JC, Eski T, Folkersen L, Goel A, Peters A, Meisinger C, et.al. *Nat Genet* (2013). 45:25-35.

InterAct Consortium. Age at menarche and type 2 diabetes risk: the EPIC-InterAct study.
Elks CE, Ong KK, Scott RA, van der Schouw YT, Brand JS, Wark PA, Amiano P, Balkau B, Barricarte A, Boeing H, Fonseca-Nunes A, Franks PW, Grioni S, Halkjaer J, Kaaks R, Key TJ, Khaw KT, Mattiello A, Nilsson PM, Overvad K, Palli D, Quirós JR, Rinaldi S, Rolandsson O, Romieu I, Sacerdote C, Sánchez MJ, Spijkerman AM, Tjønneland A, Tormo MJ, Tumino R, van der A DL, Forouhi NG, Sharp SJ, Langenberg C, Riboli E, Wareham NJ. *Diabetes Care* (2013). 36:3526-34.

BMP4 and BMP7 induce the white-to-brown transition of primary human adipose stem cells.
Elsen M, Raschke S, Tennagels N, Schwahn U, Jelenik T, Roden M, Romacho T, Eckel J. *Am J Physiol Cell Physiol* (2013). doi:10.1152/ajpcell.00290.2013.

The Sox17 CreERT2 knock-in mouse line displays spatiotemporal activation of Cre recombinase in distinct Sox17 lineage progenitors. Engert S, Burtscher I, Kalali B, Gerhard M, Lickert H. *Genesis* (2013). doi:10.1002/dvg.22714.

Wnt/β-catenin signalling regulates Sox17 expression and is essential for organizer and endoderm formation in the mouse. Engert S, Burtscher I, Liao WP, Dulev S, Schotta G, Lickert H. *Development* (2013). 140(15):3128-38.

Measuring T cell receptor and T cell gene expression diversity in antigen-responsive human CD4+ T cells. Eugster A, Lindner A, Heninger A-K, Wilhelm C, Dietz S, Catani M, Ziegler A-G, Bonifacio E. *J Immunol Methods* (2013). 400-401:13–22.

Publications 2013



DZD
Deutsches Zentrum
für Diabetesforschung

The Cancer-Associated FGFR4-G388R Polymorphism Enhances Pancreatic Insulin Secretion and Modifies the Risk of Diabetes. Ezzat S, Zheng L, Florez JC, Stefan N, Mayr T, Hliang MM, Jablonski K, Harden M, Stančáková A, Laakso M, Häring HU, Ullrich A, Asa SL. *Cell Metabolism* (2013). 17: 929-940.

Trajectories of cardiometabolic risk factors before diagnosis of three subtypes of type 2 diabetes: a post-hoc analysis of the longitudinal Whitehall II cohort study. Færch K, Witte DR, Tabák AG, Perreault L, Herder C, Brunner EJ, Kivimäki M, Vistisen D. *Lancet Diabetes Endocrinol* (2013). 1:43–51.

Life satisfaction and risk of chronic diseases in the European prospective investigation into cancer and nutrition (EPIC)-Germany study. Feller S, Teucher B, Kaaks R, Boeing H, Vigl M. *PLoS One* (2013). 8:e73462.

Early metabolic markers of the development of dysglycemia and type 2 diabetes and their physiological significance. Ferrannini E, Natali A, Camasta S, Nannipieri M, Mari A, Adam K-P, Milburn MV, Kastenmüller G, Adamski J, Tuomi T, Lyssenko V, Groop L, Gall WE. *Diabetes* (2013). 62:1730-1737.

Biallelic expression of nanog protein in mouse embryonic stem cells. Filipczyk A, Gkatzis K, Fu J, Hoppe PS, Lickert H, Anastassiadis K, Schroeder T. *Cell Stem Cell* (2013). 13:12-3.

Unimolecular dual incretins maximize metabolic benefits in rodents, monkeys, and humans. Finan B, Ma T, Ottaway N, Müller TD, Habegger KM, Heppner KM, Kirchner H, Holland J, Hembree J, Raver C, Lockie SH, SMiley DL, Gelfanov V, Yang B, Hofmann S, Bruemmer D, Drucker DJ, Pfluger PT, et.al. *Sci Transl Med* (2013). 5:209ra151.

Aldosterone excess impairs first phase insulin secretion in primary aldosteronism. Fischer E, Adolf C, Pallauf A, Then C, Bidlingmaier M, Beuschlein F, Seissler J, Reincke M. *J Clin Endocrinol Metab* (2013). 98:2513-20.

Identification of serum metabolites associated with risk of type 2 diabetes using a targeted metabolomic approach. Floegel A, Stefan N, Yu Z, Mühlenbruch K, Drogan D, Joost HG, Fritsche A, Häring HU, Hrabě de Angelis M, Peters A, Roden M, Prehn C, Wang-Sattler R, Illig T, Schulze MB, Adamski J, Boeing H, Pischon T. *Diabetes* (2013). 62:639-648.

Variation of serum metabolites related to habitual diet: A targeted metabolomic approach in EPIC-Potsdam. Floegel A, von Ruesten A, Drogan D, Schulze MB, Prehn C, Adamski J, Pischon T, Boeing H. *Eur J Clin Nutr* (2013). 67:1100-1108.

Liquid chromatography-mass spectrometry in metabolomics research: Mass analyzers in ultra high pressure liquid chromatography coupling. Forcisi S, Moritz F, Kanawati B, Tziotis D, Lehmann R, Schmitt-Kopplin P. *J Chromatogr A* (2013). 1292:51-65.

Long-term stabilization effects of leptin on brain functions in a leptin-deficient patient. Frank S, Heni M, Moss A, von Schnurbein J, Farooqi S, Häring HU, Fritsche A, Preissl H, Wabitsch M. *PLoS One* (2013). 8(6):e65893.

Publications 2013



DZD
Deutsches Zentrum
für Diabetesforschung

Olive oil aroma extract modulates cerebral blood flow in gustatory brain areas in humans.

Frank S, Linder K, Fritzsche L, Hege MA, Kullmann S, Krzeminski A, Fritzsche A, Schieberle P, Somoza V, Hinrichs J, Veit R, Preissl H. Am J Clin Nutr. (2013). 98(5):1360-6.

Altered brain activity in severely obese women may recover after Roux-en Y gastric bypass surgery.

Frank S, Wilms B, Veit R, Ernst B, Thurnheer M, Kullmann S, Fritzsche A, Birbaumer N, Preissl H, Schultes B. Int J Obes (Lond). (2013). Apr 29. doi: 10.1038/ijo.2013.60.

Efficient isolation of pure and functional mitochondria from mouse tissues using automated tissue disruption and enrichment with anti-TOM22 magnetic beads. Frankó A, Baris OR, Bergschneider E, von Toerne C, Hauck SM, Aichler MY, Walch AK, Wurst W, Wlesner RJ, Johnston ICD, Hrabé de Angelis M. PLoS ONE (2013). 8:e82392.

Liver adapts mitochondrial function to insulin resistant and diabetic states in mice.

Frankó A, Kleist-Retzow JC, Neschen S, Wu M, Schommers P, Böse M, Kunze A, Hartmann U, Sanchez-Lasheras C, Stoehr O, Huntgeburth M, Brodesser S, Irmler M, Becker J, Hrabé de Angelis M, Paulsson M, Schubert M, Wiesner RJ. J Hepatol. (2013). doi: 10.1016/j.jhep.2013.11.020.

Intranasal insulin as a treatment for Alzheimer's disease: a review of basic research and clinical evidence. Freiherr J, Hallschmid M, Frey WH 2nd, Brünner YF, Chapman CD, Hölscher C, Craft S, De Felice FG, Benedict C. CNS Drugs (2013). 27(7):505-14.

Hypothalamic astrocytes in obesity. Garcia-Cáceres C, Yi CX, Tschöp MH. Endocrinol Metab Clin North Am (2013). 42:57-66.

Cardioprotective properties of omentin-1 in type 2 diabetes: evidence from clinical and in vitro studies. Greulich S, Chen WJ, Maxhera B, Rijzewijk LJ, van der Meer RW, Jonker JT, Mueller H, de Wiza DH, Floerke RR, Smiris K, Lamb HJ, de Roos A, Bax JJ, Romijn JA, Smit JW, Akhyari P, Lichtenberg A, Eckel J, Diamant M, Ouwend DM. PLoS One (2013). 8(3):e59697.

Toll-like receptor 4 deficiency accelerates the development of insulin-deficient diabetes in non-obese diabetic mice. Gülden E, Ihira M, Ohashi A, Reinbeck AL, Freudenberg MA, Kolb H, Burkart V. PLoS One (2013). 8:e75385 .

Duodenal nutrient exclusion improves metabolic syndrome and stimulates villus hyperplasia.

Habegger KM, Al-Massadi O, Heppner KM, Myronovych A, Holland J, Berger J, Yi CX, Gao Y, Lehti M, Ottaway N, Amburgy S, Raver C, Müller TD, Pfluger PT, Kohli R, Perez-Tilve D, Seeley RJ, Tschöp MH. Gut (2013). doi: 10.1136/gutjnl-2013-304583.

GLP-1R agonism enhances adjustable gastric banding in diet-induced obese rats.

Habegger KM, Kirchner H, Yi CX, Heppner KM, Sweeney D, Ottaway N, Holland J, Amburgy S, Raver C, Krishna R, Müller TD, Perez-Tilve D, Pfluger PT, Obici S, DiMarchi RD, D'Alessio DA, Seeley RJ, Tschöp MH. Diabetes (2013). 62:3261-7.

Fibroblast growth factor 21 mediates specific glucagon actions. Habegger KM, Stemmer K, Cheng C, Müller TD, Heppner KM, Ottaway N, Holland J, Hembree JL, Smiley D, Gelfanov V, Krishna R, Arafat AM, Konkar A, Belli S, Kapps M, Woods SC, Hofmann SM, D'Alessio D, Pfluger PT, Perez-Tilve D, Seeley RJ, Konishi M, et.al. *Diabetes* (2013). 62:1453-63.

Genome-wide association study identifies three novel loci for type 2 diabetes. Hara J, Fujita H, Johnson TA, Yamauchi T, Yasuda K, Horikoshi M, Peng C, Hu C, Ma RC, Imamura M, Iwata M, Tsunoda T, Morizono T, Shojima N, So WY, Leung TF, Kwan P, Zhang R, Wang J, Yu W, et.al. *Hum Mol Genet* (2013). 23:239-246.

Differential colonization with segmented filamentous bacteria and *Lactobacillus murinus* do not drive divergent development of diet-induced obesity in C57BL/6 mice. Harley IT, Giles DA, Pfluger PT, Burgess SL, Walter S, Hembree J, Raver C, Rewerts CL, Downey J, Flick LM, Stankiewicz TE, McAlees JW, Wills-Karp M, Balfour Sartor R, Divanovic S, Tschöp MH, Karp CL. *Mol Metab* (2013). 2:171-183.

Validation of the German Diabetes Risk Score within a population-based representative cohort. Hartwig S, Kuss O, Tiller D, Greiser KH, Schulze MB, Dierkes J, Werdan K, Haerting J, Kluttig A. *Diabet Med* (2013). 30:1047-53.

Secretome profiling of primary human skeletal muscle cells. Hartwig S, Raschke S, Knebel B, Scheler M, Irmler M, Passlack W, Muller S, Hanisch FG, Franz T, Li X, Dicken HD, Eckardt K, Beckers J, de Angelis MH, Weigert C, Häring HU, Al-Hasani H, Ouwend DM, Eckel J, Kotzka J, Lehr S. *Biochim Biophys Acta*. (2013). doi: 10.1016/j.bbapap.2013.08.004.

Working memory related brain activity is associated with outcome of lifestyle intervention. Hege M, Stingl K, Ketterer C, Häring H, Heni M, Fritzsche A, Preissl H. *Obesity* (2013). doi: 10.1002/oby.20442.

Differential effect of glucose ingestion on the neural processing of food stimuli in lean and overweight adults. Heni M, Kullmann S, Ketterer C, Guthoff M, Bayer M, Staiger H, Machicao F, Häring HU, Preissl H, Veit R, Fritzsche A. *Hum Brain Mapp* (2013). doi: 10.1002/hbm.22223.

Genetic variation in NR1H4 encoding the bile acid receptor FXR determines fasting glucose and free fatty acid levels in humans. Heni M, Wagner R, Ketterer C, Böhm A, Linder K, Machicao F, Machann J, Schick F, Hennige AM, Stefan N, Häring HU, Fritzsche A, Staiger H. *J Clin Endocrinol Metab* (2013). 98:E1224-E1229.

Association of Subclinical Inflammation With Polyneuropathy in the Older Population: KORA F4 study. Herder C, Bongaerts BW, Rathmann W, Heier M, Kowall B, Koenig W, Thorand B, Roden M, Meisinger C, Ziegler D. *Diabetes Care* (2013). 36:3663–3670.

Interleukin-6 promotes myogenic differentiation of mouse skeletal muscle cells: Role of the STAT3 pathway. Hoene M, Runge H, Häring HU, Schleicher ED, Weigert C. *Am J Physiol Cell Physiol* (2013). 304:C128-C136.

Publications 2013



DZD
Deutsches Zentrum
für Diabetesforschung

A Broad Phenotypic Screen Identifies Novel Phenotypes Driven by a Single Mutant Allele in Huntington's Disease CAG Knock-In Mice. Höltner SM, Stromberg M, Kovalenko M, Garrett L, Glasl L, Hrabé de Angelis, et.al. PLoS One (2013). 8:e80923.

Postpartum outcomes in women with gestational diabetes and their offspring: POGO study design and first-year-results. Hummel S, Much D, Rossbauer M, Ziegler AG, Beyerlein A. Rev Diabet (2013). 10:49-57.

Risk for high depressive symptoms in diagnosed and previously undetected diabetes: 5-year follow-up results of the Heinz Nixdorf Recall study. Icks A, Albers B, Haastert B, Pechlivanis S, Pundt N, Slomiany U, Erbel R, Jöckel KH, Kruse J, Kulzer B, Nowotny B, Herder C, Giani G, Moebus S. PLoS One (2013). 8:e56300.

Drug Costs in Prediabetes and Undetected Diabetes Compared With Diagnosed Diabetes and Normal Glucose Tolerance: Results From the Population-Based KORA Survey in Germany. Icks A, Claessen H, Strassburger K, Tepel M, Waldeyer R, Chernyak N, Albers B, Baechle C, Rathmann W, Meisinger C, Thorand B, Hunger M, Schunk M, Stark R, Rückert IM, Peters A, Huth C, Stöckl D, Giani G, Holle R. Diabetes Care (2013). 36:e53-4.

Drug Costs in Prediabetes and Undetected Diabetes Compared With Diagnosed Diabetes and Normal Glucose Tolerance: Results From the Population-Based KORA Survey in Germany. Icks A, Claessen H, Strassburger K, Tepel M, Waldeyer R, Chernyak N, Albers B, Baechle C, Rathmann W, Meisinger C, Thorand B, Hunger M, Schunk M, Stark R, Rückert IM, Peters A, Huth C, Stöckl D, Giani G, Holle R. Diabetes Care (2013). 36(4):e53-4.

Patient time costs attributable to healthcare use in diabetes: results from the population-based KORA survey in Germany. Icks A, Claessen H, Strassburger K, Waldeyer R, Chernyak N, Jülich F, Rathmann W, Thorand B, Meisinger C, Huth C, Rückert IM, Schunk M, Giani G, Holle R. Diabetic Medicine (2013). 30:1245-1249.

Reporter islets in the eye reveal the plasticity of the endocrine pancreas. Illegems E, Dicker A, Speier S, Sharma, A, Bahow A, Edlund PK, Leibiger IB, Berggren PO. PNAS (2013). 110:20581-6.

The association between dietary energy density and type 2 diabetes in Europe: results from the EPIC-InterAct Study. InterAct Consortium, van den Berg SW, van der A DL, Spijkerman AM, van Woudenberg GJ, Tijhuis MJ, Amiano P, Ardanaz E, Beulens JW, Boeing H, Clavel-Chapelon F, Crowe FL, de Lauzon-Guillain B, Fagherazzi G, Franks PW, Freisling H, Gonzalez C, Grioni S, Halkjaer J, Huerta JM, Huybrechts I, Kaaks R, Khaw KT, Masala G, Nilsson PM, Overvad K, Panico S, Quirós JR, Rolandsson O, Sacerdote C, Sánchez MJ, Schulze MB, Slimani N, Struijk EA, Tjonneland A, Tumino R, Sharp SJ, Langenberg C, Forouhi NG, Feskens EJ, Riboli E, Wareham NJ. PLoS One (2013). 8:e59947.

ALDH1B1 is a potential stem / progenitor marker for multiple pancreas progenitor pools. Ioannou M, Serafimidis I, Sussel L, Arnes L, Singh S, Vasiliou V, Gavalas A. Dev Biol (2013). 374:153-63.

Publications 2013



DZD
Deutsches Zentrum
für Diabetesforschung

Characterization of drug-induced transcriptional modules: towards drug repositioning and functional understanding. Iskar M, Zeller G, Blattmann, P, Campillos M, Kuhn M, Kaminska K-H, Runz H, Gavin A-C, Pepperkok R, van Noort V, Bork, P. Mol Syst Biol (2013). 9:662.

Metformin inhibits goitrogenous effects of type 2 diabetes. Ittermann T, Markus MR, Schipf S, Derwahl M, Meisinger C, Völzke H. Eur J Endocrinol (2013). 169:9-15.

Age-dependent labeling and imaging of insulin secretory granules. Ivanova A, Kalaidzidis Y, Dirkx R, Sarov M, Gerlach M, Schroth-Diez B, Müller A, Liu Y, Andree C, Mulligan B, Münster C, Kurth T, Bickle M, Speier S, Anastassiadis K, Solimena M. Diabetes (2013). 62:3687-96.

Alcohol-induced metabolomic differences in humans. Jaremek M, Yu Z, Mangino M, Mittelstrass K, Prehn C, Singmann P, Xu T, Dahmen N, Weinberger KM, Suhre K, Peters A, Döring A, Hauner H, Adamski J, Illig T, Spector TD, Wang Sattler R. Transl Psychiatry (2013). 3:e276.

Associations between thyroid hormones and serum metabolite profiles in an euthyroid population. Jourdan C, Linseisen J, Meisinger C, Petersen AK, Gieger C, Rawal R, Illig T, Heier M, Peters A, Wallaschofski H, Nauck M, Kastenmüller G, Suhre K, Prehn C, Adamski J, Koenig W, Roden M, Wichmann HE, Völzke H. Metabolomics (2013). doi: 10.1007/s11306-013-0563-4.

Phenotypic comparison of common mouse strains developing high-fat diet-induced hepatosteatosis. Kahle M, Horsch M, Fridrich B, Seelig A, Schultheiß J, Leonhardt J, Irmler M, Beckers J, Rathkolb B, Wolf E, Franke N, Gailus-Durner V, Fuchs H, de Angelis MH, Neschen S. Molecular Metabolism (2013). 2:435-46.

Regulation of forkhead box O1 (FOXO1) by protein kinase B and glucocorticoids: different mechanisms of induction of beta cell death in vitro. Kaiser G, Gerst F, Michael D, Berchtold S, Friedrich B, Strutz-Seeböhm N, Lang F, Häring HU, Ullrich S. Diabetologia (2013). 56:1587-95.

Low Levels of Serum 25-Hydroxyvitamin D Are Associated with Increased Risk of Myocardial Infarction, especially in Women: Results from the MONICA/KORA Augsburg Case-Cohort Study. Karakas M, Thorand B, Zierer A, Huth C, Meisinger C, Roden M, Rottbauer W, Peters A, Koenig W, Herder C. J Clin Endocrinol Metab (2013). 98:272–280.

Skeletal muscle expression of phosphofructokinase is influenced by genetic variation and associated with insulin sensitivity. Keildson S, Fadista J, Ladenvall C, Hedman AK, Elgzyri T, Small KS, Grundberg E, Nica AC, Glass D, Richards JB, Barret A, Nisbet J, Zheng HF, Rönn T, Ström K, Eriksson KF, Prokopenko I, MAGIC Consortium, DIAGRAM Consortium, MuTHER Consortium, et.al. Diabetes (2013). doi: 10.2337/db13-1301.

Standardized, Systemic Phenotypic Analysis of Umod (C93F) and Umod (A227T) mutant mice. Kemter E, Prückl P, Rathkolb B, Micklich K, Adler T, Becker L, Beckers J, Busch DH, Götz AA, Hans W, Horsch M, Ivandic B, Klingenspor M, Klopstock T, Rozman J, Schrewe A, Schulz H, Fuchs H, Galius-Durner V, Hrabé de Angelis M, Wolf E, Aigner B. PLoS One (2013). 8:e78337.

Publications 2013



Polymorphism rs3123554 in CNR2 reveals gender-specific effects on body weight and affects loss of body weight and cerebral insulin action. Ketterer C, Heni M, Stingl K, Tschritter O, Linder K, Wagner R, Machicao F, Häring HU, Preissl H, Staiger H, Fritzsche A. *Obesity* (2013). doi 10.1002/oby.20573.

Spare mitochondrial respiratory capacity permits human adipocytes to maintain ATP homeostasis under hypoglycemic conditions. Keuper M, Jastroch M, Yi CX, Fischer-Posovszky P, Wabitsch M, Tschöp MH, Hofmann SM. *FASEB J* (2013). doi:10.1096/fj.13238725.

Ablation of ghrelin O-acyltransferase does not improve glucose intolerance or body adiposity in mice on a leptin-deficient ob/ob background. Kirchner H, Heppner KM, Holland J, Kabra D, Tschöp MH, Pfluger PT. *PLoS One* (2013).8:e61822.

NMDA receptor blockade by memantine does not prevent adaptation to recurrent hypoglycaemia in healthy men. Klement J, Pais I, Strube J, Lehnert H, Peters A, Hallschmid M, Born J. *Diabetes Obes Metab* (2013). 15(4):310-5.

Associations between longevity of parents and glucose regulation in their offspring: the KORA S4/F4 Study. Kowall B, Peters A, Thorand B, Rathmann W, Meisinger C. *Diabetologia* (2013). 56(2):268-74.

Are diabetes risk scores useful for the prediction of cardiovascular diseases? Assessment of seven diabetes risk scores in the KORA S4/F4 cohort study. Kowall B, Rathmann W, Bongaerts B, Thorand B, Belcredi P, Heier M, Huth C, Rückert IM, Stöckl D, Peters A, Meisinger C. *J Diabetes Complications* (2013). 27:340-5.

Effects of immunosuppression on alpha and beta cell renewal in transplanted mouse islets. Krautz C, Wolk S, Steffen A, Knoch KP, Ceglarek U, Thiery J, Bornstein S, Saeger HD, Solimena M, Kersting S. *Diabetologia* (2013). 56:1596-604.

Functional network connectivity underlying food processing: disturbed salience and visual processing in overweight and obese adults. Kullmann S, Pape AA, Heni M, Ketterer C, Schick F, Häring HU, Fritzsche A, Preissl H, Veit R. *Cereb Cortex* (2013). 23(5):1247-56.

Depression of mitochondrial respiration during daily torpor of the Djungarian hamster, Phodopus sungorus, is specific for liver and correlates with body temperature. Kutschke M, Grimpel K, Kastl A, Schneider S, Heldmaier G, Exner C, Jastroch M. *Comp Biochem Physiol A Mol Integr Physiol* (2013). 164:584-9.

Genetic associations of type 2 diabetes with islet amyloid polypeptide processing and degrading pathways in asian populations. Lam VK, Ma RC, Lee HM, Hu C, Park KS, Furuta H, Wang Y, Tam CH, Sim X, Ng DP, Liu J, Wong TY, Tai ES, Morris AP, DIAGRAM Consortium. *PLoS ONE* (2013). 8:e62378.

Circulating Lysophosphatidylcholines Are Markers of a Metabolically Benign Nonalcoholic Fatty Liver. Lehmann R, Franken H, Dammeier S, Rosenbaum L, Kantartzis K, Peter A, Zell A, Adam P, Li J, Xu G, Königsrainer A, Machann J, Schick F, Hrabé de Angelis M, Schwab M, Staiger H, Schleicher E, Gastaldelli A, Fritzsche A, Häring HU, Stefan N. *Diabetes Care* (2013). 36:2331-8.

Publications 2013

High-density lipoprotein maintains skeletal muscle function by modulating cellular respiration in mice. Lehti M, Donelan E, Abplanalp W, Al-Massadi O, Habegger KM, Weber J, Pfluger P, Hofmann SM, et.al. Circulation (2013). 128:2364-2371.

A genome-wide association study identifies GRK5 and RASGRP1 as type 2 diabetes loci in Chinese. Li H, Gan W, Lu L, Dong X, Han X, Hu C, Yang Z, Sun L, Bao, Li P, He M, Wang Y, Zhu J, Ning Q, Tang Y, Zhang R, Wen J, Wang D, Zhu X, Guo K, ZUo X, Guo X, Yang H, Zhou X, DIAGRAM Consortium, et. al. Diabetes (2013). 62:291-298.

Stable isotope-assisted lipidomics combined with non-targeted isotopomer filtering, a novel tool to unravel the complex dynamics of lipid metabolism. Li J, Hoene M, Zhao X, Chen S, We H, Häring HU, Lin F, Zeng Z, Weigert C, Lehmann R, Xu G. Anal Chem (2013). 85:4651-4657.

Betatrophin Fuels β Cell Proliferation: First Step toward Regenerative Therapy?
Lickert H. Cell Metab. (2013). 18(1):5-6.

Ghrelin and cannabinoids require the ghrelin receptor to affect cellular energy metabolism.
Lim CT, Kola B, Feltrin D, Perez-Tilve D, Tschöp MH, Grossman AB, Korbonits M.
Mol Cell Endocrinol (2013). 365:303-8.

Mitochondrial substrate availability and its role in lipid-induced insulin resistance and proinflammatory signalling in skeletal muscle. Lipina C, Macrae K, Suhm T, Weigert C, Blachnio-Zabielska A, Baranowski M, Gorski J, Burgess K, Hundal HS. Diabetes (2013). 62:3426-3436.

HitPick: a web server for hit identification and target prediction of chemical screenings.
Liu X, Vogt I, Haque T, Campillos M. Bioinformatics (2013). 29:1910-1912.

Transplantation of human islets without immunosuppression. Ludwig B, Reichel A, Steffen A, Zimmerman B, Schally AV, Block NL, Colton CK, Ludwig S, Kersting S, Bonifacio E, Solimena M, Gendler Z, Rotem A, Barkai U, Bornstein SR. PNAS (2013). 110:19054-8.

Relationship between posttraumatic stress disorder and type 2 diabetes in a population-based cross-sectional study with 2970 participants. Lukaschek K, Baumert J, Kruse J, Emeny RT, Lacruz ME, Huth C, Thorand B, Holle R, Rathmann W, Meisinger C, Ladwig KH, KORA Investigators. J Psychosom Res (2013). 74:340-5.

Retinal Proteome Alterations in a Mouse Model of Type 2 Diabetes. Ly A, Scheerer M, Zukunft S, Muschet C, Merl J, Adamski J, Hrabě de Angelis M, Neschen S, Hauck S, Ueffing M. Diabetologia (2013). 57:192-203.

Genome-wide association study in a Chinese population identifies a susceptibility locus for type 2 diabetes at 7q32 near PAX4. Ma RC, HU C, Tam CH, Zhang R, Kwan P, Leung TF, Thomas GN, Go MJ, Hara K, Sim X, HO JS, Wang C, Li H, Lu L, Wang Y, Li JW, Lam VK, Wang J, Yu W, Kim YJ, Ng DP, Fujita H, Panoutsopolou K, et.al. Diabetologia (2013). 56:1291-1305.

Fraction of unsaturated fatty acids in visceral adipose tissue (VAT) is lower in subjects with high total VAT volume - a combined (1) H MRS and volumetric MRI study in male subjects.

Machann J, Stefan N, Schabel C, Schleicher E, Fritzsche A, Würslin C, Häring HU, Claussen CD, Schick F. *NMR Biomed* (2013). 26: 232-236.

Mouse Pancreas Tissue Slice Culture Facilitates Long-Term Studies of Exocrine and Endocrine Cell Physiology in situ. Marcinia A, Selck C, Friedrich B, Speier S. *PloS One* (2013). 8:e78706.

Acute-Phase Serum Amyloid A Protein and Its Implication in the Development of Type 2 Diabetes in the KORA S4/F4 Study. Marzi C, Huth C, Herder C, Baumert J, Thorand B, Rathmann W, Meisinger C, Wichmann HE, Roden M, Peters A, Grallert H, Koenig W, Illig T. *Diabetes Care* (2013). 36:1321-6.

Impact of common regulatory single-nucleotide variants on gene expression profiles in whole blood. Mehta D, Heim K, Herder C, Carstensen M, Eckstein G, Schurmann C, Homuth G, Nauck M, Völker U, Roden M, Illig T, Gieger C, Meitinger T, Prokisch H. *Eur J Hum Genet* (2013). 21:48-54.

Serum potassium is associated with prediabetes and newly diagnosed diabetes in hypertensive adults from the general population: The KORA F4-Study. Meisinger C, Stöckl D, Rückert IM, Döring A, Thorand B, Heier M, Huth C, Belcredi P, Kowall B, Rathmann W. *Diabetologia* (2013). 56:484-91.

Targeted metabolomics profiles are strongly correlated with nutritional patterns in women. Menni C, Zhai G, MacGregor A, Prehn C, Römisch-Margl W, Suhre K, Adamski J, Cassidy A, Illig T, Spector TD, Valdes AM. *Metabolomics* (2013). 9(2):506-514.

Assessing improvement in disease prediction using net reclassification improvement: impact of risk cut-offs and number of risk categories. Mühlensbruch K, Heraclides A, Steyerberg EW, Joost HG, Boeing H, Schulze MB. *Eur J Epidemiol* (2013). 28:25-33.

The Value of Genetic Information for Diabetes Risk Prediction – Differences According to Sex, Age, Family History and Obesity. Mühlensbruch K, Jeppesen C, Joost HG, Boeing H, Schulze MB. *PloS One* (2013). 8:e64307.

Assessment of small fiber neuropathy to predict future risk of type 2 diabetes. Muller G, Parfentyeva E, Olschewsky J, Bornstein SR, Schwarz PE. *Prim Care Diabetes* (2013). 7:269-73.

p62 links β-adrenergic input to mitochondrial function and thermogenesis. Müller TD, Lee SJ, Jastroch M, Kabra D, Stemmer K, Aichler M, Abplanalp B, Ananthakrishnan G, Bhardwaj N, Collins S, Divanovic S, Endelev M, Finan B, Gao Y, Habegger KM, Hembree J, Heppner KM, Hofmann S, Holland J, Küchler D, Kutschke M, Krishna R, et.al. *J Clin Invest* (2013). 123:469-78.

The orphan receptor Gpr83 regulates systemic energy metabolism via ghrelin-dependent and ghrelin-independent mechanisms. Müller TD, Müller A, Yi CX, Habegger KM, Meyer CW, Gaylinn BD, et.al. *Nat Commun* (2013). 4:1968.

Emerging function of fat mass and obesity-associated protein. Müller TD, Tschöp MH, Hofmann S. *PLoS Genet* (2013). 9:e1003223.

Ghrelin- a key pleiotropic hormone-regulating systemic energy metabolism. Müller TD, Tschöp MH. Endocr Dev (2013). 25:91-100.

Phosphorylation of serine 1137/1138 of mouse IRS2 regulates cAMP-dependent binding to 14-3-3 proteins and IRS2 protein degradation. Neukamm SS, Ott J, Dammeier S, Lehmann R, Häring H-U, Schleicher E, Weigert C. J Biol Chem (2013). 288:16403-16415.

Neuronal expression of glucosylceramide synthase in central nervous system regulates body weight and energy homeostasis. Nordström V, Willershäuser M, Herzer S, Rozman J, von Bohlen und Halbach O, Meldner S, Rothermel U, Kaden S, Roth FC, Waldeck C, Gertz N, Hrabě de Angelis M, Draguhn A, Klingenspor M, Gröne HJ, Jennemann R. PLoS Biol (2013). 11:e1001506.

Mechanisms underlying the onset of oral lipid-induced skeletal muscle insulin resistance in humans. Nowotny B, Zahragic L, Krog D, Nowotny PJ, Herder C, Carstensen M, Yoshimura T, Szendroedi J, Phielix E, Schadewaldt P, Schloot NC, Shulman GI, Roden M. Diabetes (2013). 62:2240-2248.

Brown fat in a protoendothermic mammal fuels eutherian evolution. Oelkrug R, Goetze N, Exner C, Lee Y, Ganjam GK, Kutschke M, Müller S, Stöhr S, Tschöp MH, Chrichton PG, Heldmaier G, Jastroch M, Meyer CW. Nat Commun (2013). 4:2140.

Association of iron indices and type 2 diabetes: A meta-analysis of observational studies. Orban E, Schwab S, Thorand B, Huth C. Diabetes-Metab Res (2013). doi: 10.1002/dmrr.2506.

Nor-1, a novel incretin-responsive regulator of insulin genes and insulin secretion. Ordelheide AM, Gerst F, Rothfuss O, Heni M, Haas C, Thielker I, Herzberg-Schäfer S, Böhm A, Machicao F, Ullrich S, Stefan N, Fritsche A, Häring HU, Staiger H. Mol Metab (2013). 2:243-55.

Oxytocin reduces reward-driven food intake in humans. Ott V, Finlayson G, Lehnert H, Heitmann B, Heinrichs M, Born J, Hallschmid M. Diabetes (2013). 62:3418-3425.

The complement anaphylatoxin C5a receptor contributes to obese adipose tissue inflammation and insulin resistance. Phieler J, Chung KJ, Chatzigeorgiou A, Klotzsche-von Ameln A, Garcia-Martin R, Sprott D, Moisidou M, Tzanavari T, Ludwig B, Baraban E, Ehrhart-Bornstein M, Bornstein SR, Mziaut H, Solimena M, Karalis KP, Economopoulou M, Lambris JD, Chavakis T. J Immunol (2013). 191:4367-74.

Hepatic insulin clearance is closely related to metabolic syndrome components. Pivovarova O, Bernigau W, Bobbert T, Isken F, Möhlig M, Spranger J, Weickert MO, Osterhoff M, Pfeiffer AF, Rudovich N. Diabetes Care (2013). 36:3779-85.

The SH2B1 obesity locus and abnormal glucose homeostasis: Lack of evidence for association from a meta-analysis in individuals of European ancestry. Prudente S, Copetti M, Morini E, Mendonca C, Andreozzi F, Chandalia M, Baratta R, DIAGRAM Consortium (Huth C, Grallert HH, Gieger C, Klopp NB, Meitinger T, Petersen AK, Thorand B, Wichmann HE, Illig T), Pellegrini F, Mercuri L, Bailetti D, Abate N, et.al. Nutr Metab (2013). 23:1043-1049.

Publications 2013



DZD
Deutsches Zentrum
für Diabetesforschung

Continuous rise of insulin resistance before and after the onset of puberty in children at increased risk for type 1 diabetes - a cross-sectional analysis. Raab J, Haupt F, Kordonouri O, Scholz M, Wosch A, Ried C, Aschenmeier B, Danne T, Ziegler AG, Winkler C. *Diabetes Metab Res Rev* (2013). 29:631.

Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. Randall JC, Winkler TW, Kutzlik Z, Berndt SI, Jackson AU, DIAGRAM Consortium, et al. *PLoS Genet* (2013). 9:e1003500.

Adipo-myokines: two sides of the same coin - mediators of inflammation and mediators of exercise. Raschke S, Eckel J. *Mediators Inflamm* (2013). 2013:320724.

Evidence against a Beneficial Effect of Irisin in Humans. Raschke S, Elsen M, Gassenhuber H, Sommerfeld M, Schwahn U, Brockmann B, Jung R, Wisløff U, Tjønna AE, Raastad T, Hallén J, Norheim F, Drevon CA, Romacho T, Eckardt K, Eckel J. *PLoS One* (2013). 8:e73680.

Blood Collection from Mice and Hematological Analyses on Mouse Blood. Rathkolb B, Fuchs H, Gailus-Durner V, Aigner B, Wolf E, Hrabé de Angelis M. *Curr Protoc Mouse Biol* (2013). 3:101-119.

Clinical Chemistry and Other Laboratory Tests on Mouse Plasma and Serum. Rathkolb B, Hans W, Prehn C, Fuchs H, Gailus-Durner V, Aigner B, Adamski J, Wolf E, Hrabé de Angelis M. *Curr Protoc Mouse Biol* (2013). 3:69-100.

An ENU Mutagenesis-Derived Mouse Model with a Dominant Jak1 Mutation Resembling Phenotypes of Systemic Autoimmune Disease. Sabrautzki S, Janas E, Lorenz-Depiereux B, Calzada-Wack J, Aguilar-Pimentel JA, Rathkolb B, Adler T, Cohrs CM, Hans W, Diener S, Fuchs H, Gailus-Durner V, Busch DH, Höfler H, Ollert M, Strom TM, Wolf E, Neff F, Hrabé de Angelis M. *Am J Pathol* (2013). 183:352-368.

Circulating very-low-density lipoprotein from subjects with impaired glucose tolerance accelerates adrenocortical cortisol and aldosterone synthesis. Saha S, Schwarz PE, Bergmann S, Bornstein SR, Graessler J, et al. *Horm Metab Res* (2013). 45:169-172.

Genome-wide association study identifies a novel locus contributing to type 2 diabetes susceptibility in Sikhs of Punjabi origin from India. Saxena R, Saleheen D, Been LF, Garavito ML, Braun T, Bjonnes A, Young R, Ho WK, Rasheed A, Frossard P, Sim X, Hassanali N, Radha V, Chidambaram M, Liju S, Ress SD, Ng DP, Wong TY, Yamauchi T, Hara K, Tanaka Y, Hirose H, McCarthy MI, Morris AP, DIAGRAM Consortium, et.al. *Diabetes* (2013) 62:1746-1755.

Changes in metabolite profiles caused by genetically determined obesity in mice. Schäfer N, Yu Z, Wagener A, Millrose MK, Reissmann M, Bortfeldt R, Dieterich C, Adamski J, Wang-Sattler R, Illig T, Brockmann GA. *Metabolomics* (2013). doi: 10.1007/s11306-013-0590-1.

Cytokine response of primary human myotubes in an *in vitro* exercise model. Scheler M, Irmler M, Lehr S, Hartwig S, Staiger H, Al-Hasani H, Beckers J, Hrabé de Angelis M, Häring H-U, Weigert C. *Am J Physiol Cell Physiol* (2013). 305:C877-C886.

Publications 2013

Brain insulin and leptin signaling in metabolic control: from animal research to clinical application. Scherer T, Lehnert H, Hallschmid M. *Endocrinol Metab Clin North Am* (2013). 42:109-25.

Associated factors of estimated desaturase activity in the EPIC-Potsdam study. Schiller K, Jacobs S, Jansen E, Weikert C, di Giuseppe R, Boeing H, Schulze MB, Kröger J. *Nutr Metab Cardiovasc Dis* (2013) pii: S0939-4753(13)00292-5.

Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. Schlesinger S, Aleksandrova K, Pischon T, Jenab M, Fedirko V, Trepo E, Overvad K, Roswall N, Tjønneland A, Boutron-Ruault MC, Fagherazzi G, Racine A, Kaaks R, Grote VA, Boeing H, Trichopoulou A, Pantzalis M, Kritikou M, Mattiello A, Sieri S, Sacerdote C, Palli D, Tumino R, Peeters PH, Bueno-de-Mesquita HB, Weiderpass E, Quirós JR, Zamora-Ros R, Sánchez MJ, Arriola L, Ardanaz E, Tormo MJ, Nilsson P, Lindkvist B, Sund M, Rolandsson O, Khaw KT, Wareham N, Travis RC, Riboli E, Nöthlings U. *Ann Oncol* (2013). 24:2449-55.

Proinflammatory cytokines, adiponectin, and increased risk of primary cardiovascular events in diabetic patients with or without renal dysfunction: results from the ESTHER study. Schöttker B, Herder C, Rothenbacher D, Roden M, Kolb H, Müller H, Brenner H. *Diabetes Care* (2013). 36:1703.

Cellular signaling of amino acids towards mTORC1 activation in impaired human leucine catabolism. Schriever SC, Deutsch MJ, Adamski J, Roscher AA, Ensenauer R. *J Nutr Biochem* (2013). 24:824-831.

Transplantation of pancreatic islets to adrenal gland is promoted by agonists of growth-hormone-releasing hormone. Schubert U, Schmid J, Lehmann S, Zhang XY, Morawietz H, Block NL, Kanczkowski W, Schally AV, Bornstein SR, Ludwig B. *PNAS* (2013). 110:2288-93.

A standardized vascular disease health check in europe: a cost-effectiveness analysis. Schuetz CA, Alperin P, Guda S, van Herick A, Cariou B, Schwarz P, et al. *PLoS One* (2013) 8:e66454.

Minor role of mitochondrial respiration for fatty-acid induced insulin secretion. Schulz N, Kluth O, Jastroch M, Schürmann A. *Int Journal J Mol Sci* (2013). 14:18989-98.

Characteristics, changes and influence of body composition during a 4486km transcontinental ultramarathon: results from the Transeurope Footrace mobile whole body MRI-project. Schütz UH, Billich C, König K, Würslin C, Wiedelbach H, Brambs HJ, Machann J. *BMC Med* (2013). 11(1):122.

Cooperation between brain and islet in glucose homeostasis and diabetes. Schwartz MW, Seeley RJ, Tschöp MH, Woods SC, Morton GJ, Myers MG, D'Alessio D. *Nature* (2013). 503:59-66.

Small C-Fiber Neuropathy Improvement by Insulin: A 1 Year Study in Type 1 and Type 2 Diabetes. Schwarz P, Winiecki H, Calvet JH. *Diabetes Technology & Therapeutics* (2013). 15: A90-A91.

Global Diabetes Survey - An annual report on quality of diabetes care. Schwarz PE, Gallein G, Ebermann D, Muller A, Lindner A, et al. *Diabetes Res Clin Pract* (2013). 100:11-8.

Publications 2013



Plasminogen activator inhibitor-1, monocyte chemoattractant protein-1, e-selectin and C-reactive protein levels in response to 4-week very-high-fructose or -glucose diets. Silbernagel G, Machann J, Häring HU, Fritzsche A, Peter A. *Eur J Clin Nutr* (2013). doi: 10.1038/ejcn.2013.228.

Common genetic variation in the human FNDC5 locus, encoding the novel muscle-derived 'browning' factor irisin, determines insulin sensitivity. Staiger H, Böhm A, Scheler M, Berti L, Machann J, Schick F, Machicao F, Fritzsche A, Stefan N, Weigert C, Krook A, Häring HU, Hrabe de Angelis M. *PLoS ONE* (2013). 8:e61903.

Metabolically healthy obesity: epidemiology, mechanisms, and clinical implications. Stefan N, Häring HU, Hu FB, Schulze MB. *The Lancet Diabetes & Endocrinology* (2013). 1:152-162.

Circulating fetuin-A and free fatty acids interact to predict insulin resistance in humans. Stefan N, Häring HU. *Nat Med* (2013). 19:394-5.

Roux-en-Y gastric bypass surgery but not vertical sleeve gastrectomy decreases bone mass in male rats. Stemmer K, Bielohuby M, Grayson BE, Begg DP, Chambers AP, Neff C, Woods SC, Erben RG, Tschöp MH, Bidlingmaier M, Clemens TL, Seeley RJ. *Endocrinology* (2013). 154:2015-24.

Ghrelin-induced food intake and adiposity depend on central mTORC1/S6K1 signaling. Stevanovic D, Trajkovic V, Müller-Lühlhoff S, Brandt E, Abplanalp W, Bumke-Vogt C, Liehl B, Wiedmer P, Janjetovic K, Starcevic V, Pfeiffer AF, Al-Hasani H, Tschöp MH, Castaneda TR. *Mol Cell Endocrinol* (2013). 381:280-90

Tipping the inflammatory balance: inflammasome activation distinguishes metabolically unhealthy from healthy obesity. Stienstra R, Stefan N. *Diabetologia* (2013). 56:2343-6.

Improved protocol for laser microdissection of human pancreatic islets from surgical specimens. Sturm D, Marselli L, Ehehalt F, Richter D, Distler M, Kersting S, Grützmann R, Bokvist K, Froguel P, Liechti R, Jörns A, Meda P, Baretton GB, Saeger HD, Schulte AM, Marchetti P, Solimena M. *J Vis Exp* (2013). 71:50231.

Online breath gas analysis in unrestrained mice by hs-PTR-MS. Szymczak W, Rozman J, Höllriegel V, Kirstler M, Keller S, Peters D, Kneipp M, Schulz H, Hoeschen C, Klingenspor M, Hrabé de Angelis M. *Mamm Genome* (2013). doi: 10.1007/s00335-013-9493-8.

The CTRB1/2 locus affects diabetes susceptibility and treatment via the incretin pathway. t Hart LM, Fritzsche A, Nijpels G, van Leeuwen N, Donnelly LA, Dekker JM, Alssema M, Fadista J, Carlotti F, Gjesing AP, Palmer CN, van Haeften TW, Herzberg-Schäfer SA, Simonis-Bik AM, Houwing-Duistermaat JJ, Helmer Q, Deelen J, Guigas B, Hansen T, Machica. *Diabetes* (2013). 62:3275-81.

Genome-wide association study for type 2 diabetes in Indians identifies a new susceptibility locus at 2q21. Tabassum R, Chauhan G, Dwivedi OP, Mahajan A, Jaiswal A, Kaur I, Bandesh K, Singh T, Matthaj BJ, Pandey Y, Chidambraram M, Sharma A, Chavali S, Sengupta S, Ramakrishnan L, Venkatesh P, Aggarwal SK, Ghosh S, Prabhakaran D, Srinath RK, Saxena M, DIAGRAM Consortium, et.al. *Diabetes* (2013). 62:977-986.

Association between Traffic-Related Air Pollution, Subclinical Inflammation and Impaired Glucose Metabolism: Results from the SALIA Study. Teichert T, Vossoughi M, Vierkötter A, Sugiri D, Schikowski T, Schulte T, Roden M, Luckhaus C, Herder C, Krämer U. PLoS One (2013). 8:e83042.

Plasma Metabolomics Reveal Alterations of Sphingo- and Glycerophospholipid Levels in Non-Diabetic Carriers of the Transcription Factor 7-Like 2 Polymorphism rs7903146. Then C, Wahl S, Kirchhofer , Grallert H, Krug S, Kastenmüller G, Römisch-Margl W, Claussnitzer M, Illig T, Heier M, Meisinger C, Adamski J, Thorand B, Huth C, Peters A, Prehn C, Heukamp I, Laumen H, Lechner A, Hauner H, Seissler J. PLoS One (2013). 8:e78430.

Long-term exposure to traffic-related air pollution and insulin resistance in children: results from the GINIplus and LISAplus birth cohorts. Thiering E, Cyrys J, Kratzsch J, Meisinger C, Hoffmann B, Berdel D, von Berg A, Koletzko S, Bauer CP, Heinrich J. Diabetologia (2013). 56:1696-704.

The pharmacokinetics of acyl, des-acyl, and total ghrelin in healthy human subjects. Tong J, Dave N, Mugundu GM, Davis HW, Gaylinn BD, Thorner MO, Tschöp MH, D'Alessio D, Desai PB. Eur J Endocrinol (2013). 168:821-8.

Physiologic concentrations of exogenously infused ghrelin reduces insulin secretion without affecting insulin sensitivity in healthy humans. Tong J, Prigeon RL, Davis HW, Bidlingmaier M, Tschöp MH, D'Alessio D. J Clin Endocrinol Metab (2013). 98:2536-43.

Estrogen deficiency aggravates insulin resistance and induces β-cell loss and diabetes in female New Zealand obese mice. Vogel H, Mirhashemi F, Liehl B, Taugner F, Kluth O, Kluge R, Joost HG, Schürmann A. Horm Metab Res (2013). 45:430-5.

An interval of the obesity QTL Nob3.38 within a QTL hotspot on chromosome 1 modulates behavioral phenotypes. Vogel H, Montag D, Kanzleiter T, Jonas W, Matzke D, Scherneck S, Chadt A, Töle J, Kluge R, Joost HG, Schürmann A. PLoS One (2013) 8:e53025.

Apoe, Mbl2, and Psp Plasma Protein Levels Correlate with Diabetic Phenotype in NZO Mice-An Optimized Rapid Workflow for SRM-Based Quantification. von Toerne C, Kahle M, Schäfer A, Ispiryan R, Blindert M, Hrabe De Angelis M, Neschen S, Ueffing M, Hauck SM. J Proteome Res. (2013) 12:1331-1343.

Age-dependent association of serum prolactin with glycaemia and insulin sensitivity in humans. Wagner R, Heni M, Linder K, Ketterer C, Peter A, Böhm A, Hatziagelaki E, Stefan N, Staiger H, Häring HU, Fritzsche A. Acta Diabetol. (2013). DOI 10.1007/s00592-013-0493-7.

Reevaluation of Fatty acid receptor 1 (FFAR1/GPR40) as drug target for the stimulation of insulin secretion in humans. Wagner R, Kaiser G, Gerst F, Christiansen E, Due-Hansen ME, Grundmann M, Machicao F, Peter A, Kostenis E, Ulven T, Fritzsche A, Häring HU, Ullrich S. Diabetes (2013). 62:2106.

Family history of diabetes is associated with higher risk for prediabetes– a multicentric analysis from the German Center of Diabetes Research. Wagner R, Thorand B, Osterhoff M, Müller G, Böhm A, Meisinger C, Kowall B, Rathmann W, Kronenberg F, Staiger H, Stefan N, Schwarz P, Pfeiffer AF, Häring H-U, Fritzsche A. *Diabetologia* 56 (2013). 2176-2180.

Metabolomics reveals determinants of weight loss during lifestyle intervention in obese children. Wahl S, Holzapfel C, Yu Z, Breier M, Kondofersky I, Fuchs C, Singmann P, Prehn C, Adamski J, Grallert, H, Illig T, Wang-Sattler R, Reinehr T. *Metabolomics* (2013) 9:1157-1167.

Comparative analysis of plasma metabolomics response to metabolic challenge tests in healthy subjects and influence of the FTO obesity risk allele. Wahl S, Krug S, Then C, Kirchhofer A, Kastenmüller G, Brand T, Skurk T, Claussnitzer M, Huth C, Heier M, Meisinger C, Peters A, Thorand B, Gieger C, Prehn C, Römisich-Margl W, Adamski J, Suhre K, Illig T, Grallert H, Laumen H, Seissler J, Hauner H. *Metabolomics* (2013). doi: 10.1007/s11306-013-0586-x.

Does diabetes appear in distinct phenotypes in young people? Results of the diabetes mellitus Incidence Cohort Registry (DiMelli). Warncke K, Krasmann M, Puff R, Dunstheimer D, Ziegler AG, Beyerlein A. *PLoS ONE* (2013). 8:e7433.

Systematic identification of trans eQTLs as putative drivers of known disease associations. Westra HJ, Peters MJ, Esko T, Yaghootkar H, Schurmann C, Kettunen J, Christiansen MW, Fairfax BP, Schramm K, Powell JE, Zhernakova A, Zhernakova DV, Veldink JH, Van den Berg LH, Karjalainen J, Withoff S, Uitterlinden AG, Hofman A, Rivadeneira F, 't Hoen PA, Reinmaa E, Fischer K, Nelis M, Milani L, Melzer D, Ferrucci L, Singleton AB, Hernandez DG, Nalls MA, Homuth G, Nauck M, Radke D, Völker U, Perola M, Salomaa V, Brody J, Suchy-Dicey A, Gharib SA, Enquobahrie DA, Lumley T, Montgomery GW, Makino S, Prokisch H, Herder C, Roden M, Grallert H, Meitinger T, Strauch K, Li Y, Jansen RC, Visscher PM, Knight JC, Psaty BM, Ripatti S, Teumer A, Frayling TM, Metspalu A, van Meurs JB, Franke L. *Nature Genetics* (2013). 45:1238-1243.

Serum Metabolites Related to Cardiorespiratory Fitness, Physical Activity Energy Expenditure, Sedentary Time and Vigorous Activity. Wientzek A, Floegel A, Knüppel S, Vigl M, Drogan D, Adamski J, Pischon T, Boeing H. *Int J Sport Nutr Exerc Metab* (2013) Nov 13.

Presence of gallstones and the risk of cardiovascular diseases: The EPIC-Germany cohort study. Wirth J, Giuseppe RD, Wientzek A, Katzke VA, Kloss M, Kaaks R, Boeing H, Weikert C. *Eur J Prev Cardiol* (2013). Oct 31.

Knockdown of PRAS40 inhibits insulin action via proteasome-mediated degradation of IRS1 in primary human skeletal muscle cells. Wiza C, Herzfeld de Wiza D, Nascimento EB, Lehr S, Al-Hasani H, Ouwens DM. *Diabetologia* (2013). 56:1118-28.

Proline-rich Akt substrate of 40-kDa contains a nuclear export signal. Wiza C, Nascimento EB, Linssen MM, Carlotti F, Herzfeld de Wiza D, van der Zon GC, Maassen JA, Diamant M, Guigas B, Ouwens DM. *Cell Signal* (2013). 25:1762-8.

Production and release of acylcarnitines by primary myotubes reflect the differences in fasting fat oxidation of the donors. Wolf M, Chen S, Zhao X, Scheler M, Irmler M, Staiger H, Beckers J, Hrabé de Angelis M, Fritzsche A, Häring HU, Schleicher ED, Xu G, Lehmann R, Weigert C. *J Clin Endocr Metabol* (2013). 98:E1137-42.

Genetic variants associated with glycine metabolism and their role in insulin sensitivity and type 2 diabetes. Xie W, Wood AR, Lyssenko V, Weedon MN, Knowles JW, Alkayyali S, Assimes TL, Quertermous T, Abbasi F, Paananen J, Häring HU, Hansen T, Pedersen O, Smith U, Laakso M, et.al. *Diabetes* (2013). 62:2141-2150.

Effects of smoking and smoking cessation on human serum metabolite profile: results from the KORA cohort study. Xu T, Holzapfel C, Dong X, Bader E, Yu Z, Prehn C, Perstorfer K, Jaremek M, Römisch-Margl W, Rathmann W, Li Y, Wichmann H-E, Wallaschofski H, Ladwig KH, Theis F, Suhre K, Adamski J, Illig T, Peters A, Wang-Sattler R. *BMC Med* (2013). 11:60.

Leptin action in the brain: How (and when) it makes fat burn. Yi CX, Meyer CW, Jastroch M. *Mol Metab* (2013). 2:63-4.

Pre-analytical aspects and sample quality assessment in metabolomics studies of human blood. Yin P, Peter A, Franken H, Zhao X, Neukamm SS, Rosenbaum L, Lucio M, Zell A, Häring HU, Schleicher ED, Xu G, Lehmann R. *Clin Chem* (2013). 59:833-45.

The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. Zamora-Ros R, Forouhi NG, Sharp SJ, González CA, Buijsse B, Guevara M, van der Schouw YT, Amiano P, Boeing H, Bredsdorff L, Clavel-Chapelon F, Fagherazzi G, Feskens EJ, Franks PW, Grioni S, Katzke V, Key TJ, Khaw KT, Kühn T, Masala G, Mattiello A, Molina-Montes E, Nilsson PM, Overvad K, Perquier F, Quirós JR, Romieu I, Sacerdote C, Scalbert A, Schulze M, Slimani N, Spijkerman AM, Tjonneland A, Tormo MJ, Tumino R, van der A DL, Langenberg C, Riboli E, Wareham NJ. *Diabetes Care* (2013). 36:3961-70.

Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. Zamora-Ros R, Forouhi NG, Sharp SJ, González CA, Buijsse B, Guevara M, van der Schouw YT, Amiano P, Boeing H, Bredsdorff L, Fagherazzi G, Feskens EJ, Franks PW, Grioni S, Katzke V, Key TJ, Khaw KT, Kühn T, Masala G, Mattiello A, Molina-Montes E, Nilsson PM, Overvad K, Perquier F, Redondo ML, Ricceri F, Rolandsson O, Romieu I, Roswall N, Scalbert A, Schulze M, Slimani N, Spijkerman AM, Tjonneland A, Tormo MJ, Touillaud M, Tumino R, van der A DL, van Woudenberg GJ, Langenberg C, Riboli E, Wareham NJ. *J Nutr* (2013). Dec 24.

Seroconversion to multiple islet autoantibodies and risk of progression to diabetes in children. Zukunft S, Sorgenfrei M, Prehn C, Möller G, Adamski J. *JAMA* (2013). 309:2473-9.

Targeted metabolomics of dried blood spot extracts. Zukunft S, Sorgenfrei M, Prehn C, Möller G, Adamski J. *Chromatographia* (2013). 76:1295-1305.